



OOLV.E485355 Lamps, Self-ballasted, Light-emitting-diode Type

[Page Bottom](#)

Lamps, Self-ballasted, Light-emitting-diode Type

[See General Information for Lamps, Self-ballasted, Light-emitting-diode Type](#)**EVERWATT**

E485355

5221 Central Ave, Unit 5
Richmond, CA 94804 USA

Self-Ballasted Lamps, LED type, Model(s) EW-180CB-027W-XA1Y, where suffix 'X' can be 1 to 9 representing different angle of Diffuser; where suffix 'Y' can be E26, E39 or EX39 representing the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-180CB-036W-XA1Y, where suffix 'X' can be 1 to 9 representing different angle of Diffuser; where suffix 'Y' can be E26, E39 or EX39 representing the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-180CB-054W-XA1Y, where suffix 'X' can be 1 to 9 representing different angle of Diffuser; where suffix 'Y' can be E26, E39 or EX39 representing the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-180CB-054W-XA2Y, where suffix 'X' can be 1 to 9 representing different angle of Diffuser; where suffix 'Y' can be E26, E39 or EX39 representing the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-180CB-075W-XA1Y, where suffix 'X' can be 1 to 9 representing different angle of Diffuser; where suffix 'Y' can be E26, E39 or EX39 representing the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-180CB-095W-XA1Y, where suffix 'X' can be 1 to 9 representing different angle of Diffuser; where suffix 'Y' can be E26, E39 or EX39 representing the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-180CB-115W-XA1Y, where suffix 'X' can be 1 to 9 representing different angle of Diffuser; where suffix 'Y' can be E26, E39 or EX39 representing the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-IP40CB-030W-B2X, where suffix 'X?' can be E26 or E39 to represent the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-IP40CB-040W-B2X, where suffix 'X?' can be E26 or E39 to represent the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-IP40CB-060W-B2X, where suffix 'X?' can be E26 or E39 to represent the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-IP40CB-080W-B2, EW-IP40CB-100W-B2, EW-IP40CB-120W-B2

Self-Ballasted Lamps, LED type, Model(s) EW-IP64CB-030W-B1X, where suffix 'X?' can be E26 or E39 to represent the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-IP64CB-040W-B1X, where suffix 'X?' can be E26 or E39 to represent the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-IP64CB-060W-B1X, where suffix 'X?' can be E26 or E39 to represent the Lamp base type.

Self-Ballasted Lamps, LED type, Model(s) EW-IP64CB-080W-B1, EW-IP64CB-100W-B1, EW-IP64CB-120W-B1, EW-IP64CB-150W-B1, EWIP64CB020WE26NB13, EWIP64CB030WE39NB16

Self-Ballasted Lamps, LED type, Model(s) EWRCB015WE26NB01, EWRCB020WE26NB02, EWRCB030WE26NB03, EWRCB030WE39NB04, EWRCB040WE26NB05, EWRCB040WE39NB06, EWRCB060WE26NB07, EWRCB060WE39NB08, EWRCB080WE39NB09, EWRCB100WE39NB10, EWSBCB020WE26NB01, EWSBCB030WE26NB02, EWSBCB030WE39NB03, EWSBCB040WE26NB04, EWSBCB040WE39NB05, EWSBCB060WE26NB06, EWSBCB060WE39NB07, EWSBCB080WE39NB08, EWSBCB100WE39NB09, EWSBCB120WE39NB10, EWIP64CB005WE26NB01, EWIP64CB005WE26YB02, EWIP64CB007WE26NB03, EWIP64CB007WE26YB04, EWIP64CB009WE26NB05, EWIP64CB009WE26YB06, EWIP64CB012WE26NB07, EWIP64CB012WE26YB08, EWIP64CB015WE26NB09, EWIP64CB015WE26NB10, EWIP64CB015WE26YB11, EWIP64CB020WE26NB12, EWIP64CB020WE26YB14, EWIP64CB030WE26NB15, EWIP64CB040WE26NB17, EWIP64CB040WE39NB18, EWIP64CB060WE26NB19, EWIP64CB060WE39NB20, EWIP64CB080WE39NB21, EWIP64CB100WE39NB22, EWIP64CB120WE39NB23, EWIP64CB150WE39NB24

[Last Updated](#) on 2016-11-25[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".