





Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment						
	<table><tr><td>Health Hazard</td><td>2</td></tr><tr><td>Fire Hazard</td><td>1</td></tr><tr><td>Reactivity</td><td>0</td></tr></table>	Health Hazard	2	Fire Hazard	1	Reactivity	0	<div></div> <div>See Section 15.</div>
Health Hazard	2							
Fire Hazard	1							
Reactivity	0							

Section 1. Chemical Product and Company Identification		Page Number: 1
Common Name/ Trade Name	Succinylcholine chloride	Catalog Number(s). S1864, S1692, S1696
Manufacturer	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	CAS# 6101-15-1(dihydrate); 71-27-2
Commercial Name(s)	Not available.	RTECS GA2360000
Synonym	Ethanaminium, 2,2'-[(1,4-Dioxo-1,4-butanediyl)bis(oxy))bis(N,N,N-trimethyl-dichloride, dihydrate; Quelcin Chloride dihydrate; Suxamethonium dichloride, dihydrate; (2-Hydroxyethyl)trimethylammonium chloride succinate, dihydrate; 2-Dimethylaminoethyl succinate dimethochloride; Anectine chloride, dihydrate; Bis(2-dimethylaminoethyl)succinate bis(methochloride), dihydrate; Bis (succinylchlorocholine), dihydrate; Choline succinate dichloride dihydrate; Choline, succinyl-, dichloride dihydrate; Diacetylcholine chloride dihydrate; Diacetylcholine dichloride dihydrate ; Succinyl bischoline chloride, dihydrate; Suxamethonium chloride, dihydrate.	TSCA TSCA 8(b) inventory: No products were found.
Chemical Name	Succinylcholine chloride, dihydrate	CI# Not available.
Chemical Family	Not available.	IN CASE OF EMERGENCY CHEMTREC (24hr) 800-424-9300 CALL (310) 516-8000
Chemical Formula	C14-H30-Cl2-N2-O4.2H2O	
Supplier	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	

Section 2. Composition and Information on Ingredients					
		Exposure Limits			
Name	CAS #	TWA (mg/m ³)	STEL (mg/m ³)	CEIL (mg/m ³)	% by Weight
1) Succinylcholine chloride	71-27-2 (former CAS no. 6101-15-1)				100
Toxicological Data on Ingredients Succinylcholine chloride : ORAL (LD50): Acute: 125 mg/kg [Mouse].					

Continued on Next Page

Section 3. Hazards Identification

Potential Acute Health Effects	Hazardous in case of ingestion. Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation. Severe over-exposure can result in death.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to the nervous system, liver, cardiovascular system, upper respiratory tract, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. Seek medical attention.
Ingestion	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Serious Ingestion	Not available.

Section 5. Fire and Explosion Data

Flammability of the Product	May be combustible at high temperature.
Auto-Ignition Temperature	Not available.
Flash Points	CLOSED CUP: Higher than 93.3°C (200°F).
Flammable Limits	Not available.
Products of Combustion	These products are carbon oxides (CO, CO ₂), nitrogen oxides (NO, NO ₂ ...), halogenated compounds.
Fire Hazards in Presence of Various Substances	Slightly flammable to flammable in presence of heat. Non-flammable in presence of shocks.
Explosion Hazards in Presence of Various Substances	Slightly explosive in presence of open flames and sparks. Non-explosive in presence of shocks.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
Special Remarks on Fire Hazards	As with most organic solids, fire is possible at elevated temperatures
Special Remarks on Explosion Hazards	Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Section 6. Accidental Release Measures

Small Spill	Use appropriate tools to put the spilled solid in a convenient waste disposal container.
Large Spill	Poisonous solid. Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal.

Section 7. Handling and Storage

Precautions	Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as alkalis.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 8°C (46.4°F). Refrigerate. Sensitive to light. Store in light-resistant containers.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Exposure Limits	Not available.

Section 9. Physical and Chemical Properties

Physical state and appearance	Solid. (Solid crystalline powder.)	Odor	Odorless.
Molecular Weight	397.34 g/mole	Taste	Not available.
pH (1% soln/water)	Not available.	Color	White.
Boiling Point	Not available.		
Melting Point	156°C (312.8°F) - 163 C		
Critical Temperature	Not available.		
Specific Gravity	Not available.		
Vapor Pressure	Not applicable.		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	Not available.		
Ionicity (in Water)	Not available.		
Dispersion Properties	See solubility in water, diethyl ether, acetone.		
Solubility	Easily soluble in cold water, hot water. Partially soluble in diethyl ether, acetone. Slightly soluble in ethanol, benzene		

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Excess heat, incompatible materials
Incompatibility with various substances	Reactive with alkalis.
Corrosivity	Non-corrosive in presence of glass.
Special Remarks on Reactivity	Strong bases and alkaline materials
Special Remarks on Corrosivity	Not available.
Polymerization	Will not occur.

Section 11. Toxicological Information

Routes of Entry	Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 125 mg/kg [Mouse].
Chronic Effects on Humans	May cause damage to the following organs: the nervous system, liver, cardiovascular system, upper respiratory tract, eyes.
Other Toxic Effects on Humans	Hazardous in case of ingestion. Slightly hazardous in case of skin contact (irritant), of inhalation.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	May affect genetic material (mutagenic)
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Skin: May cause skin irritation. Eyes: Dust may cause eye irritation. Inhalation: Dust may cause respiratory tract irritation. Ingestion: Harmful if swallowed. May cause gastrointestinal tract irritation. May affect behavior/central nervous system/nervous system(rigidity, incoordination, muscle weakness), respiration(breathing difficulty, cyanosis), metabolism, cardiovascular system, peripheral nervous system (peripheral nerve and sensation). Other symptoms may include hyperthermia, increased intraocular pressure).

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are as toxic as the product itself.
Special Remarks on the Products of Biodegradation	Not available.

Section 13. Disposal Considerations**Waste Disposal**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14. Transport Information**DOT Classification**

CLASS 6.1: Poisonous material.

Identification

: Toxic solid, organic, n.o.s (Succinylcholine chloride) UNNA: 2811 PG: III

Special Provisions for Transport

Not available.

DOT (Pictograms)**Section 15. Other Regulatory Information and Pictograms****Federal and State Regulations**

No products were found.

California Proposition 65 Warnings

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: No products were found.

California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.

Other Regulations

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).
EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications**WHMIS (Canada)**

CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC).

DSCL (EEC)

R25- Toxic if swallowed.

S7- Keep container tightly closed.
S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.)

Health Hazard	2
Fire Hazard	1
Reactivity	0
Personal Protection	E

National Fire Protection Association (U.S.A.)

Health	2	1	0	Flammability
				Reactivity
				Specific hazard

WHMIS (Canada) (Pictograms)**DSCL (Europe) (Pictograms)**

**TDG (Canada)
(Pictograms)****ADR (Europe)
(Pictograms)****Protective Equipment**

Gloves.



Lab coat.



Dust respirator. Be sure to use an approved/certified respirator or equivalent.



Splash goggles.

Section 16. Other Information**MSDS Code** S5053**References** Not available.**Other Special Considerations** Not available.

Validated by Sonia Owen on 8/11/2006.

Verified by Sonia Owen.

Printed 9/14/2006.

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.