

**REMBRANDT OIL COLOR ARTICLES NUMBERS COVERED BY THIS SAFETY DATA SHEET**

01052272	REMBRANDT OIL COLOUR 40ML/#9 TUBE YELLOW OCHRE 227 1	8712079058548
01052282	REMBRANDT OIL COLOUR 40ML/#9 TUBE YELLOW OCHRE LT 228 1	8712079058555
01052312	REMBRANDT OIL COLOUR 40ML/#9 TUBE GOLD OCHRE 231 1	8712079058562
01052322	REMBRANDT OIL COLOUR 40ML/#9 TUBE ORANGE OCHRE 232 1	8712079058579
01052342	REMBRANDT OIL COLOUR 40ML/#9 TUBE RAW SIENNA 234 1	8712079058586
01053392	REMBRANDT OIL COLOUR 40ML/#9 TUBE LIGHT OXIDE RED 339 1	8712079058852
01053442	REMBRANDT OIL COLOUR 40ML/#9 TUBE CAPUT MORTUUM VIO 344 1	8712079058876
01053472	REMBRANDT OIL COLOUR 40ML/#9 TUBE INDIAN RED 347 1	8712079058883
01053492	REMBRANDT OIL COLOUR 40ML/#9 TUBE VENETIAN RED 349 1	8712079058906
01054032	REMBRANDT OIL COLOUR 40ML/#9 TUBE VAN DYKE BROWN 403 1	8712079058968
01054082	REMBRANDT OIL COLOUR 40ML/#9 TUBE RAW UMBER 408 1	8712079058975
01054092	REMBRANDT OIL COLOUR 40ML/#9 TUBE BURNT UMBER 409 1	8712079058982
01054102	REMBRANDT OIL COLOUR 40ML/#9 TUBE GREENISH UMBER 410 1	8712079058999
01054112	REMBRANDT OIL COLOUR 40ML/#9 TUBE BURNT SIENNA 411 1	8712079059002
01054142	REMBRANDT OIL COLOUR 40ML/#9 TUBE ASPHALTUM 414 1	8712079059019
01054162	REMBRANDT OIL COLOUR 40ML/#9 TUBE SEPIA 416 1	8712079059026
01055552	REMBRANDT OIL COLOUR 40ML/#9 TUBE ROSE'S LILAC 1	8712079341367
01056292	REMBRANDT OIL COLOUR 40ML/#9 TUBE GREEN EARTH 629 1	8712079059392
01057012	REMBRANDT OIL COLOUR 40ML/#9 TUBE IVORY BLACK 701 1	8712079059477
01057022	REMBRANDT OIL COLOUR 40ML/#9 TUBE LAMP BLACK 702 1	8712079059484
01057082	REMBRANDT OIL COLOUR 40ML/#9 TUBE PAYNES GREY 708 1	8712079059491
01057172	REMBRANDT OIL COLOUR 40ML/#9 TUBE COLD GREY 717 1	8712079059507
01057182	REMBRANDT OIL COLOUR 40ML/#9 TUBE WARM GREY 718 1	8712079059514
01054302	REMBRANDT OIL COLOUR 40ML/#9 TUBE BROWN OCHRE 430 1	8712079059057
01057352	REMBRANDT OIL COLOUR 40ML/#9 TUBE OXIDE BLACK 735 1	8712079059521
01056252	REMBRANDT OIL COLOUR 40ML/#9 TUBE CINNABAR GRN MED 625 2	8712079059361
01056262	REMBRANDT OIL COLOUR 40ML/#9 TUBE CINNABAR GREEN LT 626 2	8712079059378
01056272	REMBRANDT OIL COLOUR 40ML/#9 TUBE CINNABAR GRN DEEP 627 2	8712079059385
01056912	REMBRANDT OIL COLOUR 40ML/#9 TUBE GR SM APPLE GREEN 2	8712079346010
01055052	REMBRANDT OIL COLOUR 40ML/#9 TUBE ULTRAMARINE LIGHT 505 2	8712079059064
01055062	REMBRANDT OIL COLOUR 40ML/#9 TUBE ULTRAMARINE DEEP 506 2	8712079059071
01055072	REMBRANDT OIL COLOUR 40ML/#9 TUBE ULTRAMARINE VIOLT 507 2	8712079059088
01055082	REMBRANDT OIL COLOUR 40ML/#9 TUBE PRUSSIAN BLUE 508 2	8712079059095
01055122	REMBRANDT OIL COLOUR 40ML/#9 TUBE COBALT BLUE ULTRA 512 2	8712079059101
01055332	REMBRANDT OIL COLOUR 40ML/#9 TUBE INDIGO 533 2	8712079059163
01052222	REMBRANDT OIL COLOUR 40ML/#9 TUBE NAPLES YELLOW LT 222 2	8712079058517
01052232	REMBRANDT OIL COLOUR 40ML/#9 TUBE NAPLES YELLOW DP 223 2	8712079058524
01052242	REMBRANDT OIL COLOUR 40ML/#9 TUBE NAPLES YELLOW RED 224 2	8712079058531
01052792	REMBRANDT OIL COLOUR 40ML/#9 TUBE NICKEL TITAN Y-LT 279 2	8712079058678
01052802	REMBRANDT OIL COLOUR 40ML/#9 TUBE NICKEL TITAN Y-DP 280 2	8712079058685
01052822	REMBRANDT OIL COLOUR 40ML/#9 TUBE NAPLES YELLOW GRN 282 2	8712079058708
01056152	REMBRANDT OIL COLOUR 40ML/#9 TUBE EMERALD GREEN 615 2	8712079059309
01056202	REMBRANDT OIL COLOUR 40ML/#9 TUBE OLIVE GREEN 620 2	8712079059347
01056232	REMBRANDT OIL COLOUR 40ML/#9 TUBE SAP GREEN 623 2	8712079059354
01052512	REMBRANDT OIL COLOUR 40ML/#9 TUBE STIL DE GRAIN YEL 251 3	8712079058609
01052542	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM LEMON YELLOW 254 3	8712079058616
01052652	REMBRANDT OIL COLOUR 40ML/#9 TUBE TRANS OXIDE YELL 265 3	8712079058623
01052662	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERMANENT ORANGE 266 3	8712079058630
01052722	REMBRANDT OIL COLOUR 40ML/#9 TUBE TRANS YELLOW MED 272 3	8712079058654
01052732	REMBRANDT OIL COLOUR 40ML/#9 TUBE TRANS OXIDE ORANG 273 3	8712079058661
01052812	REMBRANDT OIL COLOUR 40ML/#9 TUBE TRANS YELLOW GRN 281 3	8712079058692

01052832	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM YELLOW LIGHT 283 3	8712079058715
01052842	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM YELLOW MED 284 3	8712079058722
01052852	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM YELLOW DEEP 285 3	8712079058739
01052952	REMBRANDT OIL COLOUR 40ML/#9 TUBE MENTLER MUSTARD 3	8712079345990
01053112	REMBRANDT OIL COLOUR 40ML/#9 TUBE VERMILLION 311 3	8712079058777
01053172	REMBRANDT OIL COLOUR 40ML/#9 TUBE TRANS RED MEDIUM 317 3	8712079058791
01053182	REMBRANDT OIL COLOUR 40ML/#9 TUBE CARMINE 318 3	8712079058807
01053212	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM MADDER LIGHT 321 3	8712079058814
01053232	REMBRANDT OIL COLOUR 40ML/#9 TUBE BURNT CARMINE 323 3	8712079058821
01053242	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM MADDER BROWN 324 3	8712079058838
01053342	REMBRANDT OIL COLOUR 40ML/#9 TUBE SCARLET 334 3	8712079058845
01053422	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM MADDER DEEP 342 3	8712079058869
01053482	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM RED PURPLE 348 3	8712079058890
01053662	REMBRANDT OIL COLOUR 40ML/#9 TUBE QUINACRIDONE ROSE 366 3	8712079058913
01053702	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM RED LIGHT 370 3	8712079058920
01053712	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM RED DEEP 371 3	8712079058937
01053772	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM RED MEDIUM 377 3	8712079056766
01053782	REMBRANDT OIL COLOUR 40ML/#9 TUBE TRANSP OXIDE RED 378 3	8712079058944
01053952	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM MADDER MED 395 3	8712079058951
01054182	REMBRANDT OIL COLOUR 40ML/#9 TUBE STIL DE GRAIN BRN 418 3	8712079059033
01054262	REMBRANDT OIL COLOUR 40ML/#9 TUBE TRANS OXIDE BROWN 426 3	8712079059040
01055172	REMBRANDT OIL COLOUR 40ML/#9 TUBE KING'S BLUE 517 3	8712079059132
01055222	REMBRANDT OIL COLOUR 40ML/#9 TUBE TURQUOISE BLUE 522 3	8712079059149
01055302	REMBRANDT OIL COLOUR 40ML/#9 TUBE SEVRES BLUE 530 3	8712079059156
01055372	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM VIOLET MED 537 3	8712079059187
01055652	REMBRANDT OIL COLOUR 40ML/#9 TUBE PHTHALO TURQ BLUE 565 3	8712079059200
01055672	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM RED VIOLET 567 3	8712079059217
01055682	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM BLUE VIOLET 568 3	8712079059224
01055762	REMBRANDT OIL COLOUR 40ML/#9 TUBE PHTHALO BLUE GRN 576 3	8712079059231
01055822	REMBRANDT OIL COLOUR 40ML/#9 TUBE MANGANESE BL THAL 582 3	8712079059248
01055832	REMBRANDT OIL COLOUR 40ML/#9 TUBE PHTHALO BLUE RED 583 3	8712079059255
01055852	REMBRANDT OIL COLOUR 40ML/#9 TUBE INDANTHRENE BLUE 585 3	8712079059262
01056142	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM GREEN MEDIUM 614 3	8712079059293
01056162	REMBRANDT OIL COLOUR 40ML/#9 TUBE VIRIDIAN 616 3	8712079059316
01056182	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM GREEN LIGHT 618 3	8712079059323
01056192	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM GREEN DEEP 619 3	8712079059330
01056332	REMBRANDT OIL COLOUR 40ML/#9 TUBE PERM YELLOW GREEN 633 3	8712079059408
01056502	REMBRANDT OIL COLOUR 40ML/#9 TUBE SEVRES GREEN 650 3	8712079059415
01056682	REMBRANDT OIL COLOUR 40ML/#9 TUBE CHROMIUM OX GREEN 668 3	8712079059422
01056802	REMBRANDT OIL COLOUR 40ML/#9 TUBE PHTHALO GREEN BLU 680 3	8712079059439
01056812	REMBRANDT OIL COLOUR 40ML/#9 TUBE PHTHALO GREEN YEL 681 3	8712079059446
01056832	REMBRANDT OIL COLOUR 40ML/#9 TUBE ULTRAMARINE GREEN 683 3	8712079059460
01058002	REMBRANDT OIL COLOUR 40ML/#9 TUBE SILVER 800 3	8712079059538
01058022	REMBRANDT OIL COLOUR 40ML/#9 TUBE LIGHT GOLD 802 3	8712079059545
01058032	REMBRANDT OIL COLOUR 40ML/#9 TUBE DEEP GOLD 803 3	8712079059552
01058052	REMBRANDT OIL COLOUR 40ML/#9 TUBE COPPER 805 3	8712079059569
01058112	REMBRANDT OIL COLOUR 40ML/#9 TUBE BRONZE 811 3	8712079059576
01058152	REMBRANDT OIL COLOUR 40ML/#9 TUBE PEWTER 815 3	8712079059583
01058172	REMBRANDT OIL COLOUR 40ML/#9 TUBE PEARL WHITE 817 3	8712079059590
01052072	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM YEL LEMON 207 4	8712079058470
01052082	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM YEL LIGHT 208 4	8712079058487
01052102	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM YELLOW DP 210 4	8712079058494

01052112	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM ORANGE 211 4	8712079058500
01052422	REMBRANDT OIL COLOUR 40ML/#9 TUBE AUREOLINE 242 4	8712079058593
01052712	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM YELL MED 271 4	8712079058647
01053032	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM RED LIGHT 303 4	8712079058746
01053062	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM RED DEEP 306 4	8712079058753
01053092	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM RED PURP 309 4	8712079058760
01053142	REMBRANDT OIL COLOUR 40ML/#9 TUBE CADMIUM RED MED 314 4	8712079058784
01055132	REMBRANDT OIL COLOUR 40ML/#9 TUBE COBALT BLUE LIGHT 513 5	8712079059118
01055152	REMBRANDT OIL COLOUR 40ML/#9 TUBE COBALT BLUE DEEP 515 5	8712079059125
01055342	REMBRANDT OIL COLOUR 40ML/#9 TUBE CERULEAN BLUE 534 5	8712079059170
01055392	REMBRANDT OIL COLOUR 40ML/#9 TUBE COBALT VIOLET 539 5	8712079059194
01055862	REMBRANDT OIL COLOUR 40ML/#9 TUBE COBALT TURQ BLUE 586 5	8712079059279
01056102	REMBRANDT OIL COLOUR 40ML/#9 TUBE COBALT GREEN 610 5	8712079059286
01056822	REMBRANDT OIL COLOUR 40ML/#9 TUBE COBALT TURQ GREEN 682 5	8712079059453
01072272	REMBRANDT OIL COLOUR 150ML/#11 TUBE YELLOW OCHRE 227 1	8712079059705
01072342	REMBRANDT OIL COLOUR 150ML/#11 TUBE RAW SIENNA 234 1	8712079059712
01073492	REMBRANDT OIL COLOUR 150ML/#11 TUBE VENETIAN RED 349 1	8712079059767
01074032	REMBRANDT OIL COLOUR 150ML/#11 TUBE VAN DYKE BROWN 403 1	8712079059798
01074082	REMBRANDT OIL COLOUR 150ML/#11 TUBE RAW UMBER 408 1	8712079059804
01074092	REMBRANDT OIL COLOUR 150ML/#11 TUBE BURNT UMBER 409 1	8712079059811
01074112	REMBRANDT OIL COLOUR 150ML/#11 TUBE BURNT SIENNA 411 1	8712079059828
01076292	REMBRANDT OIL COLOUR 150ML/#11 TUBE GREEN EARTH 629 1	8712079059927
01077012	REMBRANDT OIL COLOUR 150ML/#11 TUBE IVORY BLACK 701 1	8712079059941
01075062	REMBRANDT OIL COLOUR 150ML/#11 TUBE ULTRAMARINE DP 506 2	8712079059835
01075082	REMBRANDT OIL COLOUR 150ML/#11 TUBE PRUSSIAN BLUE 508 2	8712079059842
01076202	REMBRANDT OIL COLOUR 150ML/#11 TUBE OLIVE GREEN 620 2	8712079059903
01076232	REMBRANDT OIL COLOUR 150ML/#11 TUBE SAP GREEN 623 2	8712079059910
01072542	REMBRANDT OIL COLOUR 150ML/#11 TUBE PERM LEMON YELL 254 3	8712079059729
01072842	REMBRANDT OIL COLOUR 150ML/#11 TUBE PERM YELLOW MED 284 3	8712079059736
01073112	REMBRANDT OIL COLOUR 150ML/#11 TUBE VERMILLION 311 3	8712079059743
01073422	REMBRANDT OIL COLOUR 150ML/#11 TUBE PERM MADDER DP 342 3	8712079059750
01073702	REMBRANDT OIL COLOUR 150ML/#11 TUBE PERM RED LIGHT 370 3	8712079059774
01073772	REMBRANDT OIL COLOUR 150ML/#11 TUBE PERM RED MEDIUM 377 3	8712079059781
01075222	REMBRANDT OIL COLOUR 150ML/#11 TUBE TURQUOISE BLUE 522 3	8712079059859
01075682	REMBRANDT OIL COLOUR 150ML/#11 TUBE PERM BLUE VIOLT 568 3	8712079059866
01075762	REMBRANDT OIL COLOUR 150ML/#11 TUBE PHTHALO BLU GRN 576 3	8712079059873
01076142	REMBRANDT OIL COLOUR 150ML/#11 TUBE PERM GREEN MED 614 3	8712079059880
01076162	REMBRANDT OIL COLOUR 150ML/#11 TUBE VIRIDIAN 616 3	8712079059897
01076802	REMBRANDT OIL COLOUR 150ML/#11 TUBE PHTHALO GRN BLU 680 3	8712079059934

# Safety Data Sheet

required under OSHA's Hazard Communication Standard 29CFR  
1910.1200

Printing date 03/21/2016

Reviewed on 03/21/2016

## 1 Identification

- **Trade name:** REMBRANDT OILCOLOUR, all colors except 103, 104, 105, 117, 118, 119
- **Article number:** 010x.xxx2
- **Manufacturer/Supplier:**  
Royal Talens  
P.O.Box 4, Apeldoorn, The Netherlands 7300AA
- **USA-distributor:**  
Royal Talens North America, Inc.  
30 Industrial Drive, Northhampton, MA 01060  
tel. +1- 413-300-1899
- **Information department:** info.na@talens.com
- **Emergency telephone number:** For further health information call a poison control center.

## 2 Hazard(s) identification

- **Hazard warning in accordance with US Labeling of Hazardous Art Materials Act / Federal Hazardous Substances Act:**
- **Hazard statements**  
For color 515, 539, 610 and 682: WARNING: MAY BE HARMFUL IF SWALLOWED, EXPOSURE MAY CAUSE ALLERGIC REACTIONS. EXPOSURE MAY CAUSE DAMAGE TO THE HEART. CONTAINS: SOLUBLE COBALT. PRECAUTIONS: Avoid prolonged contact with skin. Do not spray apply. Wash hands immediately after use. When using do not eat, drink or smoke. KEEP OUT OF REACH OF CHILDREN. FIRST AID: If swallowed, get prompt medical attention.

## 3 Composition/information on ingredients

- **Dangerous components:** For color 515, 539, 610 and 682: Soluble Cobalt (< 1%)

## 4 First-aid measures

- **After inhalation:** Not applicable.
- **After skin contact:** Clean with water and soap.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

US

(Contd. on page 2)

### 7 Handling and storage

- **Precautions for safe handling:** No special measures required.

### 8 Exposure controls/personal protection

- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Eye protection:** Not required.

### 9 Physical and chemical properties

- **Appearance:**
  - Form:** Fluid
  - Color:** According to product specification
  - Odor:** Characteristic
- **Change in condition**
  - Melting point/Melting range:** Not determined.
  - Boiling point/Boiling range:** > 99 °C (> 210 °F)
- **Flash point:** > 99 °C (> 210 °F)
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Density:** 1,1 - 2,3 g/cm<sup>3</sup>
- **Solubility in / Miscibility with Water:** Not miscible

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

### 11 Toxicological information

- **Carcinogenic categories:**
  - **IARC (International Agency for Research on Cancer)**  
None of the ingredients is listed.
  - **NTP (National Toxicology Program)**  
None of the ingredients is listed.
  - **OSHA-Ca (Occupational Safety & Health Administration)**  
None of the ingredients is listed.

### 12 Ecological information

- **General notes:** Not known to be hazardous to water.

**13 Disposal considerations****· Recommendation:**

Must not be disposed together with household garbage. Disposal must be made according to official regulations. Do not allow product to reach sewage system.

**14 Transport information**

- **Transport hazard class(es)** None.
- **Packing group** None.

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· TSCA (Toxic Substances Control Act):**

All ingredients are listed.

**16 Other information**

- In conformance with the Californian Safe Drinking Water and Toxic Enforcement Act (Proposition 65) the following labeling is applicable:

For color 242, 513, 515, 517, 534, 539, 586, 610 and 682:

WARNING: This product contains a chemical known to the state of California to cause cancer.

For color 207, 208, 210, 211, 271, 303, 306, 309 and 314:

WARNING: DO NOT SPRAY APPLY-This product contains cadmium, a chemical known to the state of California to cause cancer by means of inhalation.

- All colors in this Rembrandt Oilcolours productline, except color 207, 208, 210, 211, 242, 271, 303, 306, 309, 314, 513, 515, 517, 534, 539, 586, 610 and 682, are qualified to bear the AP(approved product) Seal of the Art & Creative Materials Institute, Inc. This means that they are certified in a program of toxicological evaluation by medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. Certified by ACMI to be labeled in accordance with the chronic hazard labeling standard, ASTM D 4236 and Federal law, P.L. 100-695.

- This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 03/21/2016 / -

**· Abbreviations and acronyms:**

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

OSHA: Occupational Safety & Health