


# VINTAGE TUBE MONSTER VT999

Classic Vacuum Tube Overdrive

Thank you for showing your confidence in us by purchasing the BEHRINGER VINTAGE TUBE MONSTER VT999. This high-quality classic tube overdrive pedal is based on a hand-selected BUGERA 12AX7B vacuum tube. Get a whole tube amp in a pedal and take off with anything from warm blues overdrive to heavy distortion.

## 1. Controls



- 1 Use the **9 V** connection to plug in a 9 V power supply.
- 2 Use the **POWER** switch to activate/deactivate the unit.
- 3 The **POWER** LED lights up when the unit is activated.
- 4 The **1/4" TS OUT** connector sends the signal to your amp.
- 5 Use this **1/4" TS IN** connector to plug in the instrument cable.
- 6 The **THRESHOLD** control adjusts the input signal level at which the integrated noise gate starts noise reduction.
- 7 The **NOISE GATE** switch activates/deactivates the integrated noise gate for noise reduction during quiet passages.
- 8 The **GAIN** control adjusts the amount of distortion.
- 9 The **TREBLE** control allows you to boost/cut the high-frequency range.
- 10 The **MID** control allows you to boost/cut the mid-frequency range.
- 11 The **BASS** control allows you to boost/cut the low-frequency range.
- 12 The **MASTER** control adjusts the output level.
- 13 The BUGERA 12AX7B vacuum tube is placed here.
- 14 Use the footswitch to activate/deactivate the effect.
- 15 The **DRIVE** LED illuminates when the effect is activated.

The **SERIAL NUMBER** is located at the bottom.



## 2. Safety Instructions

Do not use near water, or install near heat sources. Use only authorized attachments/accessories.  
Do not service product yourself. Contact our qualified servicing personnel for servicing or repairs, especially when power supply cord or plug is damaged.

## 3. Warranty

Please register your new BEHRINGER equipment right after your purchase by visiting <http://behringer.com> and read the terms and conditions of our warranty carefully.

## 4. Specifications

In	
Connector	¼" TS
Impedance	510 kΩ
Out	
Connector	¼" TS
Impedance	1 kΩ
Power Supply	
	9 V $\overline{\text{=}}$ , 300 mA adaptor (included)
BEHRINGER PSU-SB	
USA/Canada	120 V~, 60 Hz
Europe/U.K./Australia	230 V~, 50 Hz
China/Korea	220 V~, 50/60 Hz
Japan	100 V~, 50/60 Hz
Power connector	2 mm DC jack, negative center
Power consumption	250 mA
Physical/Weight	
Dimensions (H x W x D)	approx. 2.4 x 8.7 x 6.7" approx. 61 x 220 x 172 mm
Weight	approx. 3.02 lbs / 1.37 kg

BEHRINGER is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may therefore differ from those listed or shown.

TECHNICAL SPECIFICATIONS AND APPEARANCES ARE SUBJECT TO CHANGE WITHOUT NOTICE AND ACCURACY IS NOT GUARANTEED. BEHRINGER, KLARK TEKNIK, MIDAS, BUGERA, AND TURBOSOUND ARE PART OF THE MUSIC GROUP (MUSIC-GROUP.COM). ALL TRADEMARKS ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS. MUSIC GROUP ACCEPTS NO LIABILITY FOR ANY LOSS WHICH MAY BE SUFFERED BY ANY PERSON WHO RELIES EITHER WHOLLY OR IN PART UPON ANY DESCRIPTION, PHOTOGRAPH OR STATEMENT CONTAINED HEREIN. COLORS AND SPECIFICATIONS MAY VARY FROM ACTUAL PRODUCT. MUSIC GROUP PRODUCTS ARE SOLD THROUGH AUTHORIZED FULLFILLERS AND RESELLERS ONLY. FULLFILLERS AND RESELLERS ARE NOT AGENTS OF MUSIC GROUP AND HAVE ABSOLUTELY NO AUTHORITY TO BIND MUSIC GROUP BY ANY EXPRESS OR IMPLIED UNDERTAKING OR REPRESENTATION. THIS MANUAL IS COPYRIGHTED. NO PART OF THIS MANUAL MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING AND RECORDING OF ANY KIND, FOR ANY PURPOSE, WITHOUT THE EXPRESS WRITTEN PERMISSION OF MUSIC GROUP IP LTD. ALL RIGHTS RESERVED. © 2013 MUSIC Group IP Ltd. Trident Chambers, Wickhams Cay, P.O. Box 146, Road Town, Tortola, British Virgin Islands

[behringer.com](http://behringer.com)

