

SONY

STEREO HEADPHONES *A*


MDR-V6

OPERATING INSTRUCTIONS

MODE D'EMPLOI


ANLEITUNG

MANUAL DE INSTRUCCIONES

A

- 1 Earpad
- 2 Headband
- 3 Slide bar
- 4 Channel indication
- 5 Headphone cord
- 6 Stereo unimatch plug

- 1 Oreillette
- 2 Serre-tête
- 3 Lame coulissante
- 4 Indication de canal
- 5 Cordon de raccordement du casque
- 6 Fiche double format stéréo

B**C**

- 1 Stereo miniplug
- 2 Stereo phone plug

- 1 Fiche stéréo mini-format
- 2 Fiche stéréo téléphonique

Before using your headphones, please read this manual thoroughly.

This manual should be retained for future reference.

As you read, refer to the illustrations **A** to **C**.

FEATURES

- The dual-structure design of the headphones combines supra-aural and circum-aural design approaches, giving a more natural, clearer sound.
- Samarium cobalt magnet having a high flux density ensures high sensitivity.
- Utilizing diaphragms constructed of 16 μ m high-molecule film and copper-clad aluminum voice coil, these headphones deliver high quality sound along a wide frequency range.
- Simply fold and stow.
- The headphone cord is an oxygen-free copper litz wire which provides maximum conductivity.
- The coiled headphone cord extends your action radius to 3 meters.
- Useful clicking scales on the slide bar.

New Design

The MDR-V6 headphones combine two design approaches: The supra-aural (in which the headphones are positioned on top of the ear) and circum-aural (in which the headphones completely cover the ear). This allows the enclosure over the ear to be smaller than the conventional circum-aural headphones, thus raising the MDR-V6's sensitivity. And a high-degree of air-tightness and sound-proofing are also achieved by the circum-aural structure.

PARTS IDENTIFICATION

See the illustration [A].

FOR BEST USE

- The letters R and L on the headband indicate the right and left channels respectively.
- Adjust the slide bar to the position that suits you best.

HOW TO PULL DOWN AND FOLD THE HEADPHONES

See the illustration [B].

CAUTION

- Keep recorded tapes, spring-wound watches or personal credit cards using magnetic coding away from the headphones to prevent possible damage by the headphones' magnets.
- Avoid listening with your headphones at so loud a volume that extended play might affect your hearing.
- **At a high volume outside sounds may become inaudible. Avoid listening with your headphones in situations where hearing must not be impaired, for example, while driving or cycling.**

To replace earpads or to make any inquiries about Sony products, consult your nearest Sony dealer or Sony service station.

CONNECTION

These headphones incorporate a stereo "unimatch" plug enabling connection with either mini or phone type jack. [C]

SPECIFICATIONS

Type	Circum-aural, closed
Driver units	40 mm dia., dynamic type
Impedance	63 ohms at 1 kHz
Sensitivity	106 dB/mW
Rated power	0.5 W
Power handling capacity	1 W
Frequency response	5 - 30,000 Hz
Cord	3 m (extended length) coiled cord with a stereo unimatch plug
Weight	Approx. 230 g (without cord)
Supplied accessory	Soft case (1)

Design and specifications subject to change without notice.