

ROG SWIFT PG258Q

SPECIFICATIONS

- Display

Panel Size : Wide Screen 24.5"(62.23cm) 16:9
Panel Backlight / Type : TN
True Resolution : 1920x1080 *
Display Viewing Area(HxV) : 0.2832 x 0.2802 mm
Display Surface Non-glare
Brightness(Max) : 400 cd/m²
Contrast Ratio (Max) : 1000:1
Viewing Angle (CR≥10) : 170°(H)/160°(V)
Response Time : 1ms (Gray to Gray)
Display Colors : 16.7M
Flicker free

- Video Feature

Trace Free Technology : Yes
Color Temperature Selection : 4 Modes
GamePlus(modes) : Yes (Crosshair/Timer/FPS Counter/Display Alignment)
Low Blue Light : Yes
HDCP support : Yes
GameVisual :6 Modes(Scenery/Racing/Cinema/RTS/RPG/FPS/sRGB Modes)

- Convenient Hotkey

GamePlus
5-way OSD Navigation Joystick
GameVisual

- I/O Ports

Signal Input : HDMI, DisplayPort
USB Port(s) : 3.0x2

- Power Consumption

Power ON mode: <65W (measuring a screen brightness of 200 nits without audio/ USB/
Card reader connection)

Power Saving/Off mode: <0.5W
Voltage: 100-240V, 50/60Hz

- Mechanical Design

Chassis Colors : Dark gray, Plasma copper

Tilt : +20°~-5°

Swivel : +50°~-50°

Pivot : 0°~+90°

Height Adjustment : 0~120 mm

VESA Wall Mounting : 100x100mm

Super Narrow Bezel Design : Yes

- Security

Kensington lock

- Dimensions

Phys. Dimension with Stand(WxHxD):564.1x(383.7 ~ 503.7)x 253.7 mm

Phys. Dimension without Stand(WxHxD):564.1x330.6x72.5 mm

Box Dimension(WxHxD):661x443x239 mm

- Weight

Net Weight(Esti.):5.6kg

Net Weight without Stand :3.14 kg

Gross Weight(Esti.):7.9kg

- Accessories

Power cord

Power adapter

DisplayPort cable

USB 3.0 cable

Quick start guide

Acrylic LED light covers

HDMI cable

Support CD

Warranty Card

- Compliance and Standards

CB, CCC, CE, CEL level 1, CU, ErP, FCC, J-MOSS, KCC, PSE, RoHS, UL/cUL, VCCI, WEEE, WHQL (Windows 10, Windows 8.1, Windows 7), RCM, TUV Flicker-free , eStandby, TUV Low Blue Light

- Note

*PG258Q supports 1920x1080 @ 240Hz (native)

**Digital Signal Frequency:

DP: 67~255KHz (H) / 30~240Hz (V)

HDMI: 30~90KHz (H) / 24~60Hz (V)