

- Display

Brightness(Max) : 330 cd/m²

Viewing Angle (CR≥10) : 170°(H)/160°(V)

ASUS Smart Contrast Ratio (ASCR) : 100000000:1

Response Time : 1ms (Gray to Gray)

Panel Size: Wide Screen 28"(71.12cm) 16:9

Display Colors : 1073.7M (10bit)

True Resolution : 3840x2160 *

Flicker free

Pixel Pitch : mm

- Video Feature

GamePlus(modes) : Yes (Crosshair/Timer/FPS Counter/Display Alignment)

VividPixel : Yes

Skin-Tone Selection : 3 Modes

Low Blue Light : Yes

GameVisual : 6 Modes(Scenery/Racing/RTS/RPG/Cinema/sRGB Modes/FPS)

HDCP support :

Color Temperature Selection : 4 Modes

Trace Free Technology : Yes

- Audio Features

Stereo Speakers : 2W x 2 Stereo RMS

- Convenient Hotkey

5-way OSD Navigation Joystick

Input Selection

GameVisual

GamePlus

- I/O Ports

Earphone jack : 3.5mm Mini-Jack (for HDMI & DisplayPort Only)

Signal Input : HDMI(v2.0), HDMI(v1.4), DisplayPort

USB Port(s) : 1 x upstream, 3.0x1

- Signal Frequency

Analog Signal Frequency : 24~99 KHz(H)/ 23~76 Hz(V)

Digital Signal Frequency :

- Power Consumption

Power Consumption < 62.9W
Power Saving Mode <0.5W
Power Off Mode <0.5W

- Mechanical Design

VESA Wall Mounting : 100x100mm

Tilt : +20°~-5°

Height Adjustment : 0~150 mm

Swivel : +60°~-60°

Pivot : 0°~+90°

Quick Release Stand Design : Yes

Chassis Colors : Black

- Security

Kensington lock

- Dimensions

Phys. Dimension with Stand(WxHxD):660.26x(416~566)x233.4mm

Phys. Dimension without Stand (WxHxD):660.26x380.67x67.40mm

Box Dimension(WxHxD):777x467x224mm

- Weight

Net Weight (Esti.) : 8.0 kg

Gross Weight (Esti.) : 11kg

- Accessories

Power cord

Quick start guide

DisplayPort cable

HDMI cable

Warranty Card

Support CD

USB 3.0 cable

- Compliance and Standards

TCO6.0, WEEE, WHQL (Windows 8.1, Windows 10, Windows 7), C-Tick, CU(EAC),
KCC, UL/cUL, TUV Flicker-free , CB, MEPS, VCCI, TUV Low Blue Light, BSMI, ErP,
PSE, J-MOSS, FCC, PSB, CE, RoHS, CCC, UkrSEPRO

- Note

* 3840x2160 @60Hz with DisplayPort1.2/ HDMI (v2.0), 3840x2160 @30Hz with HDMI (v1.4)

**Adaptive-Sync (FreeSync) technology supported within 40~60Hz for DP only

***USB3.0 ports with Power charge BC1.2



- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.