



Monitors

VP2771

Key Features

- Seamless Viewing Experience
- WQHD Resolution
- Loaded with Connectivity
- Ultimate Color Accuracy
- Excellent Screen Uniformity



Product Description

Engineered to deliver unmatched color accuracy crucial for professional applications, the ViewSonic® VP2771 WQHD monitor displays your work with the vivid and lifelike color it deserves. With a SuperClear® IPS panel and a sleek frameless design, the VP2771 provides a near-seamless viewing experience ideal for multi-monitor setups. For simple, single-cable daisy chaining of multiple monitors, the VP2771 is equipped with future-proof DisplayPort technology, in addition to HDMI and USB 3.1 type C ports. To ensure precise, uniform color, each of our monitors is factory calibrated to deliver an amazing Delta E<2 value for superior color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. Add to that 6-axis color adjustment functionality, and this monitor provides the ultimate color processing capability for professional applications. What's more, productivity-boosting features include an advanced ergonomic design, a built-in ambient light sensor, and a KVM switch. Hardware calibration is also available with the optional ViewSonic Colorbration Kit,

which allows you to quickly and easily calibrate the monitor for photography, graphic design, content creation, and other color-critical applications.



1. Menu Controls
2. VESA Compatible Wall Mount 100 x 100 mm
3. HDMI
4. USB 3.1 Type A (x3)
5. USB Type B
6. USB 3.1 Type C
7. Kensington Lock Slot
8. DisplayPort Out
9. Headphones
10. DC In
11. Mini DisplayPort In
12. DisplayPort In

27" Display

IPS Panel

2560 x 1440 Resolution

Contact Sales

- call: 888.881.8781
- email: salesinfo@viewsonic.com
- visit: viewsonic.com

- Display:

Display Size (in.):	27
Viewable Area (in.):	27
Panel Type:	IPS
Resolution:	2560 x 1440
Static Contrast Ratio:	1,000:1

Dynamic Contrast Ratio: 20M:1
Light Source: LED
Brightness: 350 cd/m²
Aspect Ratio: 16:9
Response Time (Typical GTG): 14ms
Response Time (GTG w/OD): 7ms
Viewing Angles: 178° horizontal, 178° vertical
Backlight Life (Hours): 30,000
Panel Surface: Anti-glare, hard-coating (3H)

- Compatibility:

PC Resolution (max): 2560 x 1440

- Connector:

USB 3.1 Type A(3), USB 3.1 Type B(1), USB 3.1 Type C(1), 3.5mm Audio Out(1),
HDMI 1.4(1), Display Port(1), Display Port Out(1), Mini Display Port(1)

- Power:

Voltage: AC 100-240V (universal), 50-60Hz
Stand-by: 0.3W

- Additional Hardware:

Kensington Lock Slot: 1

- Controls:

Physical Controls: 1, 2, 3, 4, 5, Power

On Screen Display: Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)

- Operating Conditions:

Temperature: 32-104° F (0 - 40° C)
Humidity (non-condensing): 20-90%

- Mount:

VESA Compatible: 100 x 100 mm

- Video Signal:

Frequency Horizontal: Analog: 15 ~ 130KHz; Digital: 15 ~ 90KHz

Frequency Vertical: Analog: 24 ~ 120Hz; Digital: 24 ~ 120Hz

- Video Input:

Analog Sync: CPU GIO for MHL / TMDS for HDMI 1.4 , PCI-E

- Ergonomics:

Height Adjust (mm): 130

Swivel: 120°

Pivot (Right/Left): 90° / 90°

Tilt (Forward/Back): 5° / 21°

- Weight (imperial):

Net (lbs): 15

Net Without Stand (lbs): 9.6

Gross (lbs): 23

- Weight (metric):

Net (kg): 6.8

Net Without Stand (kg): 4.3

Gross (kg): 10.6

- Dimensions (imperial) (WxHxD):

Packaging (in.): 28.3 x 10.6 x 18.1

Physical (in.): 24.1 x 21.5 x 8.5

Physical Without Stand (in.): 24.1 x 14.3 x 2.1

- Dimensions (metric) (WxHxD):

Packaging (mm): 720 x 268 x 460

Physical (mm): 613 x 546 x 216

Physical Without Stand (mm): 612.4 x 362.7 x 52.0

- General:

Regulations: CB ,CE, WEEE, RoHS, ErP, REACH, UL,cUL,FCC-B,Mexico CoC,EPEAT GOLD,Energy Star

PACKAGE CONTENTS: LCD Display, AC/DC Adapter, Power Cable, Mini DP to DisplayPort Cable, USB3.0 Up Stream Cable, Quick Start Guide, ViewSoinc Wizard CD-Rom

Recycle/Disposal: Please dispose of in accordance with local, state or federal laws.

Warranty: Three-year limited warranty on parts, labor and backlight

UPC: 766907847710

- Accessories:

CB-00009950, CB-00010555, CB-00010958, CS-xRi1, LCD-CMK-001, LCD-EE-27HD-03, LCD-EEEW-27HD-01, LCD-EEEW-27HD-02, LCD-EW-27HD-01, LCD-EW-27HD-02, LCD-EW-27HD-03, LCD-WMK-001, MH27M1, VSPF2700

- Awards:



Copyright © ViewSonic Corporation 2000-2018. All rights reserved. (08/26/2018 06:49 PM PST)