

E131881 Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component

Page Bottom

Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component

See General Information for Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component

DELTA ELECTRONICS INC

E131881

3 TUNGYUAN RD
CHUNGLI INDUSTRIAL ZONE
TAOYUAN COUNTY, 32063 TAIWAN

Model No.	Rated Input			Max Output							
	Volts	Hz	SC	V	A	VA	OC	SP	EP	FC	GC
0950-2546	100-240ac	50-60	0	5.1	3.21	10.27	3	1950	20B	0	0
341-0015-(X)(X)[*r]	-48~ -60dc	-	4	12dc	7	84	3	60950-1	-	0	2
45N0111,45N0113	-	-	-	-	-	-	-	-	-	-	-
655A(a1894)[*r]	100-240ac or -48dc	60/50	0	85/72ac	-	24	4	60950-1, 2nd Ed+AM1	20B	0	1
				5ac	50	-	3				
				-48ac	7	-	3				
				-5ac	3	-	3				
				14ac	2.5	-	3				
85G6692, 85G6694	100-240ac	50-60	0	16	3.4	48.7	3	1950	15B	0	1
905-0342	100-240ac	50-60	0	19.18dc	3.3	62.172	3	60950-1, 2nd Ed+AM1+AM2	20B	5	0
AC-081 XX("")	+12V, +5Vsbdc	-	0	5.15	75	34.95	3	60950-1 2nd	20B	2, 6	1
				3.33	32	87.68	3				
				5.06	38	172.52	3				
				12.04	1.4	14.67	3				
				12.18	28	319.2	3				
				12.17	28	320.6	3				
				12.17	18	209.34	3				
				12.17	18	210.6	3				
AC-084 XX("")	100-127, 200-240ac	50-60	0	3.28	20.7	58.79	3	60950-1 2nd	20B	2	1
				5.02	29.0	129.92	3				
				5.08	5.8	26.39	3				
				11.92	1.6	18.86	3				
				12.06	16.2	187.11	3				
				12.07	18.9	217.73	3				
				12.06	16.2	186.95	3				
AC-089 XX(0)	+12V, +12VSBdc	-	3	3.35	26.5	80.03	3	60950-1 2nd	-	0	--
				5.09	26.5	127.73	3				
				12.11	117	1380.6	3				
				12.16	30.5	359.6	3				
				12.09	6	69.3	3				

ADP-100CR BX (H2)	100-127Vac	47-63	0	24.20dc	4.63	110.24	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				24.20dc	4.72	112.52	3				
ADP-100DR B	100-240ac	50-60	0	28.7dc	8.93	250	3	60950-1, 2nd Ed+AM1+AM2	20B	2	0
ADP-100ER BX (H2)	220-240Vac	47-63	0	24.28dc	4.83	115.39	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				24.27dc	4.72	112.95	3				
ADP-102BP	-36 to -72dc	-	4	12.2	17.5	168.2	3	1950	20	0	0
ADP-10AN AA, ADP-10AN AX (Switching Power Supply)											
	100-240ac	50-60	0	5.48dc	2.386	12.8	3	60950-1, 2nd Ed+AM1+AM2	20B	1, 6	2
ADP-10BN AA, ADP-10BN AB, ADP-10BN AC, ADP-10BN AD, ADP-10BN AE											
	100-120ac	50-60	0	30.1dc	0.59	17.69	3	60950-1, 2nd Ed+AM1+AM2	20B	2	0
ADP-10HP	100-120ac	50-60	0	3.39	5.09	10.85	3	60950-1	20B	0	0
ADP-10LP, ADP-10LP E	100-240ac	50-60	0	3.38	4.8	11.31	3	60950-1	20B	0	0
ADP-11BF S	100-240Vac	50-60	0	12.0dc	1.58	18.74	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2
ADP-120RB A	100-240ac	50-60	0	18.92	8.25	151	3	60950	20B	0	2
ADP-120RB B	100-240ac	50-60	0	18.92	8.25	151	3	60950	20B	0	1
ADP-120ZB ABM	100-240ac	50-60	0	19	6.32	120.1	3	60950-1	20B	3	1
ADP-122AR AX	100-127ac	47-63	0	4.97	9.01	39.97	3	60950-1, 2nd Ed + AM1	20B	0	0
				24.03	7.02	143.61	3				
ADP-122BR AX	220-240ac	47-63	0	4.97	9.01	39.97	3	60950-1, 2nd Ed + AM1	20B	0	0
				24.03	7.02	143.61	3				
ADP-130CF B	100-240Vac	50-60	0	19.97dc	8.70	173.739	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
ADP-14AN AA, ADP-14AN BA, ADP-14AN BC											
	100-120ac	50-60	0	34.11dc	0.51	15.31	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2
ADP-14AN BB	100-120ac	50-60	0	35.87dc	0.52	15.6	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2
ADP-15BN AA	120ac	50-60	0	12.2dc	1.86	22.08	3	60950-1, 2nd Ed+AM1+AM2	20B	2	0
ADP-160AR	100-240ac	50/60	0	12.2dc	22.0	254	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2
				5.49dc	1.45	7.70	3				
ADP-160CR	100-240ac	50/60	0	11.916dc	21.4	240.2	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				4.804dc	3.25	14.2	3				
ADP-160ER	100-240ac	50/60	0	4.81dc	3.37	1.47	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				11.9dc	22.01	246	3				
ADP-172AR AX (&)	100-240Vac	47-63	0	25.01dc	8.7	214.98	3	60950-1, 2nd Ed+AM1+AM2	20B	4	1
				6.52dc	6.79	42.71	3				
ADP-172BN AA, ADP-172BN AC											
	100-127V or 220-240Vac	50-60	0	24.94dc	8.38	207.57	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				6.49dc	6.29	38.68	3				
ADP-185BF T	100-240ac	50/60	0	12.1dc	25.6	298.24	3	60950-1	20B	0	2
ADP-18AF	100-240ac	50/60	0	14.17	2.62	35.6	3	60950	20B	0	2
ADP-1AN A[*r]	DC 25 V	-	4	-1900Vdc	130uA	-	--	60950-1, 2nd Ed+AM1+AM2	--	0	--
				-200Vdc	100uA	-	--				

				-1136Vdc	30uA	-	--				
				-1136Vdc	30uA	-	--				
				-836Vdc	10uA	-	--				
				5000Vdc	150uA	-	--				
ADP-200CF B	100-240ac	47-63	0	18.33	4.9	89.77	3	60950-1	20B	0	0
				24.68	6.2	150.6	3				
ADP-200EF B	100-240ac	50-60	0	23.87dc	11.01	258.29	3	60950-1, 2nd Ed + AM1	20B	0	2
ADP-200ER	100-240ac	50/60	0	11.9dc	27.6	316	3	60950-1	20B	0	2
				4.89dc	3.20	15.2	3				
ADP-20KP Rev.B	100-240ac	50-60	0	33.5	15	22.62	3	1950	20B	0	0
ADP-23AF A	100-240ac	50-60	0	3.46	2.7	6.54	3	60950	20B	0	1
				12.06	3.2	33.26	3				
				12.07	2.6	27.19	3				
ADP-240AR	100-240ac	50/60	0	11.91dc	31.0	356	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				4.71dc	5.0	21.4	3				
ADP-240BF B	100-240ac	50-60	0	12.29	16	194.08	3	60950-1 2nd	20B	0	2
				25.3	4.3	108.32	3				
ADP-240CF B	100-240ac	50-60	0	12.35	18.7	223.465	3	60950-1 2nd	20B	2	1
				25.38	2.9	73.08	3				
ADP-240CR	100-240ac	50/60	0	11.89dc	30.5	341	3	60950-1, 2nd Ed + AM1	20B	0	2
				4.82dc	3.17	13.69	3				
ADP-300AF T	100-240ac	50/60	0	12.09dc	32.5	392.93	3	60950-1	20B	0	1
ADP-300CR	100-240ac	50/60	0	11.916dc	40.0	442.5	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				4.819dc	3.30	14.56	3				
ADP-300ER	100-240ac	50/60	0	11.86dc	38.5	430	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				4.78dc	3.3	14.7	3				
ADP-309AR AX(X=0-9, A-Z, Blank)											
	100-127, 220-240ac	50-60	0	6.60dc	19.48	114.35	3	60950-1, 2nd Ed + AM1	20B	0	1
				25.01dc	9.62	237.23	3				
ADP-30CP (X)	100-240ac	47-63	0	11.98	2.99	34.08	4	60950	20B	0	2
				1150	0.00834	4.87	4				
ADP-30GF A	100-240ac	50-60	0	12.29dc	5.3	37.91	3	60950-1	20B	0	1
ADP-30JP	100-240ac	50-60	0	5.11dc	11.8	33.39	3	60950-1	20B	0	0
ADP-314AR	100-240ac	50/60	0	12.1dc	36.0	425	3	60950-1, 2nd Ed+AM1+AM2	20	2	1
				4.76dc	4.82	21.8	3				
ADP-344AR	100-240ac	50/60	0	12.1dc	36.0	425	3	60950-1, 2nd Ed+AM1+AM2	20	2	1
				4.76dc	4.82	21.8	3				
ADP-360AF B	100-240Vac	50/60	0	12.02dc	18	212.22	3	60950-1, 1st Ed	20B	0	2
				12.04dc	7	83.44	3				
				25.36dc	5.5	138.6	3				
ADP-36AF(t)	100-240ac	50-60	0	12.3	4.5	43.2	3	60950	20B	0	0
				3.4	7.7	16.1	3				
				12.3	4.6	51.5	3				
ADP-37AB Rev. XXX (X = A to Z, Number or Blank)											

	100-240ac	50-60	0	18.63	3.03	36.5	3	1950	20B	0	1
ADP-3AN XX, ADP-3BN XX (X=0-9, A-Z or blank)[*r]											
	24-28Vdc	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	-	0	0
ADP-3CN AX (Where X can be any alphanumeric character or blank)[*r]											
	25Vdc	-	3	-600Vdc to +4000Vdcdc	-5uA to +60uA	-	5	60950-1, 2nd Ed + AM2	20B	0	0
				-600Vdc to +4000Vdcdc	-15uA to +180uA	-	5				
				-600Vdc to +5400Vdcdc	-5uA to +300uA	-	5				
				-1833Vdc to 0Vdcdc	-450uA to 0uA	-	5				
				-1833Vdc to 0Vdcdc	-675uA to 0uA	-	5				
				-1100Vdc to 0Vdcdc	-165uA to +10uA	-	5				
				-1100Vdc to 0Vdcdc	-495uA to 0uA	-	5				
ADP-40AF(q), EADP-40BF A	100-240ac	50-60	0	12.1	2.4	28.8	3	60950-1	20B	2	1
ADP-40AN A	44-90ac	47-63	0	5.05dc	11.64	58.85	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
ADP-40CF	100-240ac	50-60	0	12.9	5	41.8	3	60950	20B	0	1
				5.1	5.2	23.4	3				
				3.35	2.2	7.5	3				
ADP-40VP	100-240ac	50-60	0	5	2.2	64.12	3	1950	20B	0	0
ADP-42AF	100-240ac	50-60	0	2.499	0.61	1.487	3	60950	20B	2	1
				4.983	4.62	20.518	3				
				3.262	5.73	56.234	3				
ADP-42CF(r)	100-240ac	50-60	0	2.49	1	2.3	3	60950	20B	2	1
				4.98	4.6	20.52	3				
				3.26	5.7	56.2	3				
ADP-450AF T	100-240 Vac	50/60	0	12.08 (12.1V rated)dc	49.71	557.20	0	60950-1, 2nd Ed	20B	0	1
				11.02 (11 V rated)dc	1.16	12.58	0				
ADP-466AN AX (X=A-Z, 0-9 or blank)											
	100-240ac	50-60	0	12.01dc	3.51	41.04	3	60950-1, 2nd Ed + AM1	20B	2	1
				48.81dc	9.89	476.02	3				
				14.87dc	2.50	29.52	3				
				48.99dc	2.79	133.50	3				
ADP-48AN AA	100-240	50/60	0	12.03dc	5.65	64.02	3	60950-1	20B	2	2
ADP-4AN XX (&)[*r]	23.5Vdc -27V	-	3	-1500Vdc/2.5kVp-p	-100uA/9.9mA	(1.7k to 3.5kHz)	5	60950-1, 2nd Ed + AM2	20B	0	0
				-1500Vdc/2.5kVp-p	-100uA/9.9mA	(1.7k to 3.5kHz)	5				
				-1500Vdc/2.5kVp-p	-100uA/9.9mA	(1.7k to 3.5kHz)	5				
				-1500Vdc/2.5kVp-p	-100uA/9.9mA	(1.7k to 3.5kHz)	5				
ADP-50EN AX (X=0-9, A-Z or blank)											
	100-120Vac	60	0	12.04dc	5.63	64.80	3	60950-1, 2nd Ed + AM1	20B	0	0
ADP-50SH REV.B	100-240ac	50-60	0	12.15	4.5	52.2	3	60950	20B	0	1
ADP-54AP, DPSN-54AP XX, DPSN-54BPXX (X can be 0-9 or A-Z)											
	100-240ac	50/60	0	12.04	8	75.52	-	60950-1	20B	0	0
ADP-54CP	-36V to -72V	-	4	-36Vdc	1.98	71.28	3	60950-1	20B	0	0
				-72Vdc	0.92	66.24	3				

ADP-555AR A	100-240 Vac	50/60	0	5.12(+5VSB)dc	2.64	13.02	-	60950-1, 2nd Ed + AM1	20B	2, 6	1
				3.38(+3.3V)dc	13.48	43.81	-				
				5.22(+5V)dc	17.89	88.51	-				
				11.97(+12V(A))dc	15.78	184.35	-				
				12.27(+12V(B))dc	21.76	249.86	-				
				-11.98(-12V)dc	2.39	27.94	-				
				24.76(+24V)dc	13.81	327.42	-				
ADP-60DF S	100-240ac	50/60 or 50-60	0	12.12dc	6.76	79.48	3	60950-1, 2nd Ed + AM1	20	2	2
ADP-6CF S	100-240ac	50-60	0	4.0dc	3.2	9.8	3	60950-1	20B	0	2
ADP-80GP (X)(X)[*r]	100-240ac	50-60	0	12	6.7	80	3	60950-1	20B	2,6	1
ADP-85AF S, ADP-85AF U	100-240Vac	50-60	0	12.0dc	8.4	93	3	60950-1	20B	0	2
ADP-8AN XX (&)[*r]	23.5Vdc -27V	-	3	-400~4000Vdcdc	-15~100uA	-	5	60950-1, 2nd Ed + AM2	20B	0	0
				-400~4000Vdcdc	-15~100uA	-	5				
				-400~4000Vdcdc	-15~100uA	-	5				
				-400~4000Vdcdc	-15~100uA	-	5				
				-600~5400Vdcdc	-15~200uA	-	5				
				-1000Vdc/2kVp-p	-40uA/8.8mA	(4k~7kHz)	5				
				-1000Vdc/2kVp-p	-40uA/8.8mA	(4k~7kHz)	5				
				-1000Vdc/2kVp-p	-40uA/8.8mA	(4k~7kHz)	5				
				-1000Vdc/2kVp-p	-40uA/8.8mA	(4k~7kHz)	5				
ADP-90MB A	100-240ac	50-60	0	19.18	5.87	108.1	3	60950	20B	0	2
ADP-90MD H	100-240Vac	50-60	0	-	-	-	-	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
ADDP-416A1 XX (X can be any 0-9, A-Z or blank) - Switching Power Supply											
	100-240Vac	50-60	0	5.01dc	1.02	4.88	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.56dc	23.77	229.83	3				
				24.87dc	10.13	240.58	3				
				25.18dc	17.03	408.04	3				
BCS-430AB XX (X can be 0-9, A-Z or blank)											
	100-127ac	60	0	29dc	15.18	441	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
BST04X2X3X4X5X6X7X(@1)	2.4-5.5 or 2.8-5.5	-	0	-	-	-	-	60950-1	20B	0	1
C8161-60031	100-240ac	50/60	0	3.38	8.2	20.3	3	60950	20B	0	1
				33.5	5.1	159	3				
CAA-450AT XX,CAA-450BT XX,CAA-400AT XX,CAA-400BT XX,GPS-450A,GPS-450AG,GPS-400A,GPS-400AG(H2)											
	100V-120V/200V-240, 200V-240V, 230Vac	47-63	0	3.34	31.5	74.4	3	60950-1 2nd	20B	0	2
				5.25	27.0	106	3				
				13.0	24.3	277	3				
				13.1	24.1	284	3				
				-12.9	3.01	31.9	3				
				5.13	5.26	25.5	3				
CAA-550AT XX , CAA-550CT XX, CAA-500AT XX, CAA-500BT XX (---), GPS-550AG, GPS-550A, GPS-500AG, GPS-500A											
	100-120, 200-240 or 200-240, 230ac	47-63	0	3.39	32.5	88.4	3	60950-1 2nd	20B	2, 6	1
				5.28	30.7	120	3				

				13.7	23.2	247	3				
				13.7	24.0	258	3				
				13.7	26.5	294	3				
				-13.5	6.5	47.0	3				
				5.12	6.5	30.2	3				
CFA-150AF XX, CFA-100AF XX(m)											
	100-120, 200-240ac	47-63	0	5	24.1	98.6	3	60950-1	20B	2,6	1
				+3.3	24.1	63.2	3				
				+12	20.8	215	3				
				-12	5.05	34.7	3				
				+5	3.74	18.2	3				
CSRA-CPS01KA	200-480ac	50-60	-	12.13dc	10.79	122.68	3	60950-1, 2nd Ed+AM1+AM2	20B	-	-
				24.00dc	11.49	264.04	3				
				26.00dc	8.00	201.68	3				
D1080E-S0	100-240ac	50-60	0	12.30ac	92.0	1102.16	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				5.12ac	41.0	202.54	3				
				5.18ac	4.2	20.71	3				
D1080N-S0	-48V to -60Vdc	-	3	13dc	95	1053	-	60950-1	-	0	1
				6dc	36	150	-				
				6dc	5.2	18.2	-				
D1100E-S0, D1100E-S1, D1100E-S2, DPS-1100AB-13 XX (X can be 0-9, A-Z or Blank)											
	100-240ac	50/60	0	12.12dc	4.19	49.61	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.31dc	107.91	1282.59	3				
D1100E-S3	100-240Vac or 240Vdc	50/60	0	12.12dc	4.19	49.61	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.31dc	107.91	1282.59	3				
D1100E-S4[*r]	AC 100-240V~, 12A-6.5A or DC 200-380Vdc, 6.4A-3.2A	50/60	0	12.2dc	90.16	1100	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12Vsbdc	3	36	3				
D1100E-S5[*r]	AC 100-240V~, 12A-6.5A or DC 260-380Vdc, 4.7A-3.2A	50/60	0	12.2dc	90.16	1100	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12Vsbdc	3	36	3				
D1200E-S0, D1200E-S4, D1200E-S1, D1200E-S2, D1200E-S3, DPS-1200MB-1 XX (ad)											
	200-277Vac or 200-240Vac	50-60	0	12.79dc	127	1562.10	3	60950-1	20B	2,6	1
				12.00dc	4.19	48.60	3				
D1300EF-00, D1300EF-01	100-240ac	50-60	0	+12dc	18	216	3	60950-1	20B	0	1
				-12dc	0.5	6	3				
				+5VSBdc	4	20	3				
D1300EF-02	100-240Vac	50-60	0	+12.09dc	22.84	209.67	3	60950-1, 2nd Ed	20B	2,6	1
				-12.25dc	0.87	8.52	3				
				+12.04 (+12VSB)dc	14.5	174.58	3				
D1400EF-00	100-240Vac	50-60	0	11.98 (+12V)dc	146.06	1682.80	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				-12.20 (-12V)dc	0.90	8.16	3				
				11.80 (+12VSB)dc	14.84	164.87	3				
D1500EF-00	100-240ac	47-63	0	5.65dc	45	171.9	3	60950-1, 2nd	20B	2	1

								Ed + AM1			
				3.4dc	33	75.9	3				
				12.81dc	138	1500.06	3				
				-13.05dc	6	49.32	3				
				5.18dc	9.5	43.32	3				
D1570P-S1, DPS-1570DB XX[""]											
	100-127, 200-240ac	47-63	0	12.39	151	1813.51	3	60950-1	20B	0	1
				3.35	7.8	23.24	3				
D1600E-S0, D1600E-S3	100-240ac	50/60	0	12.22dc	164.32	1913.65	-	60950-1, 2nd Ed + AM1	20B	2	1
D1600E-S1	200-277Vac or 240 Vdc	-	0	12.23dc	160.86	1873.21	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.01dc	4.65	54.76	3				
D1600E-S2	100-240Vac	50/60	0	12.23dc	160.86	1873.21	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.01dc	4.65	54.76	3				
D180EA-00[*r]	100-240ac	50-60	0	12dc	10	-	3	60950-1, 2nd Ed + AM1	20B	1	1
				12dc	14.5	-	3				
				12dc	0.4	-	3				
D180EPS-00	100-240Vac	50-60	0	12.19dc	16.68	189.15	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.19dc	17.18	198.09	3				
				12.19dc	3.90	46.33	3				
D180EPS-01	100-240Vac	50-60	0	12.36 (+12VA)dc	17.67	202.50	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.36 (+12VB)dc	17.48	201.72	3				
D180ES-01	100-240Vac	50-60	0	12.09 (+12VA)dc	16.39	187.55	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.09 (+12VB)dc	16.18	187.20	3				
D1850E-S0	100-240ac	50/60	0	12.6dc	164	1991.6	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.0dc	4.5	53.2	3				
D185EA-00	100-240ac	50-60	0	12.26dc	15.4	181.87	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.09dc	17.47	187.62	3				
				11.81dc	2.0	23.46	3				
D2000E-S0, D2000E-S1	100-240ac	50/60	0	12.15dc	171.92	2071.6	3	60950-1, 2nd:2014	20B	2, 6	1
				11.96dc	4.96	58.18	3				
D2000E-S2	100-240Vac	50/60	0	12.6dc	196.78	2424.33	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				11.96dc	4.96	58.18	3				
D200EA-00[*r]	100-240ac	50-60	0	+12VADCdc	10.5	126	3	60950-1, 2nd Ed	20B	0	1
				+12VBDCdc	14.5	174	3				
				+12VBDCSBdc	0.4	4.8	3				
D200EU-00	100-240Vac	50-60	0	11.81(+12VBDCSB)dc	2.0	23.46	3	60950-1 2nd	20B	2, 6	1
				12.26(+12VADC)dc	15.4	181.87	3				
				11.83(+12VBDC)dc	17.95	183.81	3				
D200EU-01	100-240Vac	50-60	0	12.26(+12VADC)dc	15.4	181.87	3	60950-1, 2nd Ed	20B	2, 6	1
				12.28(+12VBDC)dc	13.1	154.45	3				
				11.81(+12VBDCSB)dc	2.0	23.46	3				

				12.38(-12VDC)dc	0.6	6.61	3				
D220AS-00, D220AS-01	100-240ac	50-60	0	4.99dc	5.25	25.10	3	60950-1	20B	0	1
				-12.35dc	6.20	49.31	3				
				13.37dc	18.94	216.49	3				
				5.32dc	20.80	89.17	3				
				3.35dc	20.20	58.58	3				
D220ES-00, D220ES-01	100-240ac	50-60	0	4.99dc	5.58	27.19	3	60950-1	20B	0	1
				-12.70dc	4.81	40.74	3				
				13.54dc	18.70	221.03	3				
				5.30dc	21.31	93.34	3				
				3.35dc	20.04	61.43	3				
D220PS-00[*r]	100-127V, 200-240Vac	50-60	0	-	0.3	3.6	3	60950-1	20B	0	1
D235ES-00	100-240ac	50-60	0	+5.12dc	21	94.71	3	60950-1 2nd	20B	2	1
				+3.33dc	6.5	20.09	3				
				+12.09dc	18.5	217.01	3				
				-12.66dc	6.5	66.56	3				
				+5.13dc	6.5	29.38	3				
D235PS-00	100-127, 200-240ac	47-63	0	5.1	18	75.96	3	60950-1 2nd	20B	0	2
				3.233	17	41.99	3				
				12.62	19	210.14	3				
				12.22	1.6	16	3				
				5.16	5.5	25.85	3				
D2400E-S0	100-240Vac	50/60	0	12.23dc	228.84	2702.60	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.03dc	4.73	55.67	3				
D240EM-00, D180ES-00	100-240Vac	50-60	0	12.13 (+12VA)dc	18.9	218.5	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.11 (+12VB)dc	18.7	215.3	3				
				12.16 (+12VSB)dc	4.0	47.2	3				
D240EPM-00	100-240Vac	50-60	0	12.28dc	18.7	214.49	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.27dc	18.0	207.72	3				
				12.27dc	3.90	46.33	3				
D240EPS-00	100-240Vac	50-60	0	12.27 (+12VA)dc	18.89	219.20	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.27 (+12VB)dc	18.67	217.69	3				
D240ES-01(135)	100-240ac	50-60	0	12dc	19.1	224.5	3	60950-1 2nd	20B	2,6	1
				5dc	19.0	85.3	3				
				3.3dc	9.9	30.5	3				
				-12dc	1.1	11.8	3				
				5Vsbdc	6.6	31.8	3				
D240ES-02	100-240Vac	50-60	0	12.23 (+12VA)dc	18.98	218.27	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.22 (+12VB)dc	18.97	218.91	3				
D250AD-00	100-240Vac	50-60	0	13.384dc	18.8	224.40	3	60950-1 2nd	20B	2, 6	1
				5.148dc	20	94.24	3				
				3.331dc	17	46.12	3				
				-12.996dc	4	39.76	3				
				5.027dc	6	28.57	3				
D250AD-01	100-240Vac	50-60	0	12.3dc	19.5	215.5	3	60950-1	20B	0	1

				5.1dc	23.7	106.3	3				
				3.3dc	11.1	33.4	3				
				5.2dc	6.4	32.6	3				
				-11.1dc	3.3	32.0	3				
D250E-S0	100-240ac	50/60	0	12.23dc	27	323	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.04dc	4.20	49.2	3				
D250ED-00	100-240ac	50-60	0	12.15dc	19	220.40	3	60950-1 2nd	20B	2	1
				5.02dc	24	107.76	3				
				3.36dc	17	49.47	3				
				12.99dc	1.0	11.44	3				
				5.13dc	6.2	29.20	3				
D250PD-00, D250ND-00	100-127 / 200-240ac	50-60	0	3.4dc	25.4	58.7	3	60950-1	20B	0	1
				5.1dc	30.5	128.4	3				
				13.2dc	18.9	221.1	3				
				-13.5dc	6.9	52.3	3				
				5.1dc	3.4	16.1	3				
D255AS-00	100-240ac	50-60	0	12.21dc	19.50	222.69	3	60950-1	20B	0	1
				12.21dc	18.30	210.63	3				
				11.53dc	2.50	28.20	3				
D255ED-00	100-240ac	50-60	0	+5.05dc	18	80.64	3	60950-1 2nd	20B	2	1
				+3.30dc	9	26.55	3				
				+12.13dc	20	233.40	3				
				-12.74dc	8	78.00	3				
				+5.10dc	6	27.12	3				
D255ES-00	100-240ac	50-60	0	12.17dc	18.5	210.52	3	60950-1	20B	0	1
				12.17dc	18.5	210.52	3				
				11.44dc	3	33.72	3				
D255P-00	100-240ac	50-60	0	12.01	21.7	219.83	3	60950-1 2nd	20B	3	1
				4.99	16.7	76.65	3				
				3.28	5.8	17.81	3				
				11.99	2.1	20.77	3				
				5.03	6.5	29.77	3				
D280ES-00	100-240ac	50-60	0	5.15	20.0	90	3	60950-1 2nd	20B	0	2
				3.43	7.5	22.95	3				
				11.97	1.95	220.55	3				
				12.48	1.1	11.66	3				
				5.00	6.0	25.74	3				
				25.13	8.5	204.00	3				
D290EM-00[*r]	100-240ac	50-60	0	+12VAdc	14	168	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12VBdc	16	192	3				
				+12VSBdc	1.67	20.04	3				
D3000E-S0	100-240ac	50-60	0	55.2dc	58.2	3008.9	3	60950-1, 2nd Ed + AM1	20B	2	1
				3.32dc	1.2	3.9	3				
D300EM-00, D300EM-01[*r]	100-240ac	50-60	0	+12VAdc	17	204	3	60950-1	-	0	1
				+12VBdc	9	108	3				
				+5Vdc	13	65	3				

				+3.3Vdc	10	33	3				
				+5Vauxdc	2	10	3				
				-12Vdc	0.3	3.6	3				
D300PD-00, D300ND-00, D300PM-00											
	100-127 / 200-240ac	50-60	0	-	18.71	211.61	3	60950-1	20B	0	1
				-	13.49	146.5	3				
				-	28.56	59.98	3				
				-	28.01	109.52	3				
				-	3.71	17.77	3				
				-	5.17	50.3	3				
D315ES-00[*r]	100-240ac	50-60	0	+12VAdc	14	168	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12VBdc	13	156	3				
				+12VSBdc	1.67	20.04	3				
				+12VCdc	11	132	3				
D330EA-00	100-240Vac	50-60	0	12.00 (+12VA)dc	19.20	212.93	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				5.04 (+5VSB)dc	6.07	25.13	3				
D350AM-00	100-240Vac	50-60	0	12.20 (+12VA)dc	17.78	199.85	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.19 (+12VB)dc	17.43	198.02	3				
				12.19 (+12VC)dc	15.15	171.86	3				
				5.08 (+5V)dc	17.49	61.74	3				
				3.37 (+3.3V)dc	18.01	49.71	3				
				5.12 (+5Vaux)dc	3.00	14.92	3				
D350E-S0, D350E-S2	100-240ac	50-60	0	3.308	19	57.86	3	60950-1 2nd	20B	0	2
				5.098	21	102.48	3				
				12.392	39	464.1	3				
				12.056	2.2	26.1	3				
D350E-S1	100-240ac	50/60	0	12.0dc	33.1	390.25	3	60950-1	20B	2, 6	1
				12.09dc	3.9	46.02	3				
D360EA-00	100-240ac	50-60	0	12.24dc	14.40	165.46	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.24dc	18.63	212.38	3				
				12.24dc	18.64	207.84	3				
				10.79dc	6.17	63.39	3				
D365EM-00[*r]	100-240ac	50-60	0	+12VAdc	14	168	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12VBdc	18	216	3				
				+12VCdc	11	132	3				
				+12VSBdc	1.67	20.04	3				
D400P-01, DPS-400YB-1 XX(m)											
	100-240ac	50-60	0	12.18	39.3	468.85	3	60950-1	20B	2, 6	0
				15.43	1.2	18.49	3				
				3.28	5.6	17.53	3				
D425EF-00, D425EF-01	100-240ac	50-60	0	+5VSBdc	4A	-	3	60950-1	20B	0	1
				-12Vdc	0.5A	-	3				
				+12VA, +12VB, +12VCdc	18A	-	3				
				+12V & +5VSBdc	-	425	3				

D425EF-02	100-240Vac	50-60	0	11.79dc	3.06	35.46	3	60950-1, 2nd Ed	20B	0	1
				12.16dc	20.6	221.6	3				
				12.19dc	0.85	9.1	3				
D450E-S0 , D450E-S1	100-240Vac	50/60	0	12.02 (+12Vsb)dc	4.26	48.01	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.23 (+12.2V)dc	49.49	589.84	3				
D460AD-00	100-240Vac	50-60	0	5.209dc	34	144.16	3	60950-1 2nd	20B	2	1
				13.428dc	19	226.77	3				
				12.227dc	2	23.08	3				
				3.52dc	26.0	84	3				
				13.0dc	16.5	194	3				
				5.1dc	5.5	27	3				
				13.1dc	12.7	153	3				
D460AM-02[*r]	100-240ac	50-60	0	+3.3Vdc	17	56.1	3	60950-1, 2nd Ed + AM1	20B	0	1
				+5Vdc	25	125	3				
				+12VAdc	18	216	3				
				+12VBdc	16	192	3				
				+12VCdc	8	96	3				
				+5Vauxdc	3	15	3				
				-12Vdc	0.3	3.6	3				
D460AM-03, D460EM-00	100-240Vac	50-60	0	12.20 (+12VA)dc	19.14	215.71	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.21 (+12VB)dc	19.33	217.27	3				
				12.21 (+12VC)dc	15.15	172.41	3				
				5.18 (+5V)dc	34.97	124.14	3				
				3.37 (+3.3V)dc	29.00	80.62	3				
				5.13 (+5Vaux)dc	3.00	14.97	3				
D480E-S0	100-240ac	47-63	0	3.3	25.5	71.15	3	60950-1	20B	2, 6	1
				5	25	115	3				
				12	52	606.32	3				
				12	1.8	21.49	3				
D485P-S0	100-240ac	47-63	0	12.06	43	501.38	3	60950-1	20B	3	1
				5.05	26.5	123.23	3				
				5.11	3	14.67	3				
D488P-SX, DPS-488AB XX(m)	100-120/200-240ac	47-63	0	5.02	2	9.92	3	60950-1	20B	2	1
				5.07	38.5	190.19	3				
				12.06	35	417.9	3				
D48S1220X, ESP131(m)	-43 to -57dc	-	3	12.3	26	312	3	60950	-	0	0
D48S1226 X (m)	-43 to -57dc	-	3	12.4	29.3	350.4	3	60950	20B	0	0
D48S95 (81)	48ac	-	3	1.9	69.2	131	3	60950	20B	0	-
D495E-S0	100-240V~ac	50/60	0	12dc	49	630	3	60950-1 2nd	20B	2	0
				12.1dc	4	60.8	3				
D495E-S1[*r]	100Vac-240V	50/60	0	12.2dc	40.57	495	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12dc	3	36	3				
D500E-S0, D400E-S0	100-240ac	50-60	0	12.22	53	637.06	3	60950-1	20B	2	1
				12.01	3.5	41.41	3				
D525AF-00	100-240ac	50-60	0	12.01	19	225.34	3	60950-1	20B	2, 6	1

				5.21	25	123	3				
				3.37	26	82.94	3				
				12.18	2.3	22.77	3				
				5.14	6	29.88	3				
D525AF-01	100-240ac	50-60	0	12.01	19	225.34	3	60950-1 2nd	20B	2,6	1
				5.21	25	123	3				
				3.37	26	82.94	3				
				12.18	2.3	22.77	3				
				5.14	6	29.88	3				
D528P-0X(H2)(H4)	100-240ac	50-60	0	12.13	50	586.5	3	60950-1	20B	2	1
				3.32	6.4	19.9	3				
				3.34	37	105.45	3				
				5.13	27	124.47	3				
				12.12	49	571.34	3				
				11.89	0.9	10.55	3				
				3.28	6.5	18.85	3				
D550E-S0(136)	100-240ac	50/60	0	12.0dc	52.0	611.52	3	60950-1 2nd	20B	2,6	1
				12.09dc	4.0	47.12	3				
D550E-S1	100-240Vac	50/60	0	12.29dc	57.0	678.11	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.03dc	4.23	50.3	3				
D550E-S2	120-240Vac; 240Vdc	50/60	0	12.29dc	57.0	678.11	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.03dc	4.23	50.3	3				
D580E-S0, D400EF-S0	100-240ac	50/60	0	12.183	57	685.14	3	60950-1	20B	2,3	1
				11.903	2.5	29.19	3				
D635EF-00[*r]	100-240ac	50-60	0	+12VAdc	18	216	3	60950-1	20B	0	1
				+12VBdc	18	216	3				
				+12VCdc	18	216	3				
				+12VDdc	18	216	3				
				+12VEdc	18	216	3				
				-12Vdc	0.5	6	3				
				+5VSBdc	4	20	3				
D670P-S1	100-120, 200-240ac	47-63	0	3.33	6.9	21.05	3	60950-1	20B	2	0
				12.29	64	720	3				
D675P-S0	100-240ac	47-63	0	12.13	65.8	781.7	3	60950-1	20B	2	1
				3.38	6.3	19.78	3				
D685EF-00	100-240ac	50-60	0	12.14dc	20	218.2	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.14dc	20	218.2	3				
				12.14dc	20	218.2	3				
				12.14dc	20	218.2	3				
				4.98dc	6.1	26.96	3				
				-12.09dc	0.9	8.9	3				
D685EF-01[*r]	100-240ac	50-60	0	12VAdc	18	-	3	60950-1, 2nd Ed + AM1	20B	0	1
				12VBdc	18	-	3				
				12VCdc	18	-	3				
				12VDdc	18	-	3				

				12VEdc	18	-	3				
				-12Vdc	0.5	-	3				
				+12VSBdc	2	-	3				
D717P-S0	100-240ac	47-63	0	12.42	66	789.36	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.14	3.7	44.51	3				
D750E-00, DPS-750LB XX(m)	100-120, 200-240ac	50-60	0	5	41	193.11	3	60950-1	20B	0	1
				3.3	43	132.87	3				
				12.03	2.1	24.89	3				
				12.1	19.2	219.83	3				
				5.09	5.8	27.78	3				
D750E-S1, D750E-S3, D750E-S4, D750E-S5											
	100-240V~ac	50/60	0	12dc	74	991	3	60950-1 2nd	20B	2, 6	1
				12.1dc	4.03	65.2	3				
D750E-S2	200-240ac	50/60	0	12.32dc	74.35	891.65	3	60950-1	20B	2, 6	1
				12.15dc	4.12	48.68	3				
D750E-S3	240 Vdc	-	4	12dc	74	991	3	60950-1 2nd	20B	0	1
				12.1dc	4.03	65.2	3				
D750E-S6, D750E-S9; D750E-S10											
	100Vac-240V	50/60	0	12.28dc	77.97	929.47	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.09dc	4.17	49.41	3				
D750E-S7	200-240ac	50/60	0	12.31dc	77.95	934.26	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.13dc	4.21	49.85	3				
D750P-S0	100-240ac	47-63	0	12.1	69	826.62	3	60950-1 2nd	20B	2	1
				12.18	4	47.44	3				
D825EF-00, D825EF-01	100-240ac	50-60	0	+12VAdc	18	216	3	60950-1	20B	0	0
				+12VBdc	18	216	3				
				+12VCdc	18	216	3				
				+12VDdc	18	216	3				
				+12VEdc	18	216	3				
				+12VFdc	18	216	3				
				+12VGdc	18	216	3				
				-12Vdc	0.5	6	3				
				+5VSBdc	4	20	3				
D825EF-02	100-240ac	50-60	0	+12VAdc	18	216	3	60950-1	20B	0	0
				+12VBdc	18	216	3				
				+12VCdc	18	216	3				
				+12VDdc	18	216	3				
				+12VEdc	18	216	3				
				+12VFdc	18	216	3				
				+12VGdc	18	216	3				
				-12Vdc	0.5	6	3				
				12VSBdc	2.0	24	3				
D850EF-00	100-240Vac	50-60 or 47-63	0	3.28dc	33.01	85.50	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				4.91dc	28.00	123.48	3				
				12.22dc	34.97	400.53	3				

				12.23dc	56.84	665.19	3				
				12.19dc	18.11	211.34	3				
				12.02dc	1.51	16.82	3				
				5.07dc	6.96	32.43	3				
D950EF-00, D425EF-03	100-240Vac	50-60	0	12.02(+12VDC)dc	98.94	1137.81	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				-11.99(-12VDC)dc	0.90	8.46	3				
				11.80(+12VSBDC)dc	9.82	110.38	3				
DAC-19M001XXXXX	100-240ac	50-60	0	5.03dc	9.392	21.7	3	60950-1	20B	2,6	1
				18.79dc	6.832	38.74	3				
DAC-19M021XX(---)	100-240ac	50-60	0	5.1dc	6.2	27.5	3	60950-1	20B	2	1
DCS48TA05	20-60dc	-	3	5.02	1.68	6.31	3	1950	-	0	0
DH1378E-S0[*r]	100-240Vac	50/60	0	+12.2Vdc	95A	1159	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				+5.1Vdc	36A	183.6	3				
				+12VAUXdc	3A	36	3				
DH1485E-S0	100-240Vac	50/60	0	12.21 (+12V)dc	133	1465	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				11.99 (+12VAUX)dc	4.9	55.2	3				
				5.16 (+5V)dc	49	157	3				
DH1485E-S1	200-240Vac	50/60	0	12.21 (+12V)dc	133	1465	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				11.99 (+12VAUX)dc	4.9	55.2	3				
				5.16 (+5V)dc	49	157	3				
DH350E-S0[*r]	100-240ac	50/60	0	+12VAdc	18	216	3	60950-1	20B	0	1
				+12VBdc	18	216	3				
				+5Vdc	15	75	3				
				+3.3Vdc	15	49.5	3				
				+12VSBdc	2.5	30	3				
DH550E-S0[*r]	100-240ac	50/60	0	+12Vdc	36	432	3	60950-1	20B	0	1
				+5Vdc	22	110	3				
				+3.3Vdc	22	72.6	3				
				+12VSBdc	2.5	30	3				
DH550E-S1[*r]	100-240ac	50/60	0	+12Vdc	36	432	3	60950-1	20B	0	1
				+5Vdc	22	110	3				
				+3.3Vdc	22	72.6	3				
				+12VSBdc	2.5	30	3				
DNL04X2X3X4X5X6X7X	2.4-5.5 or 2.8-5.5	-	0	3.3	26.6	88.05	3	60950-1	20B	0	1
DNS04X2X3X4X5X6X7X(@1)	2.4-5.5 or 2.8-5.5	-	0	3.28	11.2	36.62	3	60950-1	20B	0	1
DNS12X2X3X4X5X6X7X(@1)	10-14	-	0	5.05	7.5	37.5	3	60950-1	20B	0	1
DPL-100CB XX("")	120-277Vac	50/60	0	43dc	0.354	15.222	4	60950-1 2nd	20B	0	1
DPL-120AB AAX, DPL-120AB ADX, DPL-120AB AEX, DPL-120AB AFX, DPL-120AB AGX, DPL-120AB AHX, DPL-120AB AIX, DPL-120AB AJX("")											
	120-277Vac	50/60	0	365dc	0.36	131.04	4	60950-1 2nd	20	0	1
DPL-120AB AXX (First "X" exclude A, D, E, F, G, H, I, J)("")											
	120-277Vac	50/60	0	304.4dc	0.356	108.366	4	60950-12nd	20B	0	1
DPL-120AB DXX("")	120-277Vac	50/60	0	233	0.696	161.7	4	60950-1 2nd	20	0	1
DPL-120AB JX (^)	-	-	0	275.0	0.59	162.31	4	60950-1	20B	0	1
DPL-120CB XX("")	120-277Vac	50/60	0	51.4dc	0.356	18.298	4	60950-1 2nd	20B	0	1
DPL-160AB XX, DPL-160BB XX (%4)											
	100-277V &	-	0	135	0.34	45.9	4	60950-1	20B	0	1

	200-277V											
DPL-200BB XX (%4)	180-277V	-	0	158	0.34	52.14	4	60950-1	20B	0	1	
DPR-245AB (X)(X)(59)	100-120/200-240ac	47-63	0	3.3	38.1	122	3	1950	20B	0	0	
				5.1	34.6	168	3					
				12.1	13.4	160	3					
				24	3.8	83	3					
				-12.3	1.6	16	3					
				5	7.5	37	3					
DPS-1000AB (X)(X)	100-120/200-240ac	50-60	0	48.4	25.8	1180.5	3	60950-1	20B	2,6	-	
				8.85	2.5	20.6	3					
DPS-1000AB-2 XX, DPS-1000EB XX (The "X" can be 0-9, A-Z or blank)												
	100-127, 200-240ac	50-60	0	3.4	28.51	81	3	60950-1	20B	3	1	
				5.12	40.03	173.3	3					
				12.06	20.2	233.7	3					
				12.13	19.2	224.4	3					
				12.13	19.62	226	3					
				12.13	19.22	222.6	3					
				12.13	19.03	219.8	3					
				-12.52	1.37	13.6	3					
				5.13	7.02	32.2	3					
DPS-1000AB-3 XX(X Can be 0-9, A-Z or blank)												
	100-240ac	50-60	0	12.24dc	34.32	405.32	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1	
				12.25dc	39.85	433.97	3					
				12.24dc	41.39	441.22	3					
				5.14dc	35.52	143.41	3					
				3.35dc	34.94	80.36	3					
				12.10dc	5.49	35.63	3					
				5.04dc	5.19	24.24	3					
DPS-1000DB XX	100-127, 200-240Vac	47-63	0	12.07	127	1501.1	3	60950-1	20B	4	1	
DPS-1000FB XX(^)	100-127, 200-240ac	50/60	0	5.05	6	28.6	3	60950-1	20B	2	1	
				12.12	117.5	1368	3					
DPS-1000HB XX (The "X" can be 0-9, A-Z or blank)												
	100-127/200-240ac	50-60	0	3.4	28.51	81	3	60950-1	20B	3	1	
				5.12	40.03	173.3	3					
				12.26	27.91	329.6	3					
				12.26	28.21	332.3	3					
				12.13	19.62	226	3					
				12.13	19.22	222.6	3					
				12.26	23.20	272.6	3					
				-12.52	1.37	13.6	3					
				5.15	6.90	33.1	3					
DPS-1000LB XX (^)	100-127 or 200-240ac	50-60	0	56.03dc	23.1	1290.83	3	60950-1	20B	2,6	1	
				12.03dc	4.2	49.77	3					
DPS-100AB-14 XX(X can be 0-9,A-Z or blank); PAC100D2412-CN												
	100-240ac	47-63	0	13.47dc	9.27	110.68	3	60950-1, 2nd	20B	2	1	

								Ed+AM1+AM2			
				24.05dc	4.35	41.35	3				
DPS-100AB-5 XX (kk)	115V~/230V~ac	50-60	0	24.15dc	6.85	165.427	3	60950-1	20B	0	1
DPS-100AP-10 XX (H2)	100Vac-240V	47-63	0	12.38(+12.3V)dc	15.83	149.1	3	60950-1, 1st Ed	20B	2,6	1
DPS-100AP-11 XX, DPS-100AP-13 XX (X=0-9, A-Z or blank)											
	100-240Vac	50-60	0	12.14dc	10.38	91.94	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-100AP-12 XX (X=0-9, A-Z or blank)											
	100-240ac	50-60	0	12.13dc	14.68	163.5	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-100AP-6 xx(??)	100-240Vac	50-60	0	3.3dc	11.3	37.3	3	60950-1	20B	0	2
				4.2dc	23.4	97.8	3				
DPS-100AP-9 XX (X=0-9, A-Z, or blank)											
	100-240ac	50/60	0	12.04dc	11.25	129.11	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-100FB (X)(X)	100-127/200-240ac	47-63	0	5.21	27.4	107.5	3	1950	20B	2,6	1
				3.34	20.5	35.9	3				
				12.85	8.1	89.39	3				
				12.45	2.3	21.91	3				
				5.1	3.9	18.43	3				
DPS-1025AB XX (")	115Vac-240V	50-60	0	12.54dc	25.91	300.93	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				-54.99dc	19.85	1033.97	3				
DPS-102JP XX(H2)	100-240ac	47-63	0	5.08	11.5	54.51	3	60950-1	20B	0	0
				24.25	7	168.14	3				
DPS-1050CB XX(0)	100-127, 200-240, 118ac	50-60, 400	0	3.39	26.3	76.53	3	60950-1	20B	2	1
				5.16	26	121.16	3				
				-12.22	0.73	8.92	3				
				5.11	11	51.15	3				
				12.16	28	316.68	3				
DPS-1050DB XX(")	100, 115, 200-240, 118ac	47-63, 400	0	12.12	18.8	222.59	3	60950-1	20B	2	1
				12.02	0.65	7.1	3				
				5.06	17.5	81.9	3				
DPS-1050EB XX (X=0-9, A-Z or blank)											
	110-240Vac	50-60	0	56.2dc	25.0	1275	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-1085AB (X)(X)(72)	200-240ac	50-60	0	3.37	142	295.03	3	60950-1	20B	2,6	1
				5.1	96	401.22	3				
				12.32	20.9	237.45	3				
				13.95	12.6	147.56	3				
				12.05	2.1	23.98	3				
				5.17	6	20	3				
DPS-108KP xx ("[*r]	100-240ac	50-60	0	5dc	5	25	3	60950-1, 2nd Ed + AM1	20B	0	2
				4.5dc	18	81	3				
DPS-1100AB-6 XX[*r]	100-127V~, 200-240V~ac	50-60	0	+12dc	90	1080	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				+5VSBdc	3.0	15	3				
DPS-1100AB-7 XX[*r]	100-127V~, 200-240V~ac	50-60	0	+12dc	90	1080	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				+5VSBdc	3.0	15	3				

DPS-1100CB XX(X7), DPS-1100CB-1 XX(X7), DPS-1100CB-2 XX(X7), Model DPS-1100CB-1 BX(X7)											
	115-240ac	50-60	0	-54.03dc	24.28	1301.41	3	60950-1, 2nd Ed + AM1	20B	2	1
DPS-1100EB XX (X = 0-9, A-Z or blank)											
	100-240 Vac or 240 Vdc	50-60	0	12.41dc	4.6	54.97	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.18dc	104.8	1185.3	3				
DPS-1100FB XX (X7)	100-127V or 200-240Vac	50-60	0	3.35dc	3.90	11.74	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.07dc	105.79	1201.77	3				
DPS-1100GB BX (X=0-9, A-Z or blank), DPS-1100GB-1 XX (X=0-9, A-Z or blank)											
	-48V - -60Vdc	-	0	12.0dc	115.0	1298	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5.15dc	4.6	19.75	3				
DPS-1100GB XX (X=0-9, A-Z or blank except B for first X)											
	-48V - -60Vdc	-	0	12.0dc	112	1263	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				3.43dc	4.25	12.1	3				
DPS-110CB (X)(X)	100-120ac	50-60	0	4.99	1.94	7.78	3	1950	20B	0	0
				5.22	33.17	128.65	3				
				3.32	25.24	43.1	3				
				13.67	15.14	142.39	3				
				13.31	3.67	34.22	3				
DPS-111AB B(X)(au)	100-127/200-240ac	50-60	0	5	10	-	3	1950	20B	0	0
				3.3	6	-	3				
				12	3.5	-	3				
				-12	0.4	-	3				
				5	1	-	3				
DPS-1120AB XX, (Where XX can be any alphanumeric or blank.)											
	100-127V / 200-240Vac	50/60	0	+12V1,+12V3,+12V7dc	17	-	3	60950-1	20B	0	1
				+12V2,+12V4dc	14	-	3				
				+12V5dc	18	-	3				
				+12V6dc	15	-	3				
				+12Vdc	-	1020	3				
				+5.08Vdc	22	-	3				
				+3.3Vdc	24	-	3				
				+3.3V & +5.08Vdc	-	140	3				
				+3.3V&+5.08V&+12Vdc	-	1100	3				
				-12Vdc	0.3	-	3				
				+5.08Vsbdc	8	-	3				
				Total powerdc	-	1120	3				
DPS-1125AB XX("")	100V or 115-127V or 200-240V or 118ac	50-60Hz or 400	0	12.2 (12,2V-M0)dc	19.4	229	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.2 (12,2V-M1)dc	19.3	228	3				
				12.2 (12,2V-CPU0)dc	19.2	229	3				
				12.2 (12,2V-CPU1)dc	19.4	226	3				
				12.2 (12,2V-G1)dc	19.4	230	3				
				12.2 (12,2V-G2)dc	19.3	229	3				
				12.1 (12,2V-G3)dc	19.4	230	3				
				12.1 (12,2V-D)dc	19.4	225	3				

				12.2 (12,2V-B)dc	19.6	232	3				
				12.2 (12,2V-S)dc	19.4	229	3				
				12.1 (12VN)dc	0.6	7.3	3				
				11.2 (11VSB)dc	8.6	93.7	3				
DPS-1125AB-1 XX (&)	100V or 115-127V or 200-240V or 118ac	50-60Hz or 400	0	12.2 (12,2V-CPU0)dc	19.2	229	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				12.2 (12,2V-CPU1)dc	19.4	226	3				
				12.2 (12,2V-CPU2)dc	19.6	232	3				
				12.2 (12,2V-CPU3)dc	19.6	232	3				
				12.2 (12,2V-M0)dc	19.4	229	3				
				12.2 (12,2V-M1)dc	19.3	228	3				
				12.2 (12,2V-B)dc	19.6	232	3				
				12.2 (12,2V-S)dc	19.4	229	3				
				12.1 (12,2V-D)dc	19.4	225	3				
				12.2 (12,2V-G1)dc	19.4	230	3				
				12.2 (12,2V-G2)dc	19.3	229	3				
				12.1 (12,2V-G3)dc	19.4	230	3				
				12.2 (12,2V-G4)dc	19.6	232	3				
				12.1 (12VN)dc	0.6	7.3	3				
				5.12 (5VSB)dc	22.21	94.0	3				
DPS-114AB (X)(X)	100-120ac	47-63	0	5.1	30.6	135	3	1950	20B	2,6	1
				3.3	24.1	61.6	3				
				12.4	13.6	137.3	3				
				5	2.2	6.9	3				
DPS-117BP (X)(X)	100-240ac	47-63	0	24.3dc	4.97	118	3	60950-1	20B	0	1
				12.1dc	8.5	96.1	3				
				5.2dc	7.63	35.7	3				
				5.1dc	1.22	6	3				
DPS-1200AB-12 XX (X=0-9, A-Z or blank)											
	200-240Vac	50/60	0	3.34dc	21.5	66.8	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				5.02dc	23.0	110	3				
				5.06dc	4.6	20.0	3				
				12.1dc	22.0	255	3				
DPS-1200AB-13 XX, DPS-1200AB-14 XX (X=0-9, A-Z or blank)											
	200-240Vac	47-63	0	12.0 (+12V)dc	120	1392	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				12.1 (+12VSB)dc	4.0	46.3	3				
DPS-1200AB-16 XX (X = 0-9, A-Z or blank)											
	100-127Vac, 200-240Vac	47-63	0	12.31(+12V)dc	114.16	1332.25	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				12.23(+12VSB)dc	3.11	37.04	3				
DPS-1200AB-2 XX (\$-\$)	100-109Vac, 110-120Vac, 200-240V	47-63	0	12.12dc	3.31	39.02	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.25dc	112.79	1325.6	3				
DPS-1200AB-4 XX, DPS-1200AB-10 XX (\$-\$)											
	100-127Vac; 200-240V	47-63	0	12.12dc	3.31	39.02	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				12.25dc	112.79	1325.6	3				
DPS-1200AB-8 XX (&) (100Vac)											

	100Vac	50/60	0	12.3 (+12V)dc	76.0	880	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.0 (+12VSB)dc	4.0	45.6	3				
DPS-1200AB-8 XX (&) (110-127Vac)											
	110Vac-127V	50/60	0	12.3 (+12V)dc	91.0	1040	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.0 (+12VSB)dc	4.0	45.6	3				
DPS-1200AB-8 XX (&) (200-240Vac)											
	200Vac-240V	50/60	0	12.3 (+12V)dc	120.0	1345	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.0 (+12VSB)dc	4.0	45.6	3				
DPS-1200AB-9 XX, 341-100254-XX (X=0-9, A-Z or blank) for marketing purpose only and no impact to safety related critical components and constructions)											
	100-240Vac	50/60	0	12.29dc	113.27	1286	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
DPS-1200FB XX, DPS-1200KB XX, DPS-1200LB XX(0)											
	100, 110-120, 200-240ac	47-63	0	12.31	125	1441.25	3	60950-1	20B	2	1
				12.11	4	44.31	3				
DPS-1200FB-1 XX, RMN: HSTNS-PD19, DPS-1200FB-1 BX, RMM: HSTNS-PD21 (----)											
	100, 110-120, 200-240ac	47-63	0	+12.27dc	125.00	1425.00	3	60950-1 2nd	20B	5	1
				+12.06dc	4.00	45.76	3				
DPS-1200GB XX, HSTNS-PD10	-36~-72dc	-	6	12.14	113.5	1340.4	3	60950-1	60	0	0
				12.25	1.4	15.12	3				
				3.35	10.7	32.74	3				
				5.06	3	14.7	3				
DPS-1200SB XX(`)(132) [*r]	100ac	47-63	0	12.0dc	66.7	800	3	60950-1 2nd	20B	2,6	1
				12.0dc	2.5	30	3				
DPS-1200SB XX(`)(133) [*r]	110-120ac	47-63	0	12.0dc	75	900	3	60950-1 2nd	20B	2,6	1
				12.0dc	2.5	30	3				
DPS-1200SB XX(`)[134]	200-240ac	47-63	0	12.3dc	132	1475	3	60950-1 2nd	20B	2,6	1
				12.0dc	4.5	46.7	3				
DPS-1200SB-1 AX, RMN: HSTNS-PD34-A, DPS-1200SB-1 CX, RMN: HSTNS-PD34-C (m~)											
	200Vdc-380Vdc or 200Vac-277Vac	-	0	12.3dc	132	1507	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.0dc	4.0	43.2	3				
DPS-1200SB-1 BX, RMN: HSTNS-PD34-B (m~)											
	200-277ac	50-60	0	12.3dc	132	1507	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.0dc	4.0	43.2	3				
DPS-1200TB XX ("), DPS-1200RB XX (")											
	100-127ac	47-63	0	12.08dc	113.5	1328	3	60950-1	20B	2, 6	1
				12.11dc	4.3	50.1	3				
DPS-120TB XX(kk)	100-120	-	0	12.025	12.6	145.34	3	60950-1	20B	2	1
DPS-124CB (X)(X)	100-127/200-240ac	50-60	0	5	2.1	9.8	3	1950	20B	0	0
				12.4	5.2	59.6	3				
				39	8.6	284.8	3				
				-17.2	9.25	72.5	3				
				5.4	5.7	14.6	3				

				-5.4	5.8	11.6	3				
				6.34	3.6	17.1	3				
				13.29	2.45	15	3				
DPS-125HB (X)(X)(96)	100-240ac	47-63	0	5.1	36.5	154	3	60950	20B	2,6	1
				3.4	31.1	72	3				
				5	1.5	8	3				
				12.6	16.2	167	3				
DPS-129AB	100-240ac	47-63	0	4.98	18.1	84.87	3	1950	20B	0	1
				3.28	11.3	37.61	3				
				12.08	10.2	112.03	3				
				5.07	1.2	2.57	3				
				-12.18	0.98	9.32	3				
DPS-129AB-2(X)(X)	100-240ac	47-63	0	12.1	9.5	113	3	1950	20B	0	1
				5.1	21	107	3				
				3.4	19.3	66	3				
				-12.2	0.7	8	3				
				5	0.5	25	3				
DPS-12FP XX (X = 0-9, A-Z or blank but the first X can't be B-G); DPS-12FP XX (The first X can be B-G, the second X = 0-9, A-Z or blank)											
	100-240ac	50-60	0	12.05dc	1.86	21.93	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-1300AB-5 XX (X can be 0-9,A-Z or blank)											
	100-240ac	50-60	0	5.17dc	68.01	316.25	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				3.34dc	37.43	104.06	3				
				12.13dc	59.91	700.95	3				
				5.18dc	6.48	31.56	3				
DPS-1300AB-6 XX, DPS-1300AB-11 XX, DPS-1300AB-12 XX (X can be 0-9, A-Z or blank) (for 100-127V)											
	100-127Vac	47-63	0	11.34 (+12VSB)dc	2.93	33.93	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				11.97 (+12V)dc	103.0	1210	3				
DPS-1300AB-6 XX, DPS-1300AB-11 XX, DPS-1300AB-12 XX (X can be 0-9, A-Z or blank) (for 200-240V)											
	200-240Vac	47-63	0	12.33 (+12VSB)dc	3.0	35.13	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				11.98 (+12V)dc	129.5	1502	3				
DPS-1300BB (X)(X)	100-127/200-240ac	50/60	0	12.2ac	127.5	1543	3	60950-1	20B	0	1
				5ac	2.5	6	3				
DPS-1300CB XX %4	100-127V, 200-240Vac	50-60	0	12.29dc	135	1597.46	3	60950-1 2nd	20B	0	0
				4.89dc	1.3	5.29	3				
DPS-1300FB XX (&)	100-240Vac	50/60	0	12.2Vdc	19.3	227.74	3	60950-1, 2nd Ed + AM1	20B	0	1
				-12.4Vdc	1.15	14.03	3				
				5.05Vdc	11.4	54.04	3				
DPS-1300GB XX (X7)	100-127; 200-240ac	47-63	0	12.16dc	126	1509	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.1dc	3.65	44.2	3				
DPS-1300JB XX (X can be 0-9, A-Z or blank)											
	100-240Vac	50-60	0	12.28dc	19.13	227.34	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-130EB (X)(X)(118)(sb)	100-120ac	47-63	0	5	7.5	-	3	60950	20B	2,6	1
				3.3	9	-	-				
				12	8.5	-	-				

				12	8	96	3						
				-12	0.2	2.4	3						
DPS-145PB-72 (X)(X), DPS-145PB-72 B(X), DPS-145PB-73 (X)(X), DPS-145PB-73 B(X)													
	100-127/200-240ac	47-63	0	5.5	28	131	3	1950	20B	0	0		
				3.5	17	43	3						
				12.4	12.8	143	3						
				4.9	2.2	10	3						
				-5.1	2.2	10	3						
				-12.8	8	72	3						
DPS-145PB-73 BX(b)	ac	-	-	-5.1	2.2	10	3	-	-	-	-		
				-12.8	8	72	3						
DPS-145PB-91 (X)(X), DPS-120DB (X)(X), DPS-95EB-3 (X)(X), DPS-145PB-87 A(X), DPS-145PB-87, DXDPS-145PB-113 (X)(X)													
	100-127/200-240ac	47-63	0	3.3	18.6	48	3	1950	20B	6,2	1		
				5.1	31.5	136	3						
				12.4	7.5	72	3						
				-12.7	3.9	44	3						
				5.1	1.6	77	3						
DPS-1500AB-1(X)(X)(X)	-40 to -75dc	-	0	47.8	33.4	1590	3	60950-1	-	0	0		
				12.6	4.4	54	3						
DPS-1500AB-2 XX (X7)	200-240Vac or 240Vdc	47-63	0	12.24	130.99	1515.55	-	60950-1, 2nd Ed + AM1	20B	0	1		
				12.13dc	4.70	54.19	3						
				12.24dc	130.99	1515.55	3						
DPS-1500AB-3 XX (X can be 0-9,A-Z or blank)													
	100-120Vac, 200-240Vac, 240Vdc	50/60	0	12.31dc	143.52	1672.01	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1		
				12.31dc	143.52	47.64	3						
DPS-1500AB-4 XX %5	100-120Vac/200-240Vac, 50-60Hz or 240Vdc	-	0	-	-	-	-	60950-1, 2nd Ed+AM1+AM2	20B	2	1		
				12.3dc	136.31	1605.73	3						
DPS-150AB-10 XX, DPS-150AB-11 XX (%4)													
	100-240ac	50-60	0	12.01dc	16.39	190.30	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1		
DPS-150AB-12 XX (X can be 0-9,A-Z or blank)													
	-48- -60dc	-	4	12.5dc	17.5	186	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1		
DPS-150AB-3 XX(X=0-9, A-Z or blank)													
	100-240ac	47-63	0	11.77dc	19.5	202.22	3	60950-1, 2nd Ed + AM1	20B	0	1		
DPS-150AB-5 XX (X can be 0-9, A-Z or blank)													
	100-240ac	47-63	0	+3.3dc	26.0	73	3	60950-1, 2nd Ed	20B	0	1		
				+5.6dc	28.0	122	3						
				+12.5dc	19.0	216	3						
				+5.1dc	4.93	19.2	3						
DPS-150AB-8 XX (X=0-9, A-Z or blank)[*r]													
	100-240ac	50-60	0	+12Vdc	12.5	150	3	60950-1, 2nd Ed + AM1	20B	0	1		
DPS-150AP-7 XX(%4)	100-240ac	50/60	0	-54.18dc	3.69	192.83	3	60950-1, 2nd Ed + AM1	20B	0	1		
DPS-150AP-9 XX (X can be 0-9, A-Z or blank)													

	100-240ac	50-60	0	12.19dc	20.4	238	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-150LP (X)(X), DPSN-150HP (X)(X)											
	100-240ac	47-63	0	12.2	16	195	3	60950-1	20B	0	0
DPS-150LP-1 XXY (m) (&)											
	36-60dc	-	3	12.1	15.8	185	3	60950	20B	0	1
DPS-150TB XX (m)	100-240ac	47-63	0	3.3dc	26	73	3	60950-1 2nd	20B	2	0
				5.6dc	28	122	3				
				12.5dc	19	216	3				
				5.1dc	4.93	19.2	3				
DPS-1570BB XX, DPS-1570CB XX, D1570P-S0 (H2)											
	100-127, 200-240ac	47-63	0	12.13	160	1859	3	60950-1	20B	0	1
				3.43	9	28.17	3				
DPS-157CP (X)(X), DPS-157DP (X)(X)											
	100-240ac	47-63	0	24.3dc	6.8	158	3	60950-1	20B	0	1
				12.1dc	7.3	83.6	3				
				5.2dc	6.8	31.2	3				
				5.1dc	1.1	5.6	3				
DPS-1600AB-1 XX (X = 0-9, A-Z or blank)											
	100-127Vac or 200-240 Vac or 240 Vdc	50-60	0	12.19dc	149.1	1692.3	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.41dc	4.6	54.97	3				
DPS-1600AB-11 XX (X=0-9, A-Z or blank)											
	200-240Vac or 240Vdc	50/60	0	12.26dc	134	1591	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.16dc	3.65	43.06	3				
DPS-1600AB-13 XX, DPS-1600AB-24 XX (X can be 0-9, A-Z or blank) (for 100-127V)											
	100-127Vac	47-63	0	12.33 (+12VSB)dc	3.0	35.13	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				11.98 (+12V)dc	103.0	1210	3				
DPS-1600AB-13 XX, DPS-1600AB-24 XX (X can be 0-9, A-Z or blank) (for 200-240V)											
	200-240Vac	47-63	0	12.34 (+12VSB)dc	2.93	33.96	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				11.97 (+12V)dc	158.0	1843	3				
DPS-1600AB-16 XX (&)	200-240Vac	47-63	0	12.12dc	3.39	39.60	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.01dc	148.79	1714.06	3				
DPS-1600AB-18 XX	100-127; 200-240ac	47-63	0	12.49dc	143.10	1748.68	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.15dc	3.01	35.49	3				
DPS-1600AB-3 XX (Where X can be any alphanumeric character or blank)											
	100-127Vac or 200-240V	47-63	0	12.24 (+12VSB)dc	8.68	99.73	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.08 (+12V)dc	152.26	1758.74	3				
DPS-1600AB-5 XX; DPS-1600AB-6 XX (X can be 0-9, A-Z or blank)											
	200-240ac	47-63	4	+12.25Vdc	155.80	1850.90	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-1600BB(X)(X)	200-240ac	50-60	0	12.2	166.5	2015	3	60950-1	20B	0	1
				5	0.8	4	3				
DPS-1600CB XX(X6), DPS-1600CB-3 XX(X6)											
	100-127ac	47-63	0	12.02dc	157	1887	3	60950-1, 2nd Ed + AM1	20B	2	1

				12.11dc	2.8	33.21	3				
DPS-1600CB-1 XX(X6)	100-127ac	47-63	0	12.02dc	157	1887	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.11dc	2.8	33.21	3				
DPS-1600EB XX, DPS-1600AB-7 XX(&)[*r]											
	100-127, 200-240ac	47-63	0	12dc	82(input 100-127)	-	3	60950-1, 2nd Ed + AM1	20B	0	1
				12VSBdc	2.1	-	3				
				12dc	132(input 200-240V)	-	3				
DPS-1600EB-1 XX, DPS-1600AB-8 XX, DPS-1600AB-9 XX, DPS-1600AB-10 XX, DPS-1600AB-12 XX (&)											
	100-127; 200-240ac	47-63	0	11.71dc	2.93	34.31	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.01dc	148.79	1714.06	3				
DPS-1600FB XX(&)[*r]	100-127, 200-240ac	47-63	0	12dc	73(input 100-127)	-	3	60950-1, 2nd Ed + AM1	20B	0	1
				12VSBdc	2.0	-	3				
				12dc	132(input 200-240V)	-	3				
DPS-160AB-5 XX (X can be 0-9, A-Z or BLANK)											
	100-240ac	50-60	0	11.8dc	17.64	172.7	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-160AP-2 XX (&)	100-240Vac	47-63	0	4.96 (for +5V)dc	3.2	15.1	3	60950-1, 2nd Ed + AM1	20B	0	2
				12.1 (for +12V)dc	14.0	123	3				
				24.6 (for +24V)dc	9.0	215	3				
DPS-160GB (X)(X), DPS-160GB B(X), DPS-140FB (X)(X)											
	100-127ac	43-66	0	5.5	34	136	0	1950	20B	0	0
				3.3	36	75	0				
				12.4	5.6	55	0				
				12.7	2.1	21	0				
				5.1	1.8	9	0				
				4.9	3.8	14	0				
DPS-160HB (X)(X)(60)	100-240ac	50-60	0	5.4	26	117	3	1950	20B	0	1
				3.4	23	53	3				
				12.6	15	163	3				
				13.4	3.5	34	3				
				5.1	3.9	18	3				
DPS-160HB-1 (X)(X)	100-240ac	47-63	0	11.34	19.8	189.6	3	60950	20B	0	0
				5.2	40.5	132.84	-				
				3.37	32	46.28	-				
				5.13	4.8	21.79	-				
DPS-160HB-1 XX(BC)	100-240ac	47-63	0	12	8	96	3	60950-1	20B	3	1
				5	8	40	3				
				3.3	6	19.8	3				
				5	2	10	3				
DPS-161AP XX(H2), DPS-161AP-1 XX(H2)											
	100-240Vac	47-63	0	24.3	9	216	3	60950-1	20B	2	1
				12	7.2	84.2	3				
				5.2	7.4	37.1	3				
DPS-161AP-2 XX(H2), DPS-162EP XX(H2)											
	100-240ac	47-63	0	24.3	9	216	3	60950-1	20B	0	1
				12	7.2	84.2	3				

				5.05	9.7	39.6	3				
DPS-162BP XX	100-240ac	47-63	0	24.1	6.7	155.8	3	60950	20B	0	1
				12	6.3	72.7	3				
				5.1	6.1	29.8	3				
				5.1	1.3	6.6	3				
DPS-170AB (X)(X)(sb)	100-240ac	47-63	0	5.08	40.6	150	3	60950	20B	0	1
				3.36	28.3	63	3				
				12.26	18.3	199	3				
				-12.08	1.9	23	3				
				12.26	4.5	50	3				
				5.04	4.73	22	3				
DPS-1755AB XX (")	200-240Vac	50-60	0	5.14	4.2	21.042	3	60950-1 2nd	20B	0	2
				24.05	13.5	319.005	3				
				47.72	37.0	1751.580	3				
DPS-175AB-1 XX (X can be 0-9,A-Z or blank)											
	100-240ac	50-60	0	4.26dc	36.39	123.0	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				4.96dc	4,48	20.7	3				
DPS-179AP XX	100-240ac	47-63	0	5	8.1	40	3	60950-1	20B	0	1
				12.3	6.1	73	3				
				24.8	7.8	191	3				
				5	1.2	6	3				
DPS-180AB-15 xx, DPS-180AB-17 xx (x = 0-9, A-Z or blank)											
	100-127/200-240/100-240ac	50-60	0	3.35dc	19.0	52.25	3	60950-1, 2nd Ed + AM1	20	2, 6	1
				5.19dc	18.54	80.65	3				
				12.29dc	17.88	202.04	3				
				-12.34dc	5.9	48.56	3				
DPS-180AB-16 XX (Where X=0-9, A-Z or blank)											
	100-127/200-240Vac	50-60	0	12.13	16.54	179.6	3	60950-1, 2nd Ed	20B	2, 6	1
				12.13	18.76	211.8	3				
				3.35	23	63.71	3				
				5.25	26.71	111.11	3				
				5.13	3.71	17.92	3				
				12.07	6	56.94	3				
DPS-180AB-20 XX (X can be 0-9, a-z or blank)											
	100-240Vac	50-60	0	5.14dc	29.69	111.04	3	60950-1, 2nd Ed + AM1	20B	0	1
				3.38dc	18.71	49.02	3				
				12.29dc	18.48	205.02	3				
				5.22dc	2.21	10.81	3				
DPS-180AB-22 XX (X can be 0-9, A-Z or Blank)											
	100-240ac	50-60	0	12.25dc	19.14	216.28	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-180AB-25 XX (X = 0-9, A-Z or blank)											
	100-240ac	50-60	0	14.88dc	12.12	19.13	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-180AB-26 XX, DPS-180AB-27 XX (X can be 0-9,A-Z or blank)[*r]											
	100-240ac	50-60	0	+12.1dc	14.88	180	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-180AB-28 XX (X= 0-9, A-Z or blank)											

	100-240Vac	50-60	0	11.87dc	18.86	210.29	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-180AB-8 XX , DPS-180AB-13 XX (Where X can be any alphanumeric or blank)[*r]											
	100-240ac	50-60	0	19.5dc	9.25	180.375	3	60950-1	20B	0	1
DPS-180AB-9 XX (")	10-240ac	50-60	0	24.1dc	8.47	199	3	60950-1	20B	0	1
DPS-180KB (X)(X)(13)	115/220-230ac	47-63	0	5.2	24	108	3	1950	20B	0	1
				3.4	25.1	53	3				
				13.4	7.7	77	3				
				-12.6	5.6	54	3				
				5.1	3.1	11	3				
DPS-180KB-11 XX, DPS-180KB-12 XX, and DPS-180KB-13 XX(m)											
	100-127, 200-240ac	50/60	0	5.17	15.6	67.9	3	60950-1	20B	2, 6	0
				3.33	15.3	45.8	3				
				12.9	16.5	190	3				
				-12.1	1.01	12.1	3				
				5.04	3.84	18.4	3				
DPS-180NB (X)(X)(102)	100-127/200-240ac	47-63	0	5.1	26.2	113	3	60950	20B	0	1
				3.4	30.4	70	3				
				13.5	19.8	215	3				
				-11.9	2.5	24	3				
				54	4.4	13	3				
DPS-180RB (X)(X)	100-120ac	47-63	0	5.21dc	31	145	3	60950-1	20B	0	1
				3.35dc	4.5	15	3				
				13.4dc	12.1	142	3				
				25.5dc	9.3	165	3				
				5.22dc	6	30	3				
DPS-180SB-1 (X)(X)	100-120ac	47-63	0	5.21dc	31	145	3	60950-1	20B	0	1
				3.35dc	4.5	15	3				
				13.4dc	12.1	142	3				
				25.5dc	9.3	165	3				
				5.22dc	6	30	3				
DPS-180TP XX	100-240Vac	47-63	0	24.2	10.3	243	3	60950-1	20B	0	1
				12	5.2	59.3	3				
				5.2	6.3	31.4	3				
				12	5.3	61	3				
				5.1	1.3	6.5	3				
DPS-180UB XX(")	100-240ac	50/60	0	3.31	21.5	63.43	3	60950-1	20B	2	1
				5.02	14.8	66.6	3				
				12.05	16.1	171.95	3				
				12.08	1.8	19.58	3				
				5.05	3.3	16.04	3				
DPS-185DB (X)(X)(sb)[*r]	100-127/200-240ac	47-63	0	5	14	-	3	1950	20B	0	1
				3.3	12	-	3				
				12	10	-	3				
				-12	0.8	-	3				
				5	2	-	3				
DPS-185KP XX(m)	100-240ac	47-63	3	24.4	10.5	246	3	60950-1	20B	0	0

				12	8.3	38.2	3				
				5.2	7.7	93.9	3				
DPS-185KP-2XX(m), DPS-185KP-1 XX(m), DPS-185KP-3 XX(m), DPS-180VP XX(m)											
	100-240ac	47-63	0	24.4	10.5	246	3	60950-1	20B	0	1
				12	8.3	38.2	3				
				5.08	9.53	37.71	3				
DPS-1900AB XX, DPS-1900AB-1 XX (X can be 0-9, A-Z or blank)											
	200-240ac	50/60	0	12.15dc	171.92	2071.6	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				11.96dc	4.96	58.18	3				
DPS-190AB (X)(X)	100-240ac	50-60	0	5.16	21.5	101.05	3	1950	20B	0	1
				3.34	25.5	68.93	3				
				12.49	5	61.05	3				
				12.62	5.1	62.88	3				
DPS-190BB(X)(X), DPS-190BB-1(X)(X)											
	100-240ac	47-63	0	3.38	14.9	46	3	60950	20B	0	1
				5.11	14.1	63.9	3				
				12.12	21.6	231	3				
				5.04	2.6	12.9	3				
DPS-190DP (X)(X)	100-240ac	47-63	0	5.1dc	6.8	35	3	60950-1	20B	0	1
				3.3dc	5.6	18	3				
				12.2dc	21.2	254	2				
				5.2dc	2.8	14	3				
				12.2dc	21	248	3				
DPS-198EB XX (F1)*r]	100-240ac	47-63	0	3.3dc	55	181.5	3	60950-1	20B	0	1
DPS-198FB XX (X = 0-9, A-Z or blank)											
	100-127; 200-240ac	47-63	-	24.2dc	8.9	210.4	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-2000AB (X)(X)	200-240ac	50-60	0	48.4	54	2527	3	60950-1	20B	2, 6	-
				8.85	4.4	37	3				
DPS-2000BB XX	200-240ac	50-60	3	12.1	202	2432	3	60950-1	20B	0	1
DPS-2000CB XX (X can be 0-9, A-Z or blank)											
	100-127Vac, 200-219Vac, 220-240Vac	47-63	0	12.06 (+12V)dc	176	2089	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.22 (+12VSB)dc	2.50	29.62	3				
DPS-2000FB XX, DPS-2000FB-1 XX (X can be 0-9, A-Z or blank)											
	100-127Vac, 200-240V	47-63	0	12.22 (+12VSB)dc	2.50	29.62	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.06 (+12V)dc	176	2089	3				
DPS-2000HB XX (X=0-9, A-Z or blank)											
	200-240Vac or 220-240Vac or 240Vdc	50/60	0	12.23dc	171.03	2026.71	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.25dc	3.90	46.37	3				
DPS-200PB 111 (X)(X)	115/230ac	47-63	0	5	36	8	3	1950	20B	0	1
DPS-200PB-125(X)(X)	100-127/200-240ac	50-60	0	5.32	27.5	-	3	1950	20B	0	1
				3.3	18.5	-	3				
				12.98	9.5	-	3				
				-12.46	2.3	-	3				
				5.12	3.3	-	3				

DPS-200PB-126 (X)(X)(sb)(19)[*r]

	100-127/200-240ac	45-66	0	3.3	14	-	3	60950-1	20B	0	1
				5	22	-	3				
				12	6	-	3				
				-12	0.3	-	3				
				-5	0.3	-	3				
				5	2	-	3				

DPS-200PB-126 XX (where "X" is any alphanumeric character or blank)[*r]

	100-127 / 200-240ac	45-66	0	+3.3dc	14	46.2	3	60950-1	20B	0	1
				+5dc	22	110	3				
				+12dc	6	72	3				
				-12dc	0.3	3.6	3				
				-5dc	0.3	1.5	3				
				+5Vsbdc	2	10	3				
DPS-200PB-129 (X)(X)[*r]	100-127/200-240ac	47-63	0	12	10	-	3	60950-1	20B	0	0
				5	15	-	3				

DPS-200PB-129 XX (where "X" is any alphanumeric character or blank)[*r]

	100-127 / 200-240ac	47-63	0	+5dc	15	125	3	60950-1	20B	0	1
				+12dc	10	120	3				

DPS-200PB-135(X)(X)(sb)(85)

	100-127/200-240ac	47-63	0	12	10	-	-	60950-1	-	-	-
				-12	0.5	-	-				
				5	14	-	-				
				5	1.5	-	-				
				3.3	7	-	-				
DPS-200PB-137 (X)(X)(64)	100-127/200-240ac	50-60	0	3.4	27	91.5	3	1950	20B	0	1
				5.1	27	136.4	3				
				12	19.4	232.8	3				
				11.9	2	23.8	3				
				5.1	4.1	20.9	3				
DPS-200PB-138 (X)(X)(78)	100-127200-240ac	47-63	0	5.1	36.78	128.7	3	60950-1	20B	6,2	0
				3.3	33.72	68.88	3				
				12.75	13.74	162.7	3				
				12	2.1	22.34	3				
				5	3.98	13.63	3				
DPS-200PB-141 (X)(X)	DC-36 to -75ac	-	4	5.27	25	98	3	60950	48	0	1
				13.3	17.2	189	3				
				3.35	11.2	34	3				
				12	2.1	22	3				
				5.03	5.8	9.5	3				
DPS-200PB-143 (X)(X)	100-127/200-240ac	47-63	0	5.2	50	192	3	60950	20B	0	1
				3.4	32.1	128	3				
				12.8	21.7	229	3				
				5.1	3.8	15	3				
				-12.2	2.2	23	3				

DPS-200PB-146(X)(X)	100-127/200-240ac	47-63	0	12.7	17	189.3	3	60950	20B	0	1
				5.2	32.6	159.3	-				
				3.4	25.6	81.9	-				
				-12	2.2	22.2	-				
				5.1	4.5	14.4	-				
DPS-200PB-162 XX(m)	100-240ac	47/63	0	12.34	17.7	207.8	3	60950-1	20B	0	1
				3.34	21	68.3	3				
				5.03	4.68	22.46	3				
DPS-200PB-167 XX, DPS-200PB-174 XX(m)											
	100-120ac	50-60	0	12.21	15	167.48	3	60950-1	20B	2	0
				5.19	21	97.23	3				
				3.37	16.5	51.98	3				
				12.52	0.7	7.39	3				
				5.02	3.1	15	3				
DPS-200PB-168 XX (zz)	100-120ac	-	0	12.922	14.5	171.62	3	60950-1	20B	2,6	0
				5.404	17	77.2	3				
				3.429	24	59.6	3				
				12.709	0.9	9.248	3				
				5.072	3.9	18.96	3				
				-	-	-	3				
DPS-200PB-169 XX(0)	100-120ac	50-60	0	12.52	16	187.84	3	60950-1	20B	2,6	0
				5.2	28	119.84	3				
				3.33	18	47.88	3				
				13.56	0.7	8.02	3				
				5.07	4	19.72	3				
DPS-200PB-172 XX(m)	100-240ac	50-60	0	5.37	21	83.58	3	60950-1 2nd	20B	0	2
				3.39	21	55.86	3				
				12.84	14	161.84	3				
				13.1	0.7	7.76	3				
				5.06	4	19.04	3				
DPS-200PB-176 XX(m)	100-240ac	47-63	0	3.31	22	49.3	3	60950-1 2nd	20B	2,6	1
				5.04	28	108	3				
				13.0	15	156	3				
				5.2	3.6	16.8	3				
DPS-200PB-177 XX(m)	100-240ac	47-63	0	5	24	101	3	60950-1 2nd	20B	2,6	1
				3.3	17	54.2	3				
				12.399	19	214.42	3				
				5	3.8	17.2	3				
DPS-200PB-184 XX, DPS-200PB-202 XX where X may be any alphanumeric or blank											
	100-240ac	50-60	0	11.96dc	20.19	241.0	3	60950-1, 2nd Ed+AM1+AM2	20B	4	1
				11.29dc	3.69	41.79	3				
DPS-200PB-185 XX (X Can be 0-9, A-Z or blank)*[r]											
	100-240ac	47-63	0	+12Vdc	5	60	3	60950-1, 2nd Ed + AM1	20B	0	1
				+52Vdc	2.5	130	3				
DPS-200PB-186 XX (X can be 0-9, A-Z, or blank.)											

	100-240ac	47-63	0	5dc	24	101	3	60950-1	20B	0	1
				3.3dc	17	54.2	3				
				12.399dc	19	214.42	3				
				5dc	3.8	17.2	3				
DPS-200PB-189 XX, DPS-200PB-209 XX (X can be 0-9,A-Z,or blank)[*r]											
	100-240ac	47-63	0	+3.3Vdc	6	19.8	3	60950-1	20B	0	1
				+5Vdc	12	60	3				
				+12Vdc	13	156	3				
				+5VSBdc	2	10	3				
DPS-200PB-191 XX, DPS-200PB-194 XX, DPS-200PB-200 XX, DPS-200PB-204 XX (X Can be 0-9, A-Z or blank)											
	100-240ac	50/60	0	12.11dc	20.54	232.48	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-200PB-193 XX(X Can be 0-9,A-Z or blank)											
	100-120, 200-240ac	47-63	0	12.40dc	16.12	191.50	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.01dc	4.15	18.20	3				
DPS-200PB-195 XX (X can be 0-9, a-z or blank)											
	100-240Vac	50/60	0	3.41dc	16.38	45.21	3	60950-1, 2nd Ed + AM1	20B	-	1
				5.06dc	18.48	82.79	3				
				27.23dc	9.99	242.73	3				
				12.05dc	18.46	201.95	3				
				5.06dc	7.51	34.25	3				
DPS-200PB-198 XX (X can be A-Z,0-9 or blank)											
	100-240Vac	50-60	0	12.21 (12VCPU)dc	17.95	173.35	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.21 (12VMAIN)dc	17.94	196.12	3				
				11.51 (12VSB)dc	2.23	25.05	3				
				-11.82 (-12V)dc	1.209	11.84	3				
DPS-200PB-199 XX (X can be 0-9, A-Z or BLANK)											
	100-240ac	50-60	0	12.14dc	18.81	185.2	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-200PB-201 XX(X=0-9, A-Z or blank)											
	100-240ac	50-60	0	5.16dc	4.71	21.24	3	60950-1, 2nd Ed+AM1	20B	2	1
				12.51dc	19.00	216.79	3				
DPS-200PB-203 XX(X Can be 0-9, A-Z or blank)											
	100-240ac	47-63	0	14.35dc	14.60	166.07	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.11dc	9.50	97.5	3				
DPS-200PB-205 XX (X Can be 0-9, A-Z or blank)											
	100-240Vac	47-63	0	14.61dc	16.54	182.63	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				53.86dc	3.50	3.50	3				
DPS-200PB-212 XX (X can be 0-9, A-Z, or blank.)											
	100-240ac	47-63	0	3.31dc	22	49.3	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				5.04dc	28	108	3				
				13.0dc	15	156	3				
				5.2dc	3.6	16.8	3				
DPS-200PB-46 BX(b)(sb)											
	100-127/200-240ac	47-63	0	5	20	100	3	1950	20B	0	1
				12	8	96	3				

				-12	0.5	6	3				
				-5	0.5	2.5	3				
				5	0.1	0.5	3				
DPS-200PB-50 (X)(X), DPS-145PB-50 (X)(X), DPS-145-PB-57 (X)(X)											
	100-125/200-240ac	47-63	0	5	20	-	3	1950	20B	0	0
				12	8	-	3				
				5	50	-	3				
				-5	0.5	-	3				
				-12	0.5	-	3				
DPS-200PB-50 G(X), DPS-145PB-50-G(X), DPS-200PB-57-G(X), DPS-200PB-50 Y(X)											
	100-125/200-240ac	47-63	0	5	22	-	3	1950	20B	0	0
				12	7	-	3				
				5	100	-	3				
				-5	0.3	-	3				
				-12	0.3	-	-				
DPS-200PB-50 H(X)	100-125/200-240ac	47-63	6,3	5	22	-	-	-	-	-	-
				12	7	-	-				
				-5	0.3	-	-				
				-12	0.3	-	-				
DPS-200PB-50 Y(X)	100-125/200-240ac	47-63	8	5	20	-	-	-	-	-	-
				12	8	-	-				
				-5	0.5	-	-				
				-12	0.5	-	-				
DPS-200PB-57 (X)(X)(sb)	100-127/200-240ac	47-63	0	5	20	-	3	1950	20B	0	0
				12	8	-	3				
				-5	0.5	-	3				
				-12	0.5	-	3				
				5	1	-	3				
DPS-200PB-57 G(X)	100-125/200-240ac	47-63	0	5	20	-	3	1950	20B	0	0
				12	8	-	3				
				-5	0.5	-	3				
				-12	0.5	-	3				
				5	0.2	-	3				
DPS-200PB-59 (X)(X), DPS-200PB-59 B(X), DPS-200PB-59 C(X), DPS-200PB-59 G(X), DPS-200PB-59 E(X), DPS-200PB-59 H(X), DPS-150HB B(X), DPS-150HB (X)(X), DPS-150HB (X)(X)											
	100-125/200-240ac	47-63	0	3.4	27.5	90	3	1950	20B	0	1
				5.1	29.5	140	3				
				12.4	11.2	126	3				
				-5	1.2	5.7	3				
				-12.2	3	31	3				
				5	0.1	0.5	3				
DPS-200PB-69 (X)(X)	100-120/200-240ac	47-63	0	6	50	215	3	1950	20B	0	1
				12.6	19	209	3				
				3.4	29	75	3				
				-5	1.8	9	3				

				-12.7	13	104	3				
				5	0.2	1	3				
DPS-200PB-70(X)(X)(sb) [*r]	100-120/200-240ac	47-63	0	3.3	20	205.5	3	1950	20B	0	0
				5	20	-	3				
				12	8	-	3				
				-12	0.5	-	3				
				-5	0.5	-	3				
				5	0.32	-	3				
DPS-200PB-74(X)(X), DPS-200PB-78(X)(X), DPS-200PB-86(X)(X), DPS-200PB-87(X)(X), DPS-200PB-90(X)(X), DTPS-200PB-109(X)(X), DPS-200PB-89(X)(X), DTPS-200PB-109B(X)											
	100-120/ac	47-63	0	5.6	31	137	3	60950-1	20B	0	1
				12.9	9	108	3				
				3.3	14	46	3				
				13.1	6.1	54	3				
				5.1	1.3	6	3				
				5	3	12	3				
DPS-200PS-76 B(X)(sb), DPS-200PB-76 (X)(X)(sb)											
	100-240ac	50-60	0	5	20	-	3	1950	20B	0	1
				3.3	20	-	3				
				12	8	-	3				
				-12	0.4	-	3				
				-5	0.3	-	3				
				5	0.72	-	3				
DPS-203CB XX (X=0-9, A-Z or blank)											
	120-240Vac	50-60	1	4.50dc	57.02	252.5	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-203CB-1 XX (X=0-9, A-Z or blank)											
	120-240Vac	50-60	1	4.22dc	52.89	219.8	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-2100AB XX("")	200-240ac	50/60	0	12.3dc	230.5	2789.1	3	60950-1	30B	2	1
				3.4dc	2.2	6.4	3				
DPS-214AP XX(H2)	100-240ac	50-60	0	12.31	6	70.02	3	60950-1	20B	0	2
				25.42	8.8	211.46	3				
				5.06	4	19.8	3				
DPS-215AB (X)(X)	100-240ac	47-63	0	5.11	35.4	145.1	3	60950	20B	0	1
				3.36	21.4	61.4	3				
				13.6	21.6	238	3				
				5.01	2.7	12	3				
DPS-218AB (X)(X)	100-240ac	47-63	0	5.2	15.6	77.9	3	60950-1	20B	0	1
				12	17.6	207.7	3				
				3.4	17	54.7	3				
				5	2.9	14.2	3				
DPS-218CB XX("")	100-240ac	47-63	0	5.31	32	145.6	3	60950-1 2nd	20B	0	1
				12.73	12	144.72	3				
				24.25	6	144.78	3				
				5.05	4	19.68	3				
DPS-2200AB-1 XX, DPS-2200AB-2 XX											
	100-127V or 200-240Vac	47-63	0	12.4dc	123	1458	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.2dc	5.02	59.0	3				

				12.0dc	203	2295	3				
				12.2dc	5.02	59.0	3				
DPS-220BB XX (where X can be any alphanumeric character or blank)											
	-48 to -60Vdc	-	3	12.4dc	227	2692	3	60950-1, 2nd Ed + AM1	-	0	-
				5.13dc	3.3	16.005	3				
DPS-220AB-2 XX(m)	100-127/200-240ac	47-63	0	5.14	22	102	3	60950-1	20B	2,6	0
				3.37	28	82	3				
				13.4	19.5	235	3				
				12.2	1.5	17	3				
				5.11	4.6	22.8	3				
DPS-220AB-6 XX (")	100-127, 200-240ac	50/60	0	+3.4dc	25.5	81.68	3	60950-1 2nd	20B	5	1
				+5.12dc	20.5	98.85	3				
				+12.37dc	18.8	221.84	3				
				-12.17dc	1.8	18.56	3				
				+5.14dc	3.7	18.33	3				
DPS-220CB XX(m)	100-240ac	50-60	0	12.3dc	20	219	3	60950-1	20B	0	1
				5dc	31	121	3				
				3.3dc	34	78	3				
				12.1dc	2.3	22	3				
				5dc	5	18.5	3				
DPS-220JP-1 XX (X)	100-240ac	47-63	0	24.3dc	8.6	205	3	60950-1	20B	0	1
				18dc	4.93	86.5	3				
				12dc	3.94	46.5	3				
				5.1dc	7.67	37.8	3				
				5dc	1.91	9.6	3				
DPS-220PB XX(m)	100-127;200-240ac	50-60	0	4.4	25.5	111.6	3	60950-1	20B	3	1
				2.75	18.8	51.7	3				
				11.7	16.4	192.1	3				
				11.3	1.4	15.9	3				
				4.8	3.2	15.2	3				
DPS-220SB XX@7	100-120ac	50-60	0	3.38	21	67.4	3	60950-1	20B	2	1
				5.25	19.1	90	3				
				13.02	19.09	222	3				
				-12.08	2.1	17.9	3				
				5.19	4.01	20	3				
DPS-220TB XX(m)	100-240ac	50-60	0	11.79	30	339.9	3	60950-1	20B	2	0
				12.1	2.2	23.64	3				
DPS-220UB XX(m)	100-127/ 220-240ac	50-60	0	5.2	32	118.1	3	60950-1	20B	2,6	0
				3.4	27	62.7	3				
				13.1	24.1	270.4	3				
				12	1.3	13.6	3				
				5.1	3.3	16.4	3				
DPS-220UB-3 XX (m)	100-127V/220-240Vac	60/50	0	5.13dc	17.0	73.4	3	60950-1	20B	2	1
				3.35dc	19.6	53.3	3				
				13.45dc	17.7	194.9	3				
				+5dc	16	-	3				

				+3.3dc	16	-	3				
				+12dc	16	192	3				
				-12dc	0.3	-	3				
				+5Vsbdc	2	-	3				
				12.0dc	1.3	13.6	3				
				5.1dc	3.3	16.4	3				
DPS-220UB-5 XX (where X can be any alphanumeric or blank)											
	100-127Vac, 6A, 60Hz or 220-240Vac, 3A, 50Hz	50/60	0	3.3dc	16	-	3	60950-1	20B	0	1
				5dc	16	-	3				
				12dc	16	-	3				
				-12dc	0.3	-	3				
				5Vsbdc	2	-	3				
				3.3 & 5dc	-	80	3				
				All outputdc	-	220	3				
DPS-222DB XX (X=0-9, A-Z or blank)											
	100-240ac	50-60	0	5.06dc	7.5	36.9	3	60950-1, 2nd Ed + AM1	20B	0	1
				3.38dc	29.5	91.2	3				
				4.35dc	42.0	156	3				
DPS-224BB XX(m)	100-120/200- 240ac	47-63	0	13.1dc	19	221	3	60950-1	20B	0	1
				5.2dc	30	117	3				
				3.3dc	34	65	3				
				12dc	1.9	21	3				
				5dc	3.2	14	3				
DPS-225GB (X)(X)	100-127/200- 240ac	50-60	0	12.7dc	19	226	0	60950	20B	0	1
				5.1dc	23	105	0				
				3.3dc	15	49.6	0				
				12.8dc	1.3	15.3	0				
				5.1dc	3	15.2	0				
DPS-225MB XX @7(137)[*r]	100-127/200- 240ac	47-63	0	+3.3dc	15	-	3	60950-1	20B	0	1
				+5dc	12	-	3				
				+12dc	12	-	3				
				-12dc	0.2	-	3				
				+5dc	2	-	3				
DPS-230AB-1 XX (&)	100-120Vac	48-63	0	12.11dc	15.8	175.5	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.11dc	15.5	173.5	3				
				5.08dc	5.1	24.2	3				
				12.05dc	1	12	3				
DPS-230AB-2 XX (&)[*r]	100-240ac	48-63	0	+12V1dc	9.89	118.68	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12V2dc	9.64	115.68	3				
				+5Vsd	2.5	12.5	3				
				-12Vdc	0.1	1.2	3				
DPS-230CB XX (where "X" is any alphanumeric character or blank)											
	100-127 / 200- 240ac	45-66	0	+3.3dc	16	52.8	3	60950-1	20B	0	1

				+5dc	25	125	3				
				+12dc	10	120	3				
				-12dc	0.3	3.6	3				
				-5dc	0.3	1.5	3				
				+5Vsbdc	2	10	3				
DPS-230GB-2 XX(0)	100-240ac	50-60	0	5.13	26	119.6	3	60950-1	20B	2	1
				12.99	19	217	3				
				3.31	30	69.9	3				
				5.05	3.5	17.15	3				
				12	2	23.36	3				
DPS-230HB XX(m)	100-127ac	50-60	0	12dc	17.4	193	3	60950-1	20B	0	1
				5.2dc	22.8	104	3				
				3.4dc	23.8	47.5	3				
				-12dc	0.85	8	3				
				5dc	3.85	18.1	3				
DPS-230LB DX(m)	100-240ac	48-63	0	3.3	17.5	46.9	3	60950-1	20B	2	0
				5.3	18	83.9	3				
				12.9	18.6	217	3				
				12	1.6	15.8	3				
				5	4.3	20.7	3				
DPS-230QB XX (Where X can be any alphanumeric or blank)[*r]											
	100-240ac	50-60	0	+19.5V1dc	8	156	3	60950-1	20B	0	1
				+19.5V2dc	8	156	3				
DPS-231CB XX (F1)	100-240ac	47-63	0	-	69.6	258.91	3	60950-1	20B	0	1
DPS-235JB XX (where X can be any alphanumeric or blank)											
	100-127Vac, 6A, 60Hz or 220-240Vac, 3A, 50Hz	50/60	0	3.3dc	16	-	3	60950-1	20B	0	1
				5dc	16	-	3				
				12dc	16	-	3				
				-12dc	0.3	-	3				
				5Vsbdc	2	-	3				
				3.3 & 5dc	-	80	3				
				All outputdc	Tma = 50 degree C	235	3				
				All outputdc	Tma = 35 degree C	250	3				
DPS-236BB BX(&)[*r]	100-240ac	48-63	0	5dc	8.0	-	3	60950-1 2nd	20B	0	1
				12dc	14.5	-	3				
				3.3dc	6.0	-	3				
				-12dc	0.1	-	3				
				+5VSBdc	2.5	-	3				
DPS-236BB XX (138)	100-120Vac	48-63	0	5.2dc	21.6	71	3	60950-1	20B	0	1
				3.4dc	13.2	35	3				
				12.6dc	19	216	3				
				12.6dc	0.7	8.1	3				
				5.3dc	5.4	28	3				
DPS-2400AB XX(X can be 0-9,A-Z or blank)											
	200-240ac	50-60	0	12.49dc	223.372	2711.13	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.0dc	4.258	50.35	3				

DPS-240AB-3 XX; DPS-240AB-4 XX, DPS-200PB-196 XX (X can be 0-9, A-Z or blank)[*r]											
	100-240Vac	50-60	0	12VCPUdc	16	192	3	60950-1, 2nd Ed + AM1	20B	0	1
				12VMAINdc	16	192	3				
				12Vsbdc	1.3	15.6	3				
				-12Vdc	0.15	1.8	3				
DPS-240AB-7 XX (X can be 0-9, A-Z or blank)											
	100-240ac	50-60	0	12.2dc	30.8	352	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-240AP-6 XX (X=0-9, A-Z or blank)											
	100-240Vac	50-60	0	12.23	23.08	262.42	-	60950-1, 2nd Ed + AM1	20B	0	1
DPS-240MB-3 XX(H2)	100-240ac	50-60	0	3.67	29.5	90.5	3	60950-1	20B	2, 6	1
				12.9	14.1	168	3				
				13.1	26.3	194	3				
				-12.1	1.44	15.4	3				
				5.12	4.96	23.2	3				
DPS-240QB XX(H2)	100-240ac	50-60	0	12.2	18.5	213	3	60950-1	20B	2	1
				12.2	17.5	208	3				
				-12.0	1.30	7.49	3				
				11.5	2.70	30.3	3				
DPS-240RB XX(m)	100-240ac	50-60	0	12.3	18.3	215	3	60950-1	20B	2	1
				12.3	17.9	213	3				
				-12.1	1.52	13.3	3				
				11.5	2.52	28.5	3				
DPS-240SB XX(")	100-127, 200-240ac	47-63	0	5	20.0	90.8	3	60950-1	20B	2, 6	1
				3.3	16.5	51.98	3				
				12	18	211.86	3				
				-12	1.5	16.83	3				
				5	3.7	18.17	3				
				25.3	7.5	177.75	3				
DPS-240TB XX(&)	100-240ac	50-60	0	12.2dc	13.4	148	3	60950-1 2nd	20B	6	1
				12dc	19.1	218.4	3				
				12dc	2.6	28.7	3				
				13dc	0.76	8.6	3				
DPS-2450AB XX (----), RMN:HSTNS-PD16											
	200-240ac	47-63	0	12.4dc	223	2500	3	60950-1 2nd	30B	0	0
				5.15dc	0.65	3.04	3				
DPS-24GP XX (X = 0-9, A-Z or blank)											
	100-240ac	50-60	0	12.09dc	3.13	37.15	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-250 (X)(X)	100-120/ac	50-60	0	5	17.9	89.5	3	1950	20B	0	1
DPS-2500BB XX(")	100-127, 200-240 or 200-240ac	50-60	0	12.2	250	2908	4	60950-1	20B	0	1
				5	0.8	3.8	4				
DPS-2500CB XX (&)(131)											
	200-208/ 220-240ac	50/60	0	12.3dc	271	3089	3	60950-1 2nd	20B	2,6	1
				3.39dc	4.0	3.92	3				
DPS-2500DB XX, DPS-2500DB-1 XX (&)											

	-40V - -72Vdc	-	4	52.16dc	52.5	2708	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.68dc	8.5	37.11	3				
DPS-2500EB XX (^)	200-240Vac	50-60	0	52.0dc	57.0	2585	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.69dc	7.8	39.2	3				
DPS-250AB (X)(X)(sb)(20) [*r]	100-127/200-240ac	43-66	0	3.3	16	-	3	60950-1	20B	0	1
				5	25	-	3				
				12	10	-	3				
				-12	0.8	-	3				
				-5	0.3	-	3				
				5	1.5	-	3				
DPS-250AB-101 XX (X=0-9, A-Z or blank)											
	100-240Vac	47-63	0	3.35 (+3.3V)dc	24.98	54.23	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				5.04 (+5V)dc	40.29	133.50	3				
				12.15 (+12V)dc	35.87	348.75	3				
				5.12 (+5VSB)dc	5.57	26.68	3				
DPS-250AB-103 XX (X can be any 0-9, A-Z or blank)											
	100-240ac	47-63	0	12.15dc	24.92	292.16	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.21dc	3.1	37.22	3				
DPS-250AB-104 XX	100-127, 200-240ac	47-63	0	24.26dc	16.09	379.88	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
DPS-250AB-107 XX (X=0-9, A-Z or blank)											
	24-60Vdc	-	4	12.1dc	24.5	284	3	60950-1, 2nd Ed+AM1+AM2	-	5	1
DPS-250AB-12 XX (0)	100-127ac	47-63	0	3.4	23.6	61.6	3	60950-1	20B	2	1
				5.1	25.6	112.5	3				
				12.34	19	218.5	3				
				5.1	4.5	21.6	3				
DPS-250AB-13 XX (m)	100-120ac	50-60	0	5.08	18.7	87.14	3	60950-1	20B	2	1
				3.38	18.8	60.16	3				
				12.78	18.6	212.6	3				
				5.15	4.5	20.84	3				
DPS-250AB-18 XX(m)	115/230 V, or 115 V or 230 Vac	47-63	0	5.2	23.4	111.4	3	60950-1 2nd	20B	2	1
				3.4	24.6	68.9	3				
				12.9	15.5	188.6	3				
				13.2	15.2	186.6	3				
				-12.1	1.5	33.5	3				
				5.1	3.5	17.3	3				
DPS-250AB-2 A(X)	100-127ac	47-63	0	3.3dc	21	55	-	60950-1	20B	0	1
				5dc	23	93	-				
				13.2dc	41	220	-				
				5dc	5	23	-				
				-12dc	2.1	22	-				
DPS-250AB-22 AX(h8)	220-240ac	50	0	5.2	21.5	102.6	3	60950-1	20B	0	1
				13.33	17.5	200	3				
				3.38	27	79.7	3				
				5.04	4	18.4	3				

				12.22	2	20.6	3				
DPS-250AB-22 XX(h8)	100-127/200-240ac	50-60	0	5.2	21.5	102.6	3	60950-1	20B	0	1
				13.33	17.5	200	3				
				3.38	27	79.7	3				
				5.04	4	18.4	3				
				12.22	2	20.6	3				
DPS-250AB-24 XX^	100-240ac	47-63	0	13.11	18.2	217.13	3	60950-1	20B	0	1
				5.71	15	67.8	3				
				3.26	19	43.56	3				
				12.9	1.1	13.11	3				
				5.1	3.6	17.44	3				
DPS-250AB-25 XX(m)	100-120ac	47-63	0	5.2	23.4	111.4	3	60950-1	20B	2	1
				3.4	24.6	68.9	3				
				12.9	15.5	188.6	3				
				11.6	16.7	193.2	3				
				-12.1	1.5	33.5	3				
				5.1	3.5	17.3	3				
DPS-250AB-28 XX(m)	100-120ac	47-63	0	12.76	18.6	204.79	3	60950-1	20B	2	1
				5.19	23	94.3	3				
				3.45	17	42.5	3				
				12.24	1.2	14.52	3				
				5.1	3.5	17.3	3				
DPS-250AB-3 XX(")	100-127ac	50/60	0	5.05	27	122.58	3	60950-1 2nd	20B	5	1
				3.3	24	54.48	3				
				11.87	18	211.14	3				
				-12.04	2.2	21.84	3				
				5.05	3.5	17.33	3				
DPS-250AB-38 XX(m)	100-127/ 200-240ac	47-63	0	5	14	119	4	60950-1	20B	0	1
				3.3	16	102	4				
				12	16	217	4				
				-12	0.3	13	4				
				5	2	22.3	4				
DPS-250AB-41 XX(m)	100-127/220-240ac	50-60	0	5	33.98	131.7	3	60950-1	20B	2, 6	0
				3.3	27.25	75.3	3				
				12	25.56	286.8	3				
				-12	1.34	15.2	3				
				5	3.3	16.4	3				
DPS-250AB-44 XX(m)	100-240ac	47-63	0	5	24	101	3	60950-1 2nd	20B	2, 6	1
				3.3	17	54.2	3				
				12	19	227	3				
				-12	0.7	8.13	3				
				5	3.8	17.2	3				
DPS-250AB-45 XX(m)	100-127, 200-240ac	47-63	0	13.07	17	200.26	3	60950-1	20B	2	1
				5.5	15	70.95	3				
				3.39	18	59.22	3				
				25.64	6	148.5	3				

				39.65	6.3	236.82	3				
				13.39	0.7	7.88	3				
				5.05	3.9	18.17	3				
DPS-250AB-47 XX(H2)	100-240ac	47-63	0	5	40.7	157	3	60950-1, 2nd Ed + AM1	20B	0	1
				3.3	30.0	73.5	3				
				12	30.0	310	3				
				5	5.5	25.8	3				
DPS-250AB-49 XX(m)	100-127/200-240ac	47-63	0	5.3	28.1	130	3	60950-1	20B	2, 6	0
				3.4	18	47.8	3				
				12.7	19.1	227	3				
				12.3	1.4	14.9	3				
				5.1	4.7	23.3	3				
DPS-250AB-50 XX, DPS-250AP-58 XX(m)											
	100-240Vac	47-63	0	5.08	24	101	3	60950-1 2nd	20B	0	1
				3.39	17	54.2	3				
				12.9	19	227	3				
				12.9	0.7	8.13	3				
				5.08	3.8	17.2	3				
DPS-250AB-51 XX(m)	220-240ac	50	0	5.2	45	190	3	60950-1	20B	2, 6	1
				3.4	35	71.8	3				
				13.4	29	305	3				
				12.7	5	44.9	3				
				5.1	4.6	22.3	3				
DPS-250AB-52 XX(m)	100-127/200-240ac	50-60	0	5.11	25.8	99.3	3	60950-1	20B	0	1
				3.59	29.7	76.8	3				
				11.9	19.2	204	3				
				-12.1	0.9	9.6	3				
				5.11	4.5	22.1	3				
DPS-250AB-53 XX(m)	100-127, 200-240ac	47-63	0	5	24	101	3	60950-1 2nd	20B	2, 6	1
				3.3	17	54.2	3				
				12	19	227	3				
				-12	0.7	8.13	3				
				5	3.8	17.2	3				
DPS-250AB-54 XX(")	100-120ac	50-60	0	5.08	27	127.44	3	60950-1 2nd	20B	0	1
				3.33	18.5	56.61	3				
				12.24	18.15	217.26	3				
				12.92	1.1	12.42	3				
				5.09	6	28.68	3				
DPS-250AB-55 XX (m)	100-240ac	47-63	0	5.52	22.2	82.9	3	60950-1 2nd	20B	2,6	0
				3.33	18.6	44.6	3				
				12.9	19.4	213	3				
				-13.1	1.2	13.5	3				
				5.03	4.11	19.2	3				
DPS-250AB-56 XX(m)	100-127, 220-240ac	60, 50	0	12	8	305	3	60950-1 2nd	20B	0	0
				12	13	305	3				

				5	12	190	3				
				3.3	14	71.8	3				
				-12	0.3	44.9	3				
				5	2.5	22.3	3				
DPS-250AB-59 XX (m)	100-127V, 200-240V	-	0	3.5	6.1	15.6	3	60950-1 2nd	20B	0	1
				5.3	15.2	66.5	3				
				12.6	19.5	202	3				
				12.3	0.79	9.2	3				
				24.8	6.6	17.3	3				
				5.1	3	13.9	3				
DPS-250AB-6 XX (m)	100-120/ 200-240ac	50-60	0	12.1dc	18	204	3	60950-1	20B	0	1
				5.12dc	28	129	3				
				3.35dc	14.6	42.6	3				
				5.03dc	5	16.6	3				
				-	-	-	3				
DPS-250AB-60 XX	100-127V~/200-240Vac	47-63	0	5.22	34	149.60	3	60950-1 2nd	20B	2,6	0
				3.35	29	71.34	3				
				12.55	16.5	193.22	3				
				12.23	1.4	16.84	3				
				5.13	3.5	17.26	3				
DPS-250AB-62 XX (m)	100-240ac	50-60	0	12.14	19.0	224.58	3	60950-1 2nd	20B	0	1
				12.14	19.0	224.58	3				
				11.33	2.47	27.64	3				
DPS-250AB-63 XX(X7)	100-127, 220-240ac	50-60	0	5.05dc	32.65	118.52	3	60950-1	20B	0	1
				3.36dc	32.0	94.08	3				
				13.07dc	31.01	311.52	3				
				-13.74dc	11.01	65.06	3				
				5.16dc	4.51	21.24	3				
DPS-250AB-72 XX("), DTD240GBR											
	100-240ac	50-60	0	12.15dc	19	220.40	3	60950-1 2nd	20B	2	1
				5.02dc	24	107.76	3				
				3.36dc	17	49.47	3				
				12.99dc	1.0	11.44	3				
				5.13dc	6.2	29.20	3				
DPS-250AB-75 XX(")	100-120Vac	50/60	0	5.09dc	25.2	118.19	3	60950-1	20B	2,6	1
				3.34dc	19.1	53.67	3				
				12.28dc	17.8	214.85	3				
				-12.7dc	1.0	11.44	3				
				5.07dc	6.4	30.14	3				
DPS-250AB-77 XX(zz)	100-127; 200-240ac	47-63	0	3.38dc	27.0	20.43	3	60950-1	20B	2,6	1
				5.01dc	22.0	98.12	3				
				13.31dc	1.1	12.29	3				
				12.11dc	19.1	220.41	3				
				42.76dc	7.0	268.59	3				
				29.01dc	7.2	179.06	3				

				5.07dc	4.3	20.43	3				
DPS-250AB-81 XX (X can be 0-9, A-Z or blank)[*r]											
	100-240ac	50-60	0	+12Vdc	20	240	3	60950-1	20B	0	1
				+5VSBdc	2	10	3				
DPS-250AB-82 XX (X=0-9, A-Z or blank)[*r]											
	100-240ac	50-60	0	+12V1dc	15	180	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12V2dc	15	180	3				
				+11VAUXdc	1	11	3				
				100-240ac	2-1	200-240	5				
DPS-250AB-83 XX (X can be 0-9, A-Z or blank)											
	100-127, 200-240ac	47-63	0	3.34dc	21.51	55.47	3	60950-1	20B	0	1
				5.09dc	4.20	20.54	3				
				5.11dc	14.21	66.93	3				
				12.13dc	20.00	215.00	3				
				12.88dc	1.16	12.97	3				
				27.51dc	8.21	201.47	3				
DPS-250AB-84 XX (X7)	100-127V, 200-240Vac	50/60	0	-	3.8	19.00	3	60950-1	20B	0	1
DPS-250AB-86 XX (X7)	100-240ac	50-60	0	12.54dc	23.65	273.33	3	60950-1, 2nd Ed + AM1	20B	2	1
DPS-250AB-88 XX (where X can be any alphanumeric or blank)[*r]											
	100-240ac	50-60	0	+12Vdc	17.8	213.6	3	60950-1, 2nd Ed	20B	0	1
				+5Vdc	15	75	3				
				+3.3Vdc	7	23.1	3				
				-12Vdc	0.5	6.0	3				
				+5VSBdc	4	20	3				
DPS-250AB-89 XX (X can be 0-9, A-Z, blank)											
	100-240Vac	47-63	0	3.34 (+3.3V)dc	23.01	56.83	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				5.08 (+5V)dc	25.41	102.40	3				
				12.16 (+12V1, +12V2)dc	19.67	221.34	3				
				12.63 (-12V)dc	0.74	8.23	3				
				4.95 (+5VSB)dc	4.18	19.06	3				
DPS-250AB-91 XX(X=0-9, A-Z or blank)											
	100-240ac	-	0	12.3dc	25.3	299.89	3	60950-1, 2nd Ed + AM1	20B	2	1
DPS-250AB-92 XX (X=0-9, A-Z or blank)											
	100-127; 200-240ac	47-63	0	13.50dc	13.72	163.0	3	60950-1, 2nd Ed + AM1	20B	2	1
				13.50dc	18.66	215.53	3				
				5.12dc	28.11	125.37	3				
				3.41dc	25.56	75.92	3				
				-14.38dc	4.83	45.45	3				
				5.12dc	6.21	30.87	3				
DPS-250AB-95 XX(X Can be 0-9, A-Z or blank)[*r]											
	100-127 / 200-240ac	47-63	0	+12Vdc	17	204	3	60950-1, 2nd Ed	20B	0	1
				+5Vdc	13	65	3				
				+3.3Vdc	9	29.7	3				
				+5VSBdc	3	15	3				

DPS-250AB-96 XX %4, DPS-250AB-97 XX %4											
	100-240Vac	47-63	0	12.02dc	24.46	288.0	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-250AB-99 BX (&)	100-125ac	50-60	0	12.20dc	20.0	223	3	60950-1, 2nd Ed + AM1	20B	0	1
				11.36dc	2.5	27.9	3				
DPS-250AB-99 XX (%3)	100-240Vac	50-60	0	12.20dc	20.0	223	3	60950-1, 2nd Ed + AM1	20B	0	1
				11.36dc	2.50	27.9	3				
DPS-250AP-98 BX (X=0-9, A-Z or blank)											
	100-240ac	50-60	0	12.29dc	25.62	302.32	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-250AP-98 XX (X=0-9, A-Z(except for B) or blank)											
	100-240ac	50-60	0	12.29dc	25.62	302.32	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-250DB(X)(X)(d), DPS-250DBC(X)(d), DPS-250DBG(X)(d), DPS-250DBK(X)(d), DPS-250DBL(X)(d), DPS-250DBJ(X)(d), DPS-250DBM(X)(d), DPS-250DBN(X)(d), DPS-275CB (X)(X)(d), DPS-250DB-2(X)(X)(d)											
	100-127/200-240ac	47-63	0	3.7	36	118	3	1950	20B	0	1
				5.1	35.2	171	3				
				12.3	14.1	163	3				
				-5.1	0.8	2.5	3				
				-12	1.1	11	3				
				4.9	1.4	18	3				
				12.3	1.5	29	3				
DPS-250GB XX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	47-63	0	+3.3dc	16	52.8	3	60950-1	20B	0	1
				+5dc	25	125	3				
				+12dc	13	156	3				
				-12dc	0.8	9.6	3				
				-5dc	0.5	2.5	3				
				+5Vsbdc	2	10	3				
DPS-250GB-1 XX (where "X" is any alphanumeric character or blank)[*r]											
	115-230ac	47-63	0	+3.3dc	20	66	3	60950-1	20B	0	1
				+5dc	25	125	3				
				+12dc	13	156	3				
				-12dc	0.8	9.6	3				
				+5Vsbdc	2	10	3				
				-5Vdc	0.3	1.5	3				
DPS-250JB (X)(X)(sb)[*r]	115/230ac	50-60	0	5	25	-	3	1950	20B	0	1
				3.3	14	-	3				
				12	8	-	3				
				-12	0.8	-	3				
				-5	0.5	-	3				
				5	2	-	3				
DPS-250KB-1(X)(X)	115/230ac	50-60	0	3.3	36	77	3	1950	20B	0	1
				12.2	17.9	199	3				
				5	5.4	18	3				
				5	41.4	172	3				
DPS-250KB-3(X)(X)(sb)(7), DPS-250KB-4(X)(X)(sb)(7)[*r]											
	115/230ac	50-60	0	5	25	-	3	60950	20B	0	1

				3.3	20	-	3				
				12	13	-	3				
				-12	0.8	-	3				
				-5	0.5	-	3				
				5	3	-	3				
DPS-250QB (X)(X)(65)	100-127/200-240ac	50-60	0	5.3	38.4	180	3	1950	20B	0	1
				3.3	27.4	86	3				
				12.2	20.2	225	3				
				12	2.1	19	3				
				5.1	2.1	9	3				
				5.1	5.2	16	3				
DPS-250QB B(X)(115)(sb) [*r]	100-127ac	50/60	0	5	25	-	3	1950	20B	0	1
				3.3	18	-	3				
				12	14	-	3				
				-12	0.8	-	3				
				-5.2	2	10	3				
				5	2	-	3				
DPS-250QB-1 (X)(X)(115)(sb), DPS-250QB-2 (X)(X)(115)(sb), DPS-250QB-3 (X)(X)(115)(sb) [*r]											
	100-127/200-240ac	8/4	0	5	32.9	154	3	1950	20B	0	1
				3.3	27.4	88	3				
				12	18.2	202	3				
				-12	2	21	3				
				5	4.7	15	3				
DPS-253AB XX (X can be any alphanumeric characters or blank) [*r]											
	100-127 / 200-240ac	47-63	0	+25.3Vdc	10	253	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-260AB-2 XX (X can be 0-9,A-Z or blank)											
	100-240Vac	50-60	0	-55.16dc	11.14	610.81	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.03dc	5.19	59.14	3				
DPS-260MB XX (X=A-Z, 0-9 or blank) [*r]											
	100-127 / 200-240ac	47-63	0	+12Vdc	13.5	162	3	60950-1	20B	0	1
				+24Vdc	0.5	12	3				
				+5Vdc	8	40	3				
				+3.3dc	9	29.7	3				
				+5VSBdc	2.5	12.5	3				
				-12Vdc	0.25	3	3				
DPS-264AB XX (where "X" is any alphanumeric character or blank) [*r]											
	100-127 / 200-240ac	45-66	0	+3.3dc	16	52.8	3	60950-1	20B	0	1
				+12dc	16	192	3				
				+5dc	25	125	3				
				-5Vsbdc	1.5	7.5	3				
				-12dc	0.5	6	3				
DPS-2650BB XX(X=0-9, A-Z or Blank), RMN: HSTNS-PD52											
	100-240ac	50-60	0	12.28dc	240.95	2826.34	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-270EB XX(m)	100-127, 200-240ac	47-63	0	5.10	21.0	90.7	3	60950-1	20B	2	1

				3.38	20.5	57.0	3				
				13.4	14.5	170	3				
				13.4	17.2	204	3				
				-12.2	1.31	14.6	3				
				5.12	3.60	17.8	3				
DPS-275AB-2 XX(X=0-9, A-Z or blank)											
	100-240ac	50-60	0	5.03ac	76.0	380	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-275AB-3 XX(X=0-9, A-Z or blank)											
	100-240ac	50-60	0	4.20ac	83.0	376	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-275DB XX (sb)(1), RPS-280XX XX, DPS-280CB XX[*r]											
	100-127/200-240ac	47-63	0	15	5	-	3	950	20B	0	1
				3.3	16	-	3				
				5	19	-	3				
				12	18	-	3				
				-12	0.5	-	3				
				5	1.5	-	3				
DPS-280AB-2 XX [%4]	100-240ac	50-60	0	12.18dc	18.16	196.72	3	60950-1, 2nd Ed + AM1	20B	0	1
				11.43dc	1.92	21.39	3				
				12.2dc	3.95	40.29	3				
DPS-280AB-3 XX (X=0-9, A-Z or blank)											
	100-240ac	47-63	0	12.01dc	4.73	52.00	3	60950-1, 2nd Ed + AM1	20B	2	1
				54.03dc	6.33	341.25	3				
DPS-280AB-4 XX (X=0-9, A-Z or blank)											
	100-240Vac	47-63	0	52.20 (+52V)dc	6.72	330.2	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				12.06 (+12V)dc	10.05	111.7	3				
DPS-280AB-5 XX (X = 0-9, A-Z or blank)											
	100-240ac	50-60	2	12.18dc	18.16	196.72	3	60950-1, 2nd Ed + AM1	20B	0	1
				11.32dc	1.99	21.39	3				
				12.20dc	3.95	40.29	3				
DPS-280AB-6 XX (X can be 0-9,A-Z or blank)											
	100-240Vac	47-63	0	12.09 (+12V)dc	15.94	177.41	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				54.66 (+55V)dc	5.85	318.53	3				
DPS-280AB-7 XX (X can be 0-9,A-Z or blank)											
	100-240ac	50-60	0	12.16dc	12.69	141.78	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				52.05dc	5.91	305.72	3				
DPS-280CB (X)(X)(26)(sb) [*r]	100-127/200-240ac	47-63	0	15	50	-	3	950	20B	0	1
				3.3	16.5	-	3				
				12	7.7	-	3				
				-12	0.2	-	3				
				5	1.5	-	3				
DPS-280GB XX	100-127/200-240ac	50-60	0	3.3	27	79.1	3	60950-1	20B	2	1
				5.4	26.5	114.8	3				
				13.6	20	234	3				

				12.4	2.2	19.4	3				
				5	4.7	22.2	3				
DPS-280QB XX (Where X can be any alphanumeric or blank)[*r]											
	100-240ac	50-60	0	+3.3Vdc	8	26.4	3	60950-1	20B	0	1
				+5Vdc	15	125	3				
				+12V1dc	14	168	3				
				+12V2dc	14	168	3				
				-12Vdc	0.3	3.6	3				
				+5Vauxdc	2	10	3				
DPS-2980AB XX (----)	200-240ac	47-63	0	12.26dc	27.5	3311.0	3	60950-1 2nd	20B	0	1
				5.24dc	1.3	5.47	3				
DPS-3000EB XX (X can be 0-9,A-Z or blank)											
	200-207Vac, 208-240Vac, 240Vdc	47-63	0	12dc	277	3157	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.2dc	2.5	29.8	3				
DPS-300AB-18 XX(H2)	100-127; 200- 240ac	50-60	0	13.33	15.1	178.03	3	60950-1	20B	2	0
				13.38	17.9	217.84	3				
				5.1	36	143.64	3				
				5.33	4.2	20.96	3				
DPS-300AB-20 XX, DPS-300AB-50 XX(m)											
	100-240ac	50-60	0	13.35	15.5	177.94	3	60950-1	20B	0	1
				13.35	17.5	203.53	3				
				5.46	26	116.48	3				
				3.35	25	69	3				
				12.2	2.2	19.51	3				
				5.09	3.5	16.73	3				
DPS-300AB-23 XX	100-127, 200- 240ac	50-60	0	2.8	36.49	105.2	3	60950-1	20B	3	1
				4.66	26	121.2	3				
				11.06	17.22	190.5	3				
				11.31	18.64	210.8	3				
				8.72	6.9	60.2	3				
				4.87	4.2	20.5	3				
DPS-300AB-28 XX@7, DPS-300AB-29 XX@7, CAA-350AT A, CAA-350AE A											
	100-127/220- 240ac	50/60	0	3.42	31.34	80.9	3	60950-1 2nd	20B	2	1
				5.25	30.6	120	3				
				12.84	13.95	150	3				
				12.78	19.3	217.5	3				
				-12.53	5.51	48.6	3				
				5.04	5.09	24.3	3				
DPS-300AB-3 (X)(X)(18) [*r]	100-127/200- 240ac	47-63	0	3.3	11	-	3	1950	20B	0	0
				5	20	-	3				
				12	7	-	3				
				-12	0.5	-	3				
				-5	0.3	-	3				
				12	3.5	-	3				
DPS-300AB-31 XX(m)	100-127, 200- 240 or 100- 240ac	50-60	0	13.35	15.5	177.94	3	60950-1	20B	0	1

				13.35	17.5	203.53	3				
				5.46	26	116.48	3				
				3.35	25	69	3				
				12.2	2.2	19.51	3				
				5.09	3.5	16.73	3				
DPS-300AB-35 XX, DPS-300AB-36 XX(H2)											
	100-127, 200-240ac	47-63	0	5.19	26.5	126.4	3	60950-1	20B	0	0
				3.3	20	61.3	3				
				13.01	18.4	204.8	3				
				5.1	3.2	15.6	3				
				12.23	2.01	17.9	3				
DPS-300AB-39	-	-	-	-	-	-	-	-	-	-	-
DPS-300AB-39 XX	100-127/200-240ac	50-60	0	5.03dc	6.76	30.4	3	60950-1	20B	2	1
DPS-300AB-42 XX and DPS-300AB-43 XX(m)											
	100-127, 220-240ac	50-60, 60/50	0	5.3	27.1	119.3	3	60950-1	20B	2	1
				3.4	26.2	82.3	3				
				13.1	16.7	192.8	3				
				13.1	15.8	172.8	3				
				12.1	4.3	34.9	3				
				5.1	5	24	3				
DPS-300AB-47 XX(m)	100-127/200-240ac	47-63	0	5.5	28.2	130.8	3	60950-1	20B	2,6	0
				3.4	22.3	71.5	3				
				13.2	17.8	211.9	3				
				13.3	18.2	216.6	3				
				12.1	1.4	14.9	3				
				5	4.5	21.7	3				
DPS-300AB-49 XX(m)	100-240ac	50-60	0	5.17	35.0	122	3	60950-1 2nd	20B	0	2
				3.35	24.5	65.7	3				
				13.3	20.0	233	3				
				-12.3	2.02	21.7	3				
				5.15	3.30	16.2	3				
DPS-300AB-53 XX(m)[*r]	100-127 / 200-240Vac	50/60	0	+5dc	19	95	3	60950-1	20B	2,6	1
				+3.3dc	16	52.8	3				
				+12dc	11	132	3				
				+12cpudc	11.5	138	3				
				-12dc	0.3	3.6	3				
				-5dc	0.3	1.5	3				
				+5auxdc	2	10	3				
DPS-300AB-56 XX (Where X can be any alphanumeric or blank)[*r]											
	100-240ac	50-60	0	+12V1dc	17	204	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12V2dc	17	204	3				
				+11VAUXdc	1	11	3				
DPS-300AB-58 XX (ddd)	100-127,220-240ac	50-60,60/50	0	3.36	30.28	82.91	3	60950-1 2nd	20B	2	1
				5.38	28.11	150.39	3				
				12.81	17.09	177.74	3				

				12.8	18.8	192.91	3				
				11.8	4.9	41.11	3				
				5.14	5.68	25.84	3				
DPS-300AB-61 xx (x = 0-9, A-Z or blank)											
	100-127 / 200-240, or 100-240ac	50-60	0	3.35dc	23	56.3	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				5.16dc	26.5	93.6	3				
				12.1dc	18.5	217	3				
				-14.1dc	2.6	26.5	3				
				5.18dc	3.7	18.4	3				
DPS-300AB-68 XX (X can be 0-9, A-Z or blank)[*r]											
	100-127 / 200-240 Vac	47-63	0	+5Vdc	13	65	3	60950-1	20B	0	1
				+3.3Vdc	8	26.4	3				
				+12Vdc	12	144	3				
				+12Vcpudc	14	168	3				
				-12Vdc	0.3	3.6	3				
				+5Vsbdc	2	10	3				
DPS-300AB-70 XX(m)[*r]	100-127 / 200-240Vac	50/60	0	+5dc	19	95	3	60950-1	20B	2,6	1
				+3.3dc	16	52.8	3				
				+12dc	11	132	3				
				+12cpudc	11.5	138	3				
				-12dc	0.3	3.6	3				
				-5dc	0.3	1.5	3				
				+5auxdc	2	10	3				
DPS-300AB-72 XX (&)[*r]	200-240Vac	50-60	0	+12Vadc	12	144	3	60950-1	20B	0	1
				+12Vbdc	16	192	3				
				+5.08Vdc	13	66.04	3				
				+3.3Vdc	12	39.6	3				
				+5.08Vsbdc	2	10.16	3				
				-12Vdc	0.3	3.6	3				
DPS-300AB-73 XX (Where X=0-9, A-Z or blank)[*r]											
	100-127 / 200-240ac	50-60	0	+12Vadc	12	144	3	60950-1	20B	2, 6	1
				+12Vbdc	16	192	3				
				+5.08Vdc	13	66.04	3				
				+3.3Vdc	12	39.6	3				
				+5.08Vsbdc	2	10.16	3				
DPS-300AB-76 XX (F1)[*r]	100-240Vac	47-63	0	-	55	275	3	60950-1	20B	0	1
DPS-300AB-77 XX (where X=0-9, A-Z or blank)[*r]											
	100-127 / 200-240ac	47-63	0	-	2	10	3	60950-1	20B	0	1
DPS-300AB-80 XX (X can be 0-9, A-Z or blank)[*r]											
	100-127 / 200-240ac	47-63	0	+3.3Vdc	6	19.8	3	60950-1, 2nd Ed + AM1	20B	0	1
				+5VAUXdc	2	10	3				
				+5VMAINdc	8	40	3				
				+12Vdc	12	144	3				
				-12Vdc	0.3	3.6	3				
				+25.3Vdc	3.5	88.55	3				

DPS-300AB-81 XX (X = 0-9, A-Z or blank)											
	100-240ac	50-60	0	+12.03dc	25.10	287.39	3	60950-1, 2nd Ed + AM1	20B	0	1
				-52.96dc	5.16	272.29	3				
DPS-300AB-82 XX(X=0-9, A-Z or blank)											
	100-127V, 200-240ac	47-63	0	12.15dc	18.51	212.87	3	60950-1, 2nd Ed + AM1	20B	0	1
				0.3dc	13.17	2.60	3				
				2.5dc	5.04	4.91	3				
				12.15dc	18.51	212.87	3				
DPS-300AB-83 XX (X Can be 0-9, A-Z or blank)[*r]											
	100-127 / 200-240ac	47-63	0	+5Vdc	13	65	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12Vdc	20	240	3				
				+3.3Vdc	12	39.6	3				
				+5SBdc	3	15	3				
DPS-300AB-85 XX(X Can be A-Z, 0-9 or Blank)											
	100-127V, 220-240Vac	47-63	0	12.15dc	19.41	221.11	3	60950-1, 2nd Ed	20B	0	1
				12.11dc	19.48	210.26	3				
				-12.08dc	2.6	24.77	3				
				5.06dc	5.00	21.79	3				
DPS-300AB-9 (X)(X)	100-127V, 200-240Vac	50-60	0	12dc	17.5	196	-	60950-1	20B	0	1
				12dc	20	236	-				
				5.01dc	26	113	-				
				3.38dc	29	74.5	-				
				-12.1dc	2.2	20	-				
				5.11dc	4.9	21.6	-				
DPS-300AB-90 XX (&)	100V-240Vac	50-60	0	12.51 (+12.3V1)dc	19.00	216.79	-	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.51 (+12.3V2)dc	19.00	216.79	-				
				5.16 (+5VA)dc	4.71	21.24	-				
DPS-300AB-91 XX (X can be 0-9, A-Z or blank)											
	100-240ac	50-60	0	13.17dc	22.0	265.6	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				13.17dc	21.0	256.2	3				
				3.37dc	20.5	60.8	3				
				5.21dc	24.5	119.5	3				
				12.86dc	1.75	19.0	3				
				5.14dc	3.52	16.26	3				
DPS-300AB-92 XX, DPS-250AB-106 XX, DPS-200PB-210 XX (X can be 0-9, A-Z or blank)											
	100-240Vac	50-60	0	3.37dc	18.63	52.16	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5.02dc	21.47	91.46	3				
				12.25dc	21.42	243.59	3				
				12.25dc	18.77	219.42	3				
				12.28dc	2.88	26.44	3				
				5.04dc	5.70	28.67	3				
DPS-300AB-93 XX (where X=0-9, A-Z or blank)											
	100-127V or 200-240ac	-	0	3.38dc	17.9	21.19	3	60950-1, 2nd Ed	20B	0	1
				5.05dc	25.8	87.46	3				

				12.26dc	17.0	173.91	3				
				12.25dc	18.6	185.63	3				
				5.08dc	5.0	22.4	3				
				-12.02dc	1.23	13.02	3				
DPS-300AB-95 XX, DPS-252EB XX (X can be 0-9, A-Z or blank)											
	100-240ac	47-63	0	5.09dc	73.16	340.19	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-300AB-96 XX, DPS-252FB XX (&)											
	100-240Vac	50-60	0	5.04dc	75.3	316.8	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-300AB-99 XX (X = 0-9, A-Z or blank)											
	100-240ac	47-63	0	5.07dc	26.99	121.99	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				3.33dc	25.49	68.31	3				
				11.99dc	22.69	255.94	3				
				11.99dc	19.69	218.40	3				
				12.71dc	0.80	8.61	3				
				5.13dc	1.29	5.45	3				
				5.02dc	5.51	26.12	3				
DPS-300AP-13 XX (m)	100-240Vac	47-63	0	23.7	10.2	241.3	4	60950-1	20B	0	1
				23.7	2.85	67	4				
				11.9	7.85	92.2	4				
				4.98	11.3	55.5	4				
				5.03	1.21	6.05	4				
DPS-300AP-89 XX, DPS-300AP-97 XX (X can be 0-9,A-Z or blank)											
	100Vac-240V	50-60	0	-54.18 (-54V)dc	12.43	662.77	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.02 (+12V)dc	6.47	75.70	3				
				3.29 (+3.3V)dc	1.39	4.55	3				
DPS-300AP-98 XX, DPS-200PP-206 XX (F1)											
	100-240Vac	50-60	0	53.81dc	7.94	421.3	3	60950-1, 2nd Ed+AM1+AM2	20B	3	0
DPS-300EB (X)	100-125/200-240ac	50-60	0	5.2	32.2	161	3	1950	20B	0	0
				3.4	34.3	116.6	3				
				12	18.1	213.5	3				
				-12.2	0.75	9	3				
				5	0.65	2.9	3				
DPS-300GB C(X)(sb)(2)[*r]	100-127/200-240ac	47-63	0	3.3	24	-	3	60950-1	20B	0	1
				5	30	-	3				
				12	15	-	3				
				-12	0.8	-	3				
				-5	0.3	-	3				
				5	2	-	3				
DPS-300GB CX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	47-63	0	+3.3dc	24	79.2	3	60950-1	20B	0	1
				+5dc	30	150	3				
				+12dc	15	180	3				
				-12dc	0.8	9.6	3				
				-5dc	0.3	1.5	3				

				+5Vsbdc	2	10	3				
DPS-300GB XX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	45-63	0	+3.3dc	16	52.8	3	60950-1	20B	0	1
				+5dc	30	150	3				
				+12dc	15	180	3				
				-12dc	0.8	9.6	3				
				-5dc	0.3	1.5	3				
				+5Vsbdc	2	10	3				
DPS-300GB-1 AX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	47-63	0	+3.3dc	24	79.2	3	60950-1	20B	0	1
				+5dc	30	150	3				
				+12dc	15	180	3				
				-12dc	0.8	9.6	3				
				+5Vsbdc	2	10	3				
				-5Vdc	0.3	1.5	3				
DPS-300GB-1 XX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	47-63	0	+3.3dc	28	92.4	3	60950-1	20B	0	1
				+5dc	30	150	3				
				+12dc	15	180	3				
				-12dc	0.8	9.6	3				
				+5Vsbdc	2	10	3				
				-5Vdc	0.3	1.5	3				
DPS-300GB-2 (X)(X)(2)(sb)[*r]	100-127/200-240ac	47-63	0	12	15	-	3	60950-1	20B	0	1
				5	30	-	3				
				3.3	24	-	3				
				-12	0.8	-	3				
				5.1	3	-	3				
DPS-300GB-3 (X)(X)(sb)(2)[*r]	100-127/200-240ac	47-73	0	3.3	16	-	3	60950-1	20B	0	1
				5	30	-	3				
				12	15	-	3				
				-12	0.8	-	3				
				-5	0.3	-	3				
				5	3	-	3				
DPS-300GB-5 XX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	47-63	0	+3.3dc	16	52.8	3	60950-1	20B	0	1
				+12dc	15	180	3				
				+5dc	30	150	3				
				-5Vsbdc	3	15	3				
				-12dc	0.8	9.6	3				
DPS-300KB DX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	45-66	0	+3.3dc	28	92,4	3	60950-1	20B	0	1
				+5dc	30	150	3				
				+12dc	15	180	3				
				-12dc	0.8	9.6	3				
				-5dc	0.5	2.5	3				

				+5Vsbdc	2	10	3				
DPS-300KB XX (where "X" is any alphanumeric character or blank)											
	100-120 / 200-240ac	47-63	0	+3.3dc	26	85.8	3	60950-1	20B	0	1
				+5dc	30	150	3				
				+12dc	13	156	3				
				-12dc	0.8	9.6	3				
				-5dc	0.5	2.5	3				
				+5Vsbdc	2	10	3				
DPS-300KB-1 XX (where "X" is any alphanumeric character or blank)											
	100-127 / 200-240ac	47-63	0	+3.3dc	26	85.8	3	60950-1	20B	0	1
				+5dc	30	150	3				
				+12dc	15	180	3				
				-12dc	0.8	9.6	3				
				-5dc	0.5	2.5	3				
				+5Vsbdc	2	10	3				
DPS-300VB XX, DPS-300VB-1XX(H2)											
	100-127/200-240ac	47-63	0	12.6	16.5	192	3	60950-1	20B	0	0
				12.6	17.6	197	3				
				5.1	25.5	117	3				
				3.3	20	61.3	3				
				-12.2	0.85	10.2	3				
				5.1	3.2	15.6	3				
DPS-310AB-1 XX (X = 0-9, A-Z or blank)											
	100-240ac	50-60	0	12.23dc	19.25	223.30	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.23dc	19.27	224.50	3				
DPS-310CB XX(m)	100-127ac	50-60	0	12.1dc	20.5	224	3	60950-1	20B	0	1
				5.23dc	26.5	115	3				
				3.35dc	27	68	3				
				-12dc	1.9	19.9	3				
				5.11dc	3.9	19.1	3				
DPS-320AB-1 A	100-240 or 200-240ac	47-63	0	24.09dc	14.80	352.54	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-320AB-2 XX (&)	100-240Vac	47-63	0	24.3dc	15.2	339	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-320EB CX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	45-66	0	+3.3dc	28	92.4	3	60950-1	20B	0	1
				+12dc	15	180	3				
				+5dc	30	150	3				
				-5Vsbdc	2	10	3				
				-12dc	0.8	9.6	3				
DPS-320EB XX (where "X" is any alphanumeric character or blank)[*r]											
	100-127 / 200-240ac	45-66	0	+3.3dc	28	92.4	3	60950-1	20B	0	1
				+5dc	30	150	3				
				+12dc	15	180	3				
				-12dc	0.8	9.6	3				
				+5Vsbdc	2	10	3				
				-5Vdc	0.5	2.5	3				

DPS-320EB-3 XX (where "X" is any alphanumeric character or blank)[*r]											
	100-120 / 200-240ac	47-63	0	+3.3dc	28	92.4	3	60950-1	20B	0	1
				+12dc	15	180	3				
				+5dc	30	150	3				
				-5Vsbdc	2	10	3				
				-12dc	0.8	9.6	3				
				-5dc	0.5	2.5	3				
DPS-320JB XX^	100-240ac	50-60	0	12.1	19	223.82	3	60950-1 2nd	20B	2,6	1
				12.1	19	218.12	3				
				-12	1.9	19.34	3				
				12	2.7	30.21	3				
DPS-320KB-1 XX(")	100-240ac	50-60	0	12.1	19	221.16	3	60950-1 2nd	20B	2,6	1
				12.1	19	221.92	3				
				12.1	19	222.3	3				
				-12	1.3	7.5	3				
				12	2.4	27.29	3				
DPS-320NB XX(&)	100-240Vac	50-60	0	12.2(12Vcpu)dc	19.9	231	3	60950-1 2nd	20B	2	1
				12.2(12Vmain)dc	19.9	231	3				
				12.1(-12V)dc	1.93	21.4	3				
				11.4(12Vsb)dc	2.8	30.8	3				
DPS-320NB-1 XX (X7)	100-240ac	50-60	0	13dc	0.94	10.8	3	60950-1	20B	0	1
				13dc	2.8	31.5	3				
				13dc	18.7	218	3				
				13dc	18.8	219	3				
DPS-320QB XX, DPS-320RB XX (X=0-9,A-Z or blank)											
	100-240ac	50-60	0	+12VCPUDc	16	192	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12VMAINdc	16	192	3				
				+12VSBdc	1.3	15.6	3				
				-12Vdc	0.15	1.8	3				
DPS-330DB XX(H2)	100-120ac	50-60	0	3.1	17	52.7	3	60950-1 2nd	20B	2	1
				4.6	32.5	149.5	3				
				11.4	19.5	222.3	3				
				3.1	7	23.1	3				
				4.7	7.5	32.3	3				
DPS-331BP XX (5%)	100-240Vac	47-63	0	5.04dc	5.16	24.9	3	60950-1, 2nd Ed + AM1	20B	0	2
				5.04dc	5.13	23.4	3				
				12.4dc	27.5	281	3				
				25.4dc	17.2	401	3				
DPS-350AB-12 XX	100-127/200-240ac	50/60	0	5.05	20	80.2	3	60950-1 2nd	20	0	1
				3.32	13.4	41.54	3				
				12.05	19.5	227.18	3				
DPS-350AB-14 XX(m)	100-127V, 200-240Vac	50-60	0	5.71	30.8	110	3	60950-1 2nd	20B	0	1
				3.51	33.6	85.4	3				
				12.8	16.0	191	3				
				13.2	19.1	217	3				

				14.2	4.6	41.8	3				
				5.23	5.41	25.8	3				
DPS-350AB-16 XX@7	100-240Vac	47-63	0	5.37	33	153.78	3	60950-1 2nd	20B	2	1
				3.36	32	103.36	3				
				12.91	17	201.28	3				
				12.52	5.3	46.85	3				
				5.08	5.8	28.36	3				
DPS-350AB-20 XX (where X=0-9, A-Z or blank, no safety related)[*r]											
	100-240ac	47-63	0	-	16	192	3	60950-1	20B	0	1
				-	16	192	3				
				-	15	75	3				
				-	10	33	3				
				-	3	15	3				
DPS-350AB-22 AX(X7)	100-240ac	50-60	0	-54.04dc	7.66	409.85	3	60950-1, 2nd Ed + AM1	20B	2	1
DPS-350AB-22 XX, DPS-350AB-26 XX(X9)											
	100-240ac	50-60	0	54.04dc	7.66	409.85	3	60950-1, 2nd Ed + AM1	20B	2	1
DPS-350AB-24 XX (X can be any 0-9, A-Z or blank)											
	100-240ac	47-63	0	3.34dc	23.91	66.41	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				5.04dc	27.72	121.69	3				
				12.37dc	18.47	218.87	3				
				12.38dc	18.51	215.16	3				
				11.79dc	1.36	13.25	3				
				5.01dc	4.52	21.38	3				
DPS-350AB-25 XX (&)	100-240Vac	50-60	0	19.56dc	10.42	197.46	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-350AB-29 XX (X can be any 0-9, A-Z or blank)											
	100-240ac	50-60	0	5.26 (+5Vsb)dc	4.0	20.5	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				13.1 (+12V)dc	35.0	422.1	3				
DPS-350AB-30 XX (X=0-9, A-Z or blank)											
	100-240Vac	50/60	0	12.16dc	36.16	426.69	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.04dc	4.19	49.86	3				
DPS-350AB-33 XX (X=0-9, A-Z or blank)											
	100-240Vac	50-60	0	19.64dc	10.68	203.56	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				19.66dc	10.89	207.35	3				
DPS-350AB-35 XX (X= 0-9, A-Z or blank)											
	100-240Vac	47-63	0	3.38dc	24.8	58.95	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5.06dc	29.9	151.29	3				
				11.88dc	18.9	180.31	3				
				5.08dc	5.19	24.39	3				
DPS-350EB-3 (X)(X)	100-125/200-240ac	50-60	0	5.2	46.5	237	3	1950	20B	0	1
				3.5	19	62	3				
				12.1	17.9	214	3				
				-5.1	2.2	10	3				
				-12	1.4	16	3				
DPS-350MB-1 (X)(X)(sb)(43)											

	ac	-	0	3.3	20	-	3	60950-1	20B	0	2
				5	20	-	3				
				12	25	-	3				
				-12	0.5	-	3				
				5	2	-	3				
DPS-350PB-2 (X)(X), DPS-350PB-2 B(X), DPS-350PB-2 C(X)(sb)											
	115/230ac	47-63	0	3.57	51.6	156	3	60950-1	20B	0	0
				5.16	36	168	-				
				13.01	20.6	222	-				
				-12.08	2.06	19.8	-				
				-5.21	2	9	-				
				4.98	4.41	21	-				
DPS-350QB (X)(X)	100-240ac	47-63	0	12	26.9	282	3	60950-1	20B	0	1
				5	54.4	205	3				
				3.3	41	117	3				
				-12	1.9	21	3				
				5	3.2	11	3				
DPS-350UB XX(H2)	100-127; 200-240ac	47-63	0	12.29	18.1	213.4	3	60950-1	20B	2	0
				12.29	12.8	152.58	3				
				5.06	25.6	115.2	3				
				3.35	17.6	52.27	3				
				5.06	5.4	24.55	3				
DPS-350YB XX(m)	100-127; 200-240ac	47-63	0	12.16	19	226.86	3	60950-1 2nd	20B	0	2
				12.16	19	225.34	3				
				5.05	7	33.67	3				
DPS-357AP (X)(X)	100-240ac	50-60	0	4.803dc	9.36	44.956	3	60950-1	20B	0	1
				11.545dc	8.18	94.438	3				
				17.298dc	6.98	120.74	3				
				112.36dc	3.002	337.3	4				
				4.9dc	4.555	22.32	3				
DPS-358AP (X)(X)	100-120/200-240ac	47-63	0	24	22.4	498	2	1950	20B	0	1
				5	4.2	14.7	2				
DPS-35DP (X)(X), DPS-DP-1 (X)(X), DPS-35DP-2(X)(X)											
	100-240ac	50-60	0	30	4.7	105.8	3	1950	20B	0	1
DPS-360AB-1 XX (X can be 0-9, A-Z or blank)											
	100V-240Vac	50-60	0	12.24dc	19.01	215.27	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.23dc	19.29	225.11	3				
				12.23dc	18.90	213.00	3				
				11.36dc	3.19	35.57	3				
DPS-360CB (X)(X)(sb)	100-120/200-240ac	50-60	0	5	33.5	180	3	1950	20B	0	1
				12	15.5	195	3				
				-12	0.5	16	3				
				-5	0.25	9	3				
				3.3	16	68	3				
				5	0.15	3.4	3				
				24	0.05	4.7	3				

DPS-360DB XX (input 1)	100-240ac	47-66	0	2.24	31	69.44	3	60950-1	20B	0	1
				3.88	36	139.68	3				
				11.41	17.5	199.68	3				
				11.46	1.6	18.34	3				
				4.85	5.5	26.68	3				
				11.42	17.6	200.99	3				
				11.37	17.6	200.11	3				
DPS-360DB XX (input 2)	118ac	393-407	0	2.24	31	69.44	3	60950-1	20B	0	1
				3.88	36	139.68	3				
				11.41	17.5	199.68	3				
				11.46	1.6	18.34	3				
				4.85	5.5	26.68	3				
				11.42	17.6	200.99	3				
				11.37	17.6	200.11	3				
DPS-36BP XX (X can be 0-9,A-Z or blank)											
	100-240ac	50-60	0	12.02dc	3.89	45.94	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-380CP XX(H2)	100-240ac	50-60	0	5.153	7.4	35.3	3	60950-1	20B	0	2
				25.54	14.5	319.4	3				
				13.674	6.2	73.6	3				
				27.28	7	165.6	3				
DPS-400AB-1 XX(H2), DPS-350WB XX(H2)											
	100-240ac	47-63	0	3.36	18.5	59.02	3	60950-1	20B	0	1
				5.08	30	136.5	3				
				12.86	28	327.6	3				
				12.11	1.8	21.53	3				
				4.98	9.5	38.19	3				
DPS-400AB-10 XX	100-127, 200-240ac	47-63	-	12.0	45	525.6	3	60950-1	20B	1	1
				5.11	6.5	30.9	3				
				5.1	22.0	97.0	3				
				12.0	18.5	210.0	3				
				12.0	18.0	205.9	3				
				12.0	18.0	206.8	3				
				12.0	18.0	203.9	3				
				12.0	18.0	200.7	3				
				3.4	18.0	52.7	3				
				5.1	6.5	30.6	3				
DPS-400AB-12 XX, DPS-400AB-23 XX (")											
	100-127, 200-240ac	50/60	0	3.32dc	12.9	29.8	3	60950-1 2nd	20B	0	1
				5.03dc	20.9	96.2	3				
				12.04dc	23.2	266	3				
				12.04dc	22.9	263	3				
				5.03dc	4.0	19.7	3				
DPS-400AB-13 XX (&)	100-240Vac	50-60	0	12.11(VS)dc	19	223.82	3	60950-1 2nd	20B	1	1
				12.11(Vcpu)dc	19	223.82	3				
				12.11(VG)dc	19	223.82	3				
				-12.25dc	1.3	13.42	3				
				12.11(VS)dc	19	223.82	3				

				11.17dc	2.94	32.52	3				
DPS-400AB-14 XX (&)	100-120; 200-240ac	47-63	0	+3.32dc	19.58	59.33	3	60950-1	20B	0	1
				+5.02dc	19.21	91.25	3				
				+12.13dc	8.75	216.56	3				
				+4.98dc	7.0	33.11	3				
DPS-400AB-15 XX (")	100-240ac	50-60	0	11.2dc	19.3	222	3	60950-1	20B	0	1
				11.0dc	19.3	220	3				
				11.0dc	19.3	221	3				
				11.0dc	19.3	222	3				
				11.0dc	3.7	35	3				
DPS-400AB-16 XX (m)[*r]	100-127V, 200-240Vac	47-63	0	+5Vdc	16	80	3	60950-1	20B	0	1
				+3.3Vdc	16	52.8	3				
				+12V1dc	16	192	3				
				+12V2dc	16	192	3				
				-12Vdc	0.5	6	3				
				+5Vsbdc	2.5	12.5	3				
				-5Vdc	0.3	1.5	3				
DPS-400AB-17 XX (The X=0-9, A-Z, or BLANK)[*r]											
	100-127 / 200-240ac	50/60	0	+5Vdc	16	80	3	60950-1	20B	0	1
				+3.3Vdc	10	33	3				
				+12V1dc	21	252	3				
				+12V2dc	21	252	3				
				-12Vdc	0.5	6	3				
				+5VSBdc	2	10	3				
DPS-400AB-19 XX (\$1)	100-240, 118ac	50-60, 400	0	12.8dc	1.89	20.9	3	60950-1, 2nd Ed + AM1	20B	0	1
				11.13dc	3.29	35.99	3				
				12.11dc	19.5	225.77	3				
				12.12dc	17.95	209.18	3				
DPS-400AB-20 XX (X can be any alphanumeric or blank)[*r]											
	200-240ac	50/60	0	+12V1dc	21	252	3	60950-1	20B	0	1
				+12V2dc	21	252	3				
				+5Vdc	13	65	3				
				+3.3Vdc	10	33	3				
				+5VSBdc	2	10	3				
DPS-400AB-21 XX (X = 0-9, A-Z or blank)											
	100-127 / 200-240ac	50/60	0	12.07dc	24.95	290.67	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.09dc	3.66	18.08	3				
DPS-400AB-22 XX(X=0-9, A-Z or blank)											
	100-127Vac, 200-240Vac	47-63	0	3.36dc	35	63.17	3	60950-1	20B	0	1
				5.12dc	33.5	123.61	3				
				12.04dc	19.50	194.02	3				
				13.10dc	6.3	57.33	3				
				5.067dc	4.0	19.44	3				
				12.04dc	19.05	194.02	3				
DPS-400AB-24 X and DPS-400AB-25 X (X= 0-9, A-Z or blank)											

	100-240ac	50/60	0	12.25dc	3.98	45.09	3	60950-1, 2nd Ed + AM1	20B	0	1
				11.98dc	39.91	461.80	3				
DPS-400AB-29 XX(X can be 0-9,A-Z or blank)											
	100-240ac	47-63	0	36.6dc	14.0	501	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.1dc	3.86	48.7	3				
				3.33dc	3.43	12.7	3				
DPS-400AB-31 XX (X can be 0-9, a-z or blank)											
	100-240Vac	50-60	0	4.62dc	114	463	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-400AB-35 XX (X can be 0-9, a-z or blank)[*r]											
	100-240Vac	50-60	0	4.2dc	80	336	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-400AB-4 XX(")	100-240ac	47-63	0	12.26	42	500.64	3	60950-1	20B	0	1
				3.35	20	63.8	3				
				5.19	15	75.6	3				
				5.16	6	29.4	3				
DPS-400AB-5 XX with RPS-400X1X2 XX(ac1)											
	100-127; 200-240ac	47-63	0	5.11	15	73.2	3	60950-1 2nd	20B	0	1
				3.36	19	58.33	3				
				12.15	42	501.48	3				
				5.15	6	29.4	3				
DPS-400AB-5 XX(ac)	100-127; 200-240ac	47-63	0	12.15	42	501.48	3	60950-1 2nd	20B	0	1
				5.15	6	29.4	3				
DPS-400AB-8 XX(X)	100-120V/200-240ac	47-63	0	5.2	19.8	83	3	60950-1 2nd	20B	0	1
				3.4	21	59	3				
				12.2	20.4	218.7	3				
				12.3	21	213	3				
				13.1	11.6	130.9	3				
				5.1	6.1	28.2	3				
DPS-400AP-26 XX (X= 0-9, A-Z or blank)											
	100-240Vac	50-60	0	12.03dc	37.79	440.63	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-400AP-27 XX (X=0-9, A-Z or BLANK)											
	100-240Vac	50-60	0	54.58 (+53.5Vdc)dc	9.47	504.56	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
DPS-400DB (X)(X)(au)	100-240ac	50-60	0	5	30	75	3	1950	20B	0	1
				12	18	162	3				
				-12	0.5	218	3				
				-5	0.5	7	3				
				3.3	24	19	3				
				5	2	13	3				
DPS-400LB XX (BC), 1-468-851-11											
	100-240	-	0	3.38	29	93	3	60950-1	20B	0	1
				5.1	33	148	3				
				12.8	41.5	485	3				
				12.8	30.5	348	3				
				12.46	4	44	3				
				5.15	4.3	20	3				

				-12.3	1.6	15	3				
DPS-400LB-1 (X)(X)	100-240ac	47-63	0	5.08dc	28.2	132.3	3	60950-1	20B	0	1
				3.37dc	28.3	91.24	3				
				13.12dc	17.5	211.4	3				
				13.26dc	17.2	20.5	3				
				5.12dc	4.2	20.5	3				
				13.23dc	4.3	48.4	3				
				12.16dc	1.6	16.2	3				
DPS-400MB XX(z)	100-127/200-240ac	47-63	0	12dc	16	169	3	60950	20B	0	1
				12dc	13	143	3				
				12dc	16.5	183	3				
				5.2dc	28.5	123	3				
				3.4dc	30	80.8	3				
				-12dc	2.5	25.1	3				
				5.2dc	5	19.8	3				
DPS-400QB (X)(X)	100-127, 200-240ac	47-63	0	12.1dc	13.8	158	3	60950-1	20B	0	1
				12.1dc	19.2	216	3				
				5.06dc	28.9	126	3				
				3.4dc	27.9	61.7	3				
				12dc	2.22	18.9	3				
				5.18dc	5.3	16.2	3				
DPS-40AP-10 XX, DPS-40AP-12 XX(%4)											
	100-240ac	50-60	0	12.08dc	7.17	81.93	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-410AB-2 XX (X = 0-9, A-Z or blank)											
	100-240Vac	47-63	0	12.24dc	11.58	134.10	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				52.89dc	8.47	442.30	3				
DPS-425AB (X)(X)(sb)[*r]	100-240ac	50-60	0	5	19	-	2	1950	20B	0	0
				12.1	37	471	2				
				3.3	14	-	2				
				-5	0.5	-	2				
				-12	0.5	-	2				
				5	1.5	-	2				
DPS-425BL Ax (where x can be any alphanumeric or blank)[*r]											
	100-240Vac	50-60	0	4.96dc	103.505	513.38	3	60950-1	20B	0	1
DPS-430BB(77)	100-120/200-240 auto-rangeac	50-60	0	5	18	-	3	1950	20B	0	0
				-12	0.5	-	3				
				12	26	-	3				
				3.3	16	-	3				
DPS-430EB XX("")	100-127, 200-240ac	50-60	0	12.05	44.5	531.33	3	60950-1 2nd	20B	2	1
				5.08	5.8	28.07	3				
DPS-433BP XX (X can be 0-9, A-Z or blank)[*r]											
	100-240ac	50-60	0	+24VIdc	13	312	3	60950-1, 2nd Ed + AM1	20	0	1
				+24VA dc	2.5	60	3				
				+12Vdc	3	36	3				
				+5Vsbdc	5	25	3				

DPS-440BB XX(")	100-240ac	47-63	0	12.27	28.7	342.104	3	60950-1 2nd	20B	0	1
				24.38	18.5	442.335	3				
DPS-440CB XX (")	100Vac-240V	50-60	0	12.04 (+12V)dc	29.15	343.14	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				24.02 (+24V)dc	18.49	438.06	3				
				5.04 (+5VSB)dc	3.88	19.05	3				
DPS-450AB-1 XX(h12)	100-120/ 200-240Vac	47-63	0	12.03dc	42.0	490	3	60950-1 2nd	20B	2,6	1
				12.02dc	3.0	35.5	3				
DPS-450AB-10 XX(X can be 0-9,A-Z or blank)											
	100-127; 200-240ac	47-63	0	12.0dc	52.3	628	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.3dc	3.91	46.8	3				
DPS-450AB-12 XX (&)	100-240Vac	50-60	0	12.158dc	37.40	441.67	3	60950-1, 2nd Ed+AM1+AM2	20B	-	1
				5.058dc	12.21	56.07	3				
				24.264dc	8.910	211.87	3				
				5.067dc	5.160	24.07	3				
				12.040dc	1.194	11.82	3				
DPS-450AB-2 XX, DPS-450AP-5 XX (Where X can be any alphanumeric or blank)											
	100-240ac	47-63	0	12.28dc	8.78	105.03	3	60950-1	20B	2,6	1
				-53.95dc	9.89	529.42	3				
DPS-450AB-3 XX (X=0-9, A-Z or blank)											
	-36 - -72dc	-	4	12.5dc	24.2	278	3	60950-1, 2nd Ed + AM1	-	0	1
				-55.0dc	9.38	496	3				
DPS-450AB-8 XX (X can be 0-9, A-Z or Blank)											
	100-127, 200-240ac	50-60	0	12.1dc	43.8	515	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				5.2dc	5.7	27.8	3				
DPS-450BB(X)	100-120/200-240ac	50-60	0	53	43	207	3	1950	20B	0	0
				3.27	51	147	3				
				12	19	228	3				
				25.3	0.29	7	3				
				-12.1	2	23	3				
				5.2	4.5	21	3				
DPS-450CB-1 (X)(X), ESP 108, DPS-450CB (X)(X), DPS-450CB-2 (X)(X)											
	100-120/200-240200-240ac	50-60	0	5	58	240	3	60950	20B	6,2	1
				3	69	195	3				
				12	37	396	3				
				12	2	19	3				
				5	4	21	3				
DPS-450DB (X)(X)(86), DPS-450DB B(X)(87), DPS-450DB-1 (X)(X) (b)											
	100-127/ac	50-60	0	3.4	30.3	73	3	60950-1	20B	2,3	1
				5.1	28.2	128	3				
				12.1	18.3	211	3				
				12.1	1.4	16	3				
				5.1	5.6	25	3				
DPS-450FB(X)(X)	100-240ac	47-63	0	6.16	33.81	181.22	3	60950	20B	0	1
				12.66	36.25	412.16	3				

				3.99	34.19	107.32	3				
				12.7	2.25	23.59	3				
				5.28	5.89	23.38	3				
DPS-450JB XX(?2)	100-240ac	50-60	0	12	18.9	219	3	60950-1	20B	2	1
				12	19.3	224	3				
				5.1	36	156	3				
				3.3	27.7	75.9	3				
				-12	2.1	19	3				
				5	3.8	13.4	3				
DPS-450SB XX(^), DPS-450UB XX(^), DPS-450SB-1XX(^)											
	100-127Vac, 200-240V	47-63	0	12.13dc	40.0	478.40	3	60950-1	20B	2, 6	1
				12.13dc	2.4	28.22	3				
DPS-450TB XX (kk)	100-240V	-	0	3.3dc	20.2	51	3	60950-1	20B	0	1
				11.6dc	19.0	192	3				
				5.2dc	18.6	91	3				
				12.1dc	2.1	20	3				
				11.6dc	17.8	190	3				
				5.1dc	4.4	20	3				
DPS-460DB XX (m1), DPS-460DB XX (m)											
	100-240ac	47-63	0	5.08	22	102.6	3	60950-1 2nd	20B	2	1
				12.98	18.7	219.2	3				
				3.52	26	84.03	3				
				12.97	16.5	194.34	3				
				-12.22	2.25	25.34	3				
				5.1	5.5	27.1	3				
				12.97	10.95	129.1	3				
DPS-460DB-11 XX (0)	100-127; 200- 240ac	47-63	0	12.43dc	40.09	478.76	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.11dc	2.95	34.72	3				
DPS-460DB-12 XX (&)	100-127/200- 240ac	47-63	0	12.3dc	51.0	589	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.0dc	4.31	50.7	3				
DPS-460DB-2 XX, DPS-460DB-6 XX (")											
	100-240ac	47-63	0	5.08	22	102.6	3	60950-1 2nd	20B	2	1
				12.98	18.7	219.2	3				
				3.52	26	84.03	3				
				12.97	16.5	194.34	3				
				5.1	5.5	27.1	3				
				12.97	10.95	129.1	3				
DPS-460DB-3 XX, DPS-460DB-4 XX (")											
	100-240ac	47-63	0	5.209	34	144.16	3	60950-1 2nd	20B	2	1
				13.428	19	226.77	3				
				12.227	2	23.08	3				
				3.52	26.0	84	3				
				13.0	16.5	194	3				
				5.1	5.5	27	3				
				13.1	12.7	153	3				
DPS-460DB-5 XX (")	100-240ac	50-60	0	3.349dc	21.45	63.30	3	60950-1	20B	0	1
				5.155dc	18.10	87.77	3				

				12.078dc	18.50	214.84	3				
				-12.717dc	3.50	34.95	3				
				5.160dc	3.90	18.93	3				
DPS-460DB-9 XX , DPS-460DB-14 XX (Where X can be any alphanumeric character or blank)											
	100-240ac	47/63	0	12.43dc	40.09	478.76	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.11dc	2.95	34.72	3				
DPS-460EB XX(""), HSTNS-PD14											
	100-240ac	50-60	0	12.31	47.3	561.92	3	60950-1	20B	2	1
				12.06	4	47.0	3				
DPS-460JB XX (HSTNS-PD26) (")											
	200-277ac	50-60	0	12.30dc	49.3	583.21	3	60950-1	20B	2	1
				12.01VSBdc	3.9	45.78	3				
DPS-460KB XX (where X can be 0-9, A-Z or blank)[*r]											
	100-127 V / 200-240 Vac	50/60	0	+12Vdc	38	456	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				+12VSBdc	2.1	25.2	3				
DPS-460LB XX (m)	100-127V; 200-240V	-	0	12.2dc	47	572	3	60950-1	20B	0	1
				3.3dc	0.84	2.7	3				
DPS-460MB XX, RMN:HSTNS-PD28											
	100-240Vac	50-60	0	12.3dc	51.0	589	3	60950-1 2nd	20B	2,6	1
				12.0dc	4.31	50.7	3				
DPS-465AB-2(X)(X)	100-240ac	47-63	0	5.2	32.3	110.04	3	60950	20B	2,3	1
				12.22	14.9	159.19	3				
				12.2	18.62	198.28	3				
				12.1	2.44	21.4	3				
				3.39	52.84	154.4	3				
				5.13	4.82	21.55	3				
DPS-465AB-3 XX (X can be 0-9, A-Z or blank)											
	100-240Vac, 118Vac	50-60, 400	0	12.14dc	19.46	225.54	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5.21dc	11.50	50.14	3				
DPS-470BB XX (x can be 0-9, A-Z or blank)[*r]											
	100-240ac	50/60	0	+12Vdc	39	468	3	60950-1, 2nd Ed + AM1	20B	0	1
				+3.3Vdc	3.125	10.3125	3				
DPS-48BP (X)(X)(sb)	100-240ac	47-63	0	5.5	15.8	69.5	3	1950	20B	0	0
				14.7	7.7	73.2	3				
				-12.3	4.3	46.4	3				
				5.1	16.5	67.1	3				
DPS-495CB XX (X can be 0-9, A-Z or Blank)											
	-	-	-	-	-	-	-	-	-	-	-
DPS-495CB XX(&), DPS-495CB-1 XX(&)											
	100-240ac	50/60	0	12dc	49	630	3	60950-1, 2nd Ed + AM1	20B	2	0
				12.1dc	4	60.8	3				
DPS-495CB-1 XX (X can be 0-9, A-Z or Blank)											
	-	-	-	-	-	-	-	-	-	-	-
DPS-500AB-12 XX (X can be 0-9, A-Z or blank)											
	100-240ac	50/60	0	11.98dc	23,5	272.7	3	60950-1, 2nd	20B	2	1

								Ed + AM1			
				55.99dc	5.38	295.1	3				
				12.33dc	1.38	14.6	3				
DPS-500AB-14 XX (X can be 0-9, A-Z or blank)											
	100-127Vac or 200-240Vac or 240Vdc	-	0	12.2dc	47.0	533.6	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.1dc	4.5	50.9	3				
DPS-500AB-15 XX (%4)	100-240ac	50-60	0	3.32dc	21.01	57.19	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.11dc	27.00	121.50	3				
				12.19dc	19.32	218.90	3				
				5.08dc	3.74	17.88	3				
DPS-500AB-2 XX (HSTNS-PD24) (")											
	200-277ac	50-60	0	12.30dc	51.7	612.12	3	60950-1	20B	2	1
				12.01VSBdc	3.9	45.78	3				
DPS-500AB-20 XX (%4)	100-240Vac	50-60	0	3.32dc	21.01	57.19	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.11dc	27.00	121.50	3				
				12.19dc	19.32	218.90	3				
				4.88dc	5.19	24.24	3				
DPS-500AB-21 XX (X can be 0-9, A-Z or blank)											
	100-127V or 200-240Vac	50/60	0	3.32dc	17.39	47.97	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				5.03dc	20.44	89.98	3				
				12.2dc	39.12	444.4	3				
				5.03dc	3.71	17.45	3				
DPS-500AB-24 XX, DPS-500AB-27 XX (X can be 0-9, A-Z or blank)											
	200-240Vac	50/60	0	3.32dc	17.39	47.97	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				5.03dc	20.44	89.98	3				
				12.2dc	39.12	444.4	3				
				5.03dc	3.71	17.45	3				
DPS-500AB-25 XX (X can be 0-9, A-Z or blank)											
	200-240ac	50/60	0	3.32dc	17.39	47.97	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				5.03dc	20.44	89.98	3				
				12.16dc	38.29	442.24	3				
				5.03dc	3.71	17.45	3				
				-12.28dc	1.51	17.97	3				
DPS-500AB-3 XX ("), HSTNS-PD27 with or without accessory AC-103 XX											
	100-120V~, 200-240V~ac	47-63	0	3.36dc	18.30	56.73	3	60950-1	20B	2, 6	1
				12.32dc	45.60	540.36	3				
				5.16dc	19.10	95.31	3				
				5.13dc	5.10	24.99	3				
DPS-500AB-32 XX (X= 0-9, A-Z or blank)											
	100-240Vac	50-60	0	12.30dc	18.98	218.91	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-500AB-33 XX (X=0-9, A-Z or blank)											
	100-240ac	47-63	0	5.03dc	35.34	148.78	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
				3.33dc	34.49	87.60	3				
				12.20dc	32.81	365.83	3				

				12.20dc	33.37	394.10	3				
				11.97dc	4.50	43.56	3				
				5.10dc	1.31	5.52	3				
				5.11dc	5.20	24.44	3				
DPS-500AB-34 XX (X can be 0-9, A-Z or blank)											
	200-240Vac	50/60	0	3.32dc	17.39	47.97	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				5.03dc	20.44	89.98	3				
				12.2dc	39.12	444.4	3				
				5.03dc	3.71	17.45	3				
DPS-500AB-4 XX (X=1-9, A-Z or blank)											
	100-240ac	50-60	0	12.02dc	19.05	217.93	3	60950-1, 2nd Ed + AM1	20B	0	1
				11.34dc	4.51	50.05	3				
DPS-500AB-5 XX, DPS-500AB-10 XX and DPS-500AB-16 XX, DPS-500AB-22 XX (X can be 0-9, A-Z or blank)											
	100-127, 200-240ac	50/60	0	3.32dc	17.39	47.97	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				5.03dc	20.44	89.98	3				
				12.16dc	38.29	442.24	3				
				5.03dc	3.71	17.45	3				
				-12.28dc	1.51	17.97	3				
DPS-500AB-6 XX (X can be 0-9, A-Z or blank)[*r]											
	100-120 / 200-240ac	47-63	0	+3.3Vdc	24	79.2	3	60950-1	20B	0	1
				+5Vdc	20	100	3				
				+12V1dc	20	240	3				
				+12V2dc	25	300	3				
				-12Vdc	0.3	3.6	3				
				+5VSBdc	2.5	12.5	3				
DPS-500AB-7 XX, HSTNS-PD40, HSTNS-PD40-1 %4											
	100-240 Vac; 240Vdc	50-60	0	12.3035	42.51	488.66	3	60950-1, 2nd Ed + AM1	20	2	1
DPS-500AB-8 XX (X can be 0-9, A-Z or blank)											
	100-240ac	50-60	0	12.27dc	1.89	22.55	3	60950-1, 2nd Ed + AM1	20B	3	1
				12.00dc	49.63	582.85	3				
DPS-500AB-9 XX	100-240Vac	50-60	0	11.97dc	47.66	555.46	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				5.05dc	5.51	25.59	3				
DPS-500AL-11 XX (F1)	100-240Vac	50-60	0	12.09dc	25.38	297.36	3	60950-1, 2nd Ed + AM1	20B	0	1
				54.18dc	6.78	362.41	3				
DPS-500QB XX(m)	100-240ac	50-60	0	5.1	23	109.9	3	60950-1 2nd	20B	1	1
				3.4	23.5	64.9	3				
				12.3	19.3	229.5	3				
				12.3	19.5	233.2	3				
				12.3	19.2	231	3				
				-12	1.8	20.3	3				
				5.1	6.1	29.8	3				
DPS-500VB XX (H2)	100-127Vac	50/60	0	3.31dc	19.5	56.2	3	60950-1	20B	2	1
				5.04dc	25.2	113.1	3				
				12.05dc	19.1	217.3	3				

				12.05dc	19.2	219.6	3				
				12.05dc	18.8	224.6	3				
				12.02dc	1.2	13.4	3				
				5.06dc	3.7	17.8	3				
DPS-500WB XX with RPS-450-4 XX(zz) (Power Cage)[*r]											
	100-127ac	47-63	0	12dc	30.0	360	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				5dc	3.0	15	3				
DPS-500WB XX with RPS-450-4 XX(zz) (Power Cage)(for input 200-240V)[*r]											
	200-240ac	47-63	0	12dc	33.33	400	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				5dc	3.0	15	3				
DPS-500WB XX with RPS-450-X1 XX(F3) (Power Cage)											
	100-127; 200-240ac	47-63	0	12dc	4.5	526	3	60950-1 2nd	20B	2,6	1
				3.31dc	18.8	55.7	3				
				5.06dc	15.1	74.1	3				
				5.07dc	5.4	25.5	3				
DPS-500WB XX, DPS-500WB-2 XX(F1)											
	100-127; 200-240ac	47-63	0	12dc	4.5	526	3	60950-1 2nd	20B	2,6	1
				5.07dc	5.4	25.5	3				
DPS-500WB-1 XX or DPS-500WB-2 XXwith RPS-450-6 XX (F1)[*r]											
	100-127V, 200-240Vac	47-63	0	12Vdcdc	33	-	3	60950-1, 2nd Ed+AM1	20B	2,6	1
				12Vdcdc	18	-	3				
				3.3Vdcdc	12	-	3				
				5Vdcdc	10	-	3				
				5Vdcdc	3	-	3				
DPS-500WB-1 XX or DPS-500WB-2 with RPS-450-2 XX (F1)[*r]											
	100-127, 200-240ac	47-63	0	12dc	33	-	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				12dc	18	-	3				
				3.3dc	12	-	3				
				5dc	10	-	3				
				5dc	3	-	3				
DPS-500WB-1 XX(F1)[*r]	100-127, 200-240ac	47-63	0	12dc	36.26	-	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				5dc	3	-	3				
DPS-500XB XX (The first X is letter X , the last two X can be any alphanumeric or blank.)											
	100-240ac	50-60	0	12.192dc	19.65	227.55	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.192dc	19.65	227.55	3				
				12.192dc	19.65	227.55	3				
				12.192dc	19.65	227.55	3				
				12.192dc	19.65	227.55	3				
				11.14dc	3.2	35.01	3				
DPS-500YBXX	100-240ac	50-60	0	5.07dc	25.8	117.5	3	-	-	0	1
				12.19dc	21.0	203.9	3				
				12.19dc	21.0	204.3	3				
				12.20dc	21.0	200.0	3				
				3.38dc	25.8	77.4	3				
				12.97dc	1.9	19.3	3				

				5.01dc	3.2	15.2	3						
DPS-50AP-1 XX, DPS-50AP-2 XX, DPS-60AP-4 XX, DPS-60AP-7 XX (X=0-9, A-Z or blank); DPS-60AP-5 XX (X=0-9, A-Z or blank except the first X can not be E-J); DPS-60AP-5 XX (The first X can be E-J, the second X can be 0-9, A-Z or blank)													
	100-240Vac	50-60	0	12.18 (+12V)dc	7.86	93.22	3	60950-1, 2nd Ed + AM1	20B	0	0		
DPS-50PP (X)(X), DPS-70DP (X)(X)													
	100-240ac	47-63	0	13.6	4.5	44	3	1950	20B	6,2	0		
				3.4	37	118	3						
DPS-520CB XX (X = 0-9, A-Z or blank)													
	100-127Vac or 200-240Vac	-	0	12.22 (+12 V)dc	52.39	616.11	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1		
				5.13 (+5 V)dc	52.39	139.05	3						
				3.32 (+3.3 V)dc	29.90	79.83	3						
				5.10 (+5 VSB)dc	3.19	15.54	3						
DPS-525AB-3 XX (X can be 0-9, A-Z or blank)													
	100V-240V or 118Vac	50-60 or 400	0	12.08dc	19.09	198.68	3	-	20B	0	1		
				12.09dc	19.10	205.54	3						
				12.09dc	19.08	190.56	3						
				12.03dc	19.40	200.08	3						
				12.01dc	19.26	208.76	3						
				12.01dc	18.81	200.55	3						
				11.89dc	1.46	15.02	3						
				5.25dc	11.71	37.15	3						
DPS-525DB XX(m)(125)	100-240ac	47-63	0	12.1	49.6	599.6	3	60950-1	20B	0	1		
				12.1	2.5	29.8	3						
				5.1	2.5	12.5	3						
DPS-540AB(X)(X)	-36 to -75ac	-	6	41.1	5.2	52.2	3	60950-1	-	0	-		
				26.9	12.4	38.4	3						
DPS-550AB-1 XX, DPS-550LB XX, DPS-550LB-1 XX (where X can be 0-9, A-Z or blank)[*r]													
	100-127 V / 200-240 Vac	47-63	0	+12Vdc	45	540	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1		
				+12VSBdc	3.0	36	3						
DPS-550AB-12 XX (X can be 0-9,A-Z or blank)													
	100-127; 200-240ac	47-63	0	12.03dc	57.71	679.25	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1		
				12.08dc	5.70	66.18	3						
DPS-550AB-13 XX (X=0-9, A-Z or blank)													
	100-240Vac	50/60	0	12.31dc	56.1	660	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1		
				12.0dc	4.59	54	3						
DPS-550AB-15 XX, DPS-550AB-34 XX (X can be 0-9, A-Z or blank)													
	-40- -72dc	-	0	12.4dc	61.0	708	3	60950-1, 2nd Ed+AM1+AM2	-	2	1		
				12.3dc	4.20	47.2	3						
DPS-550AB-2 XX, DPS-550AB-6 XX, DPS-550AB-11 XX, DPS-550AB-14 XX, DPS-550AB-16 XX, DPS-550AB-21 XX, DPS-550AB-29 XX (X=0-9, A-Z or blank)[*r]													
	100-127 / 200-240ac	47-63	0	+12Vdc	45	540	3	60950-1, 2nd Ed + AM1	20B	0	1		
				+12VSBdc	3	36	3						
DPS-550AB-20 XX (X can be 0-9, A-Z or blank)													
	100-127Vac or 200-240Vac or 240Vdc	-	0	12.40 (+12V)dc	59.89	697.72	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1		

				12.1 (+12VSB)dc	4.5	50.9	3				
DPS-550AB-22 XX, DPS-550AB-30 XX (&)											
	100-127V or 200-240Vac	47-63	0	12.07dc	54.8	644.2	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.1dc	3.17	36.8	3				
DPS-550AB-23 XX (X = 0-9, A-Z or blank)											
	100-240Vac, 240Vdc	50/60Hz	0	12.3ac	50.63	601.48	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
DPS-550AB-24 XX, DPS-550AB-27 XX (X can be 0-9,A-Z or blank)											
	100-127Vac, 200-240Vac, 240Vdc	50/60	0	12.2dc	46.5	547	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.4dc	3.9	47.1	3				
DPS-550AB-26 XX (X can be 0-9, A-Z or blank)											
	240-336Vdc	-	4	12.20 (+12VSB)dc	3.04	35.9	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.00 (+12V)dc	52.7	630.0	3				
DPS-550AB-4 XX (X can be 0-9, A-Z or blank)											
	19.2 - 72V or 24V or -48V/-60Vdc	-	4	11.5dc	55.0	633	3	60950-1, 2nd Ed + AM1	20B	0	1
DPS-550AB-5 XX (X=0-9, A-Z or Blank)											
	100-240 Vac or 240 Vdc	50-60	0	12.36dc	4.51	52.86	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.29dc	52.90	613.72	3				
DPS-550BB (X)(X)(63)	100-127/200-240ac	50-60	0	3.31	27.6	80	3	1950	20B	0	1
				5.12	32.8	143	3				
				12.19	18.6	217	3				
				12.2	18.5	214	3				
				12.2	21.8	214	3				
				12.15	2.05	214	3				
				5.12	6.3	30	3				
DPS-550HB XX(m)	100-127/200-240Vac	50-60	3	12	52.4	594.3	3	60950-1	20B	0	1
DPS-550QB BX, DPS-550QB CX (X can be 0-9, A-Z or blank)											
	100-240Vac	50-60	0	56.08dc	13.7	689.79	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.10dc	4.58	53.861	3				
DPS-550QB XX(RMN:RSVLC-1201B) (X can be 0-9, A-Z or blank)											
	100-240Vac	50-60	0	56.08dc	13.7	689.79	3	60950-1, 2nd Ed+AM1	20B	2, 6	1
				12.10dc	4.58	53.861	3				
DPS-550RB BX (X can be 0-9, A-Z or blank);[*r]											
	-48 - -60dc	-	6	-54Vdc	10.2	550.8	3	60950-1, 2nd Ed+AM1+AM2	-	6	1
DPS-550RB XX (First X can be 0-9, A-Z except B, or blank; second X can be 0-9, A-Z or blank);[*r]											
	-48 - -60dc	-	6	-54Vdc	10.2	550.8	3	60950-1, 2nd Ed+AM1+AM2	-	6	1
DPS-550RB-1 XX (X can be 0-9, A-Z or blank);[*r]											
	-48 - -60dc	-	6	-54Vdc	10.2	550.8	3	60950-1, 2nd Ed+AM1+AM2	-	6	1
DPS-552AB XX (&)	100-127/200-240ac	47-63	0	3.36dc	17.65	49.19	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.09dc	18.65	84.48	3				
				12.10dc	18.24	206.11	3				
				12.11dc	18.21	209.05	3				

				23.95dc	14.98	349.66	3				
				11.88dc	0.70	7.66	3				
				5.04dc	5.05	23.84	3				
DPS-570AB (X)(X), DPSN-570AP XX											
	100-240ac	50/60	0	12.2dc	18.3	221.4	-	60950-1	20B	0	1
				-50dc	11.1	483.1	-				
DPS-600AB-1 XX, DPS-600AB-3 XX(where X can be any alphanumeric or blank)[*r]											
	100-127V, 200-240Vac	50/60	0	-	0.5	6	3	60950-1	20B	0	1
DPS-600AB-5 XX("")[*r]	100-240ac	50-60	0	12dc	18.5	-	3	60950-1, 2nd Ed + AM1	20B	0	1
				12dc	18.5	-	3				
				12dc	18.5	-	3				
				12dc	18.5	-	3				
				12dc	18.5	-	3				
				11dc	2.5	-	3				
DPS-600AB-6 XX (X=0-9, A-Z or blank)											
	100-240Vac	50-60	0	54.6dc	13.0	710	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-600AB-7 XX (X= 0-9, A-Z or blank)											
	100-240Vac	50-60	0	24.3dc	25.8	607	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DPS-600AB-8 XX (X=0-9, A-Z or blank)											
	100-240ac	47-63	0	+12.27dc	43.44	507.38	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				-52.77dc	8.52	447.56	3				
DPS-600MB XX (m) (sb), DPS-700FB XX (m), DPS-600MB-2 XX (m) (sb)											
	100-127/200-240ac	50-60	0	12.1	18.7	220	3	60950	20B	0	0
				12.1	18.7	220	-				
				12.1	18.7	220	-				
				12.1	18.7	220	-				
				5.1	32	156	-				
				3.3	30.6	93	-				
				5.1	6.2	28	-				
DPS-600MB-3 XX (m)(sb)	100-240ac	47-63	0	5.11	35.5	172.3	3	60950-1	20B	0	1
				12.09	18.26	214	3				
				3.4	35.65	114	3				
				12.26	1.95	21.55	3				
				12.08	18.6	214.8	3				
DPS-600PB XX^, DPS-600PB-1 XX^, AC-034 XX^											
	100-240ac	50-60	0	12.3	53.9	654.9	3	60950-1	20B	0	1
				5.13	8.9	43.6	3				
				-12.1	2.3	23.7	3				
DPS-600SB XX("")	100-240ac	47-63	0	5.21	4.6	22.22	3	60950-1	20B	2, 6	1
				12.28	62	722.92	3				
DPS-600UB XX(\$\$)	100-240 /118ac	50-60/400	0	12.18ac	19.3	227.93	3	60950-1 2nd	20B	2	1
				-12.03ac	1.40	15.04	3				
				11.00ac	3.00	32.61	3				
DPS-600WB XX (X can be 0-9, A-Z or blank.)											

	100-127V, 200-240Vac	50-60	0	12.03dc	19.04	217.82	3	60950-1	20B	2	1
				12.06dc	17.46	205.33	3				
				3.35dc	21.61	54.24	3				
				5.14dc	23.30	96.70	3				
				12.26dc	1.82	20.58	3				
				5.04dc	4.80	22.99	3				
DPS-640BB XX (X7)	100-240ac	50-60	0	12.5dc	22.9	267	3	60950-1, 2nd Ed + AM1	20B	0	1
				-55.0dc	9.3	488	3				
DPS-640CB XX (X=0-9, A-Z or blank)											
	-36 - -72dc	-	4	12.5dc	24.2	278	3	60950-1, 2nd Ed + AM1	-	0	1
				-55.0dc	9.38	496	3				
DPS-650AB-(X)(X)	100-240/118ac	50/60, 400	0	12	62	737	3	60950-1	20B	5	0
				3.3	5	15.5	3				
DPS-650AB-11 XX, DPS-650AB-12 XX (X can be 0-9, A-Z or blank)											
	100-240Vac	50-60	0	5.08dc	5.20	24.28	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.09dc	83.0	971	3				
DPS-650AB-13 XX, DPS-650AB-19 XX, DPS-650AB-21 XX, DPS-650AB-22 XX (&)											
	100-127V or 200-240Vac	47-63	0	11.92dc	8.6	95.97	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.29dc	64.9	734.8	3				
DPS-650AB-15 XX and DPS-650AB-8 XX (%4)											
	200-240Vac	50/60	0	3.31dc	25.70	63.22	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				5.03dc	28.51	120.88	3				
				12.18dc	27.46	310.30	3				
				12.18dc	27.84	311.81	3				
				12.19dc	27.84	313.76	3				
				12.19dc	27.59	305.97	3				
				12.31dc	3.10	18.20	3				
				5.13dc	5.0	24.45	3				
DPS-650AB-16 XX (X=0-9, A-Z or blank)											
	100-240ac	50-60	0	12.37dc	67.05	776.44	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.38dc	2.99	34.15	3				
DPS-650AB-17 XX (X can be 0-9, A-Z or blank)											
	200-240ac	50/60	0	12.18dc	19.16	226.09	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.18dc	18.97	224.42	3				
				12.18dc	19.18	225.56	3				
				12.18dc	18.90	221.51	3				
				5.03dc	20.63	98.41	3				
				3.31dc	18.33	55.91	3				
				5.14dc	4.97	24.15	3				
DPS-650AB-2 CX, DPS-650AB-2 DX, DPS-650AB-4 CX, DPS-650AB-4 DX, DPS-500AB-28 XX, DPS-500AB-29 XX (X can be 0-9, A-Z or blank)											
	100-240ac	50-60	0	12.00dc	61.82	714.13	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.09dc	3.55	42.12	3				
DPS-650AB-2 XX, DPS-650AB-4 XX (the first X can be 0-9, A-Z or blank except for C, D, the second X can be 0-9, A-Z or blank)											
	100-240ac	50-60	0	12.00dc	61.82	714.13	3	60950-1, 2nd	20B	2,	1

								Ed + AM1		6	
				12.09dc	3.55	42.12	3				
DPS-650AB-3 XX (X can be 0-9, A-Z or blank.)[*r]											
	100-240ac	47-63	0	+3.3Vdcdc	18	59.4	3	60950-1, 2nd Ed	20B	0	1
				+5Vdcdc	18	90	3				
				+12V1dcdc	22	264	3				
				+12V2dcdc	22	264	3				
				+12V3dcdc	22	264	3				
				+12V4dc	22	264	3				
				-12Vdcdc	0.5	6	3				
				+5VSBdc	2.5	12.5	3				
DPS-650AB-5 XX (X can be 0-9, A-Z or blank)											
	100-240Vac	50-60	0	55.9dc	16.5	855	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-650AB-6 XX, DPS-650AB-10 XX, DPS-650AB-14 (X can be 0-9, A-Z or blank) Switching Power Supply											
	100-240Vac	50-60	0	12.09dc	83.0	971	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.16dc	2.9	34.4	3				
DPS-650BB (X)(X)	100-240ac	50-60	0	12.11dc	67.5	799.9	3	60950-1	20B	0	1
				3.39dc	6.5	21.3	3				
DPS-650QB XX & AC-074 XX(")											
	100-127, 200-240ac	50/60	0	12.08	63.5	747.4	3	60950-1	20B	0	1
				5.15	5.5	26.5	3				
DPS-650RB XX(")	100-127; 200-240ac	50-60	0	12.37	64	771.84	3	60950-1 2nd	20B	0	1
				5.14	4.2	21.04	3				
DPS-650SB XX(")	100-127; 200-240ac	50/60	0	3.31	24.5	77.42	3	60950-1 2nd	20B	2	1
				12.03	30	35.25	3				
				12.04	1.2	11.64	3				
				5.03	34	164.9	3				
				12.04	28	328.44	3				
				5.03	4.2	20.37	3				
				12.03	18.8	218.27	3				
				12.03	19	220.59	3				
DPS-650UB XX, DPS-650UB-1 XX (m)											
	100-127ac	50/60	0	3.35	24.6	70.85	3	60950-1	20B	1	1
				5.06	27.5	107.53	3				
				12.00	26.00	303.68	3				
				12.00	25.01	291.87	3				
				12.00	19.31	213.95	3				
				12.00	19.31	223.42	3				
				-12.13	1.50	16.39	3				
				5.06	4.10	19.48	3				
DPS-650XB XX, DPS-650XB-1 XX(\$-¢)											
	100-127 /200-240ac	50/60	0	3.34dc	21.75	64.18	3	60950-1	20B	0	1
				5.01dc	24.30	111.78	3				
				12.04dc	84.50	953.20	3				
				12.04dc	84.50	953.20	3				

				12.04dc	84.50	953.20	3					
				12.04dc	84.50	953.20	3					
				12.11dc	1.90	16.15	3					
				5.06dc	4.20	19.87	3					
DPS-650XB-2 XX(\$-\$); DPS-500AB-17 XX(\$-\$); DPS-500AB-19 XX(\$-\$)												
	200-240ac	50/60	0	3.35dc	23.45	68.0	3	60950-1, 2nd Ed + AM1	20B	0	1	
				5.00dc	26.78	122.7	3					
				12.04dc	28.00	323.7	3					
DPS-65PB REV: (X)(X)(m)	115-230ac	45/66	0	5.2	19.98	78	3	60950-1	20B	0	1	
				12.9	7.25	82.3	3					
				-5	0.78	3.8	3					
				-12.1	0.77	9.2	3					
DPS-660BB XX (X can be 0-9, A-Z or blank)												
	100-240ac	50-60	0	12.0dc	61.82	714.14	3	60950-1, 2nd Ed + AM1	20B	0	1	
				12.21dc	3.51	41.0	3					
DPS-665AB XX(X6)	100-240ac	50-60	0	12.0	64.5	749	3	60950-1 2nd	20B	0	1	
				5.12	38.0	172	3					
				3.36	32.1	92.1	3					
				-12.0	1.30	12.7	3					
				5.12	7.41	35.0	3					
DPS-665BB XX (X=0-9, A-Z or blank), PWS-668-PQ												
	100-240Vac	50/60	0	3.33dc	25.69	77.58	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1	
				4.99dc	25.51	116.07	3					
				12.26dc	64.66	781.09	3					
				12.27dc	1.59	17.49	3					
				5.08dc	7.70	36.58	3					
DPS-670DB XX(m)	100-127V/200-240Vac	50-60	3	5.1	37	174.9	3	60950-1	20B	0	1	
DPS-680CB (X)(X)(113)	100-240ac	47-63	0	11.4	52	592.8	3	60950-1	16B	0	1	
				4.3	32	137.6	3					
				2.8	59	165.2	3					
				-11.3	2	22.6	3					
				4.3	3.6	15.5	3					
DPS-700AB-1 XX (X can be 0-9, A-Z or blank)												
	100-240 or 118ac	50-60 or 400	0	11.9875dc	19.717	191.18	3	-	20B	0	1	
				11.9880dc	19.530	187.41	3					
				11.9825dc	19.732	192.76	3					
				11.9850dc	19.706	191.07	3					
				11.9860dc	19.713	193.25	3					
				11.9850dc	19.756	188.02	3					
				11.9895dc	19.796	201.46	3					
				11.9885dc	19.781	203.46	3					
				11.8995dc	1.1681	11.760	3					
				5.1825dc	11.986	52.72	3					
DPS-700FB XX (m)	100-127/200-240ac	47-63	0	3.3dc	29.5	94	3	60950-1	20B	0	1	
				5.1dc	31	155	3					
				5.1dc	5	24	3					

				-12.2dc	2.1	23	3				
				12.1dc	19.1	232	3				
				12.1dc	19.3	229	3				
				12.1dc	18.9	222	3				
				12.1dc	18.8	218	3				
DPS-700FB XX(""), DPS-700FB-1 XX("")											
	100-127/200-240Vac	47-63	0	3.3	29.5	94	3	60950-1	20B	0	1
				5.1	31	155	3				
				5.1	5	24	3				
				-12.2	2.1	23	3				
				12.1	19.1	232	3				
				12.1	19.3	229	3				
				12.1	18.9	222	3				
				12.1	18.8	218	3				
DPS-700GB XX (0)	100-127, 200-240ac	50-60	0	12.37	66.8	798.3	3	60950-1	@20	0	0
				11.89	1.74	17.9	3				
				11.07	4.8	51	3				
				3.35	12.93	38.3	3				
DPS-700NB XX (X can be A-Z, 0-9 or blank, for marketing purpose only)											
	100-240ac	50/60	0	3.36dc	20.58	53.71	3	60950-1, 2nd Ed.	20B	0	1
				5.06dc	29.16	115.58	3				
				12.01dc	64.82	762.93	3				
				5.08dc	6.48	31.1	3				
DPS-715AB XX (X = 0-9, A-Z or blank); EDPS-715AB XX (the first X can be 0-9, F-Z or blank, the secondary X can be 0-9, A-Z or blank)											
	100-240ac	50-60	0	-56.1dc	15.20	846.02	3	60950-1, 2nd Ed + AM1	20B	2	1
DPS-715BB XX, DPS-715CB XX, DPS-715BB-1 XX (X7)											
	100-240ac	50-60	0	-54.00dc	15.73	842.91	3	60950-1, 2nd Ed + AM1	20B	2	1
DPS-725AB XX(m)	100-240V, 118Vac	47-66, 393-407	0	12.1	17.2	204	3	60950-1	20B	2, 6	1
				12.5	18.8	222	3				
				12.5	20.2	238	3				
				12.5	20.1	239	3				
				12.4	20.1	238	3				
				12.5	20.0	239	3				
				12.2	0.85	10.3	3				
				5.18	4.21	21.0	3				
DPS-750AB-1 XX (&)	100-127V~/200-240V~ac	47-63	0	12.25dc	75.4	902.54	3	60950-1 2nd	20B	2	1
				12.11dc	3.8	45.3	3				
DPS-750AB-14 XX (X7)	100-127/200-240ac	47-63	0	12.24dc	72.27	855.22	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.07dc	3.56	42.24	3				
DPS-750AB-18 XX (0)	100-127; 200-240ac	50-60	0	12.47dc	74.33	860.18	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.17dc	2.97	33.56	3				
DPS-750AB-20 XX(Where XX can be any alphanumeric or blank)[*r]											
	200-240Vac or 240Vdc	-	0	12dc	61.5	-	3	60950-1, 2nd Ed + AM1	20B	0	1

				12VSBdc	2.5	-	3				
DPS-750AB-21 XX (Where X can be any alphanumeric character or blank)											
	100-240Vac; 240 Vdc	50-60	0	12.53dc	4.57	53.97	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.20dc	66.37	785.61	3				
DPS-750AB-22 XX (%4)	240-380Vdc	-	4	12.12dc	80	944.8	3	60950-1, 2nd Ed + AM1	-	0	1
				3.42dc	3.9	10.65	3				
DPS-750AB-23 XX (X can be 0-9, A-Z or blank[*r])											
	-48 - -60dc	-	0	+12Vdcdc	62	744	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12VSBdcdc	2	24	3				
DPS-750AB-24 XX, DPS-750AB-25 XX (&)											
	100-240Vac	50/60	0	12dc	74	991	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12.1dc	4.03	65.2	3				
DPS-750AB-26 XX, DPS-750AB-33 XX (X can be 0-9,A-Z or blank)											
	200-240Vac	50/60	0	3.35 (+3.3V)dc	23.71	66.63	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				5.03 (+5V)dc	30.70	138.15	3				
				12.04 (+12V1)dc	28.49	329.34	3				
				12.04 (+12V2)dc	28.49	329.34	3				
				12.04 (+12V3)dc	28.49	329.34	3				
				12.04 (+12V4)dc	28.49	329.34	3				
				5.02 (+5VSB)dc	4.50	21.20	3				
				12.27 (-12V)dc	1.90	18.45	3				
DPS-750AB-27 XX (&)	100-127/200- 240ac	47-63	0	12.3dc	82.0	939	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.0dc	4.31	50.7	3				
DPS-750AB-28 XX (X7)	100-127/200- 240ac	47-63	0	12.24dc	72.27	855.22	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.2dc	4.23	49.7	3				
DPS-750AB-3 XX, RMN:HSTNS-PD29											
	100-240Vac	50-60	0	12.3dc	82	939	3	60950-1 2nd	20B	2, 6	1
				12.0dc	4.31	50.7	3				
DPS-750AB-30 XX, DPS-800AB-26 XX (X=0-9, A-Z or blank)											
	100-127Vac / 200-240Vac or 240Vdc	-	0	12.29dc	79.96	90.81	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.1dc	4.5	50.9	3				
DPS-750AB-31 XX (Where X can be any alphanumeric character or blank);RMN:HSTNS-PDB2											
	12dc	-	-	13.2dc	65.5	778	3	-	-	-	-
DPS-750AB-36 XX(X can be 0-9,A-Z or blank)											
	100-240; 118ac	50-60	0	12.2dc	18.99	215.54	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				5.21dc	11.89	54.69	3				
DPS-750AB-37 XX (X = 0-9, A-Z or blank)											
	200-240Vac or 240Vdc	50/60 or --	-	12.23dc	63.80	757.94	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				12.20dc	3.88	45.98	3				
DPS-750AB-4 XX(""), RMN: HSTNS-PD31("")											
	200-277ac	50-60	0	12dc	82.0	984	3	60950-1	20B	0	1
				12dc	3.7	44	3				
DPS-750AB-5 AX (X can be 0-9, A-Z or blank[*r])											

	48-60dc	-	0	+12Vdcdc	62	744	3	60950-1, 2nd Ed + AM1	20B	0	1
				+12VSBdcdc	2	24	3				
DPS-750AB-5 AX, DPS-750AB-32 XX (X can be 0-9, A-Z or blank)[*r]											
	-40.5 - -75dc	-	0	+12Vdc	62	744	3	60950-1	30	0	1
				+12VSBdc	2.1	25.2	3				
DPS-750AB-5 XX (X can be 0-9, A-Z or blank, and the first X can not be A, for marking purpose only, and not safety related)[*r]											
	48-60dc	-	0	+12Vdc	62	744	3	60950-1	none	0	0
				+12VSBdc	2.1	25.2	3				
DPS-750AB-6 XX ("	100-240Vac	50-60	0	3.37dc	7.68	21.72	3	60950-1	20B	2, 6	1
				5.18dc	13.3	65.36	3				
				12.07dc	23.68	274.5	3				
				15.55dc	11.37	172.71	3				
				24.29dc	23.78	566.06	3				
				5.03dc	2.44	11.85	3				
				100-240ac	1	100-240	5				
DPS-750AB-8 XX, RMN: HSTNS-PD32 (%5)[*r]											
	200-277ac	50-60	0	-	62.5	-	3	60950-1	20B	0	1
				-	2.5	-	3				
DPS-750DB XX(H2)	100-240Vac	47-63	0	12.05	75	899.25	3	60950-1	20B	2	1
				5.07	6.7	32.83	3				
DPS-750DB-1 XX(H2)	100-240ac	47-63	0	12.05	75	899.25	3	60950-1	20B	2, 6	1
				5.07	6.7	32.82	3				
DPS-750HB XX(")	100-240ac	47-63	0	12.08	76	888.44	3	60950-1	20B	2	1
				5.06	7	30.42	3				
DPS-750NB XX(")	100-120, 200-240ac	47-63	0	3.3	21.0	56.5	3	60950-1	20B	2, 6	1
				5.0	26.0	112	3				
				12.0	84.0	843	3				
				5	4.5	21.5	3				
DPS-750QB XX(")	100-127, 200-240ac	50/60	0	12.22	83	992.68	3	60950-1 2nd	20B	2, 6	1
				5.18	7.5	36.9	3				
DPS-750RB XX(RMN:HSTNS-PD18) ("											
	100-240ac	50-60	0	12.32	79.5	930.95	3	60950-1	20B	2	1
				12.04	4.1	48.38	3				
DPS-750SB XX(")	100-120, 200-240ac	47-63	0	3.28	18.5	54.76	3	60950-1	20B	2	1
				5.07	38.0	180.88	3				
				5.12	7.6	37.47	3				
				11.9	84.0	843.0	3				
DPS-750VB XX(H2)	100-127 V, 200-240ac	50-60	0	12.29	74	889.48	3	60950-1 2nd	20B	2	1
				5.14	4.3	21.29	3				
DPS-755AB(X)(X)(111)	-43-57dc	-	4	5.1	22.5	112	3	60950	-	0	-
				5	7.9	38	3				
				3.3	23	75	3				
				12.25	645	807	3				
DPS-75VB XX (where X can be 0-9, A-Z or blank)[*r]											
	100-240ac	50-60	0	+12Vdcdc	5.7A	-	3	60950-1	20B	0	1

				-12Vdcdc	0.5A	-	3				
DPS-770AB XX(H2)	100-127; 200-240ac	50-60	0	11.98	73	827.82	3	60950-1	20B	0	1
DPS-770AB-1 XX, DPS-770GB XX, DPS-770GB-1 XX (X=0-9, A-Z or Blank)											
	100-127, 200-240ac	50-60	0	12.1dc	72.0	847	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				5.2dc	5.7	27.8	3				
DPS-770CB XX(")	100-127; 200-240ac	50-60	0	5.15	6	29.94	3	60950-1 2nd	20B	0	1
				12.36	69	831.45	3				
DPS-770EB XX (X = 0-9, A-Z or blank)[*r]											
	-40.5 - 57dc	-	0	+12Vdc	62.5	750	3	60950-1	N/A	0	1
				+5VSBdc	4	20	3				
DPS-770FB XX(X Can be 0-9,A-Z or blank)											
	100-127, 200-240ac	50-60	0	12.12dc	73.32	864.38	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.13dc	3.28	38.91	3				
DPS-775AB (X)(X)	100-240ac	50-60	0	12.5	78.3	919	3	60950-1	20B	0	1
				4.98	0.8	3.13	3				
DPS-78AB (X)(X)	100-120/200-240ac	47-63	0	5.7	21.7	86.7	0	1950	20B	0	1
				13.7	8.3	25.6	0				
				3.4	13	76	0				
				5	3.9	12.6	0				
DPS-800AB-1 XX, DPS-800AB-15 XX, DPS-800AB-16 XX (Where X can be any alphanumeric character or blank)											
	100-240ac	47/63	0	12.47dc	74.33	860.18	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.15dc	2.88	33.98	3				
DPS-800AB-1 XX, DPS-800AB-16 XX, DPS-800AB-25 XX, DPS-800AB-23 XX (Where X can be any alphanumeric character or blank)											
	100-240ac	47/63	0	12.47dc	74.33	860.18	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.15dc	2.88	33.98	3				
DPS-800AB-12 XX (X can be 0-9,A-Z or blank)											
	200-240Vac	50/60	0	3.35 (+3.3V)dc	23	67.4	3	60950-1, 2nd Ed + AM2	20B	2, 6	1
				5.08 (+5V)dc	31	144	3				
				12.1 (+12V)dc	71	802	3				
				5.1 (+5VSB)dc	5	24.3	3				
DPS-800AB-14 XX, DPS-800AB-36 XX(X can be 0-9,A-Z or blank)											
	-48 - -60dc	-	3	+12Vdc	73.8	874.53	3	60950-1, 2nd Ed+AM1+AM2	-	0	0
				+12VSBdc	3.2	36.84	3				
DPS-800AB-17 XX (X can be 0-9,A-Z or blank)											
	240-336Vdc	-	0	12.5dc	73	861	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.2dc	3.2	37.8	3				
DPS-800AB-19 XX, DPS-800AB-24 XX (X can be 0-9, A-Z or blank)											
	-48 - -60Vdc	-	0	12.17dc	76.5	901.8	3	60950-1, 2nd Ed + AM1	20B	0	1
				12.07dc	2.9	33.9	3				
DPS-800AB-2 XX	200-240ac	47-63	0	12dc	65	-	3	60950-1, 2nd Ed + AM1	20B	0	1
				12dc	2	-	3				
DPS-800AB-27 XX (X7)	100-240Vac	50-60	0	5.08dc	3.88	18.62	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1

				-12.38	1.3	14.76	3						
DPS-800GB-1 XX, DPS-800GB-2 XX, DPS-800GB-3 XX, DPS-800GB-4 XX (m)													
	100-240ac	47-63	3	12.3	79.5	959	3	60950-1 2nd	20B	0	1		
				5.1	7.5	36.1	3						
DPS-800GB-4 XX with RPS-800-7 XX(m)													
	100-240ac	47-63	3	5.15	34.09	133.97	3	60950-1 2nd	20B	0	1		
				3.36	27	69.66	3						
				12.25	70.15	806.73	3						
				5.13	7.2	30.62	3						
DPS-800GB-5 XX(m)	100-240ac	47-63	0	12.3	79.5	959	3	60950-1 2nd	20B	0	1		
				5.1	7.5	36.1	3						
DPS-800NB XX(^), DPS-450SB XX(^), DPS-800QB XX(^), DPS-750XB XX(^), DPS-450UB XX(^) assembled with a DC to DC converter accessory AC-096 XX													
	100-127Vac, 200-240V	47-63	0	12.14dc	17.0	198.05	3	60950-1	20B	2, 6	1		
				12.14dc	17.0	198.05	3						
				12.14dc	17.0	198.90	3						
				12.14dc	17.0	198.90	3						
				12.14dc	11.5	136.51	3						
				12.14dc	18.8	218.27	3						
				12.11dc	2.5	29.57	3						
DPS-800NB XX(^), DPS-800QB XX(^), DPS-750XB XX(^)													
	100-127Vac, 200-240V	47-63	0	12.16dc	71.5	857.28	3	60950-1	20B	2, 6	1		
				12.11dc	2.5	29.57	3						
DPS-800PB XX(m)	-40.5V - -57Vdc	-	0	12.8dc	73	895	3	60950-1 2nd	60950-1 2nd	0	1		
				5.32dc	6.6	33.9	3						
DPS-800RB XX, DPS-800AB-18 XX (Where X can be any alphanumeric or blank.)[*r]													
	100-127 / 200-240ac	47-63	0	+12Vdc	65	780	3	60950-1	20B	0	1		
				+12VSBdc	3	36	3						
DPS-800TB XX (X can be 0-9, A-Z or blank, for marking purpose only, and not safety related)[*r]													
	-40.5 - -60dc	-	3	+12V	65	780	3	60950-1	-	0	1		
				+12VSB	2	24	3						
DPS-800UB XX (Where X can be any alphanumeric or blank.)[*r]													
	100-127/200-240ac	47-63	0	+12Vdc	65	780	3	60950-1	20B	0	1		
				+12VSBdc	2	24	3						
DPS-80AB (X)(X)	100-240ac	47-63	0	-	-	-	-	60950-1	20B	0	1		
DPS-80AP-1 XX, DPS-80AP-3 XX (X=0-9, A-Z or blank)													
	100-240Vac	50-60	0	55.83 (+56V)dc	3.23	144.90	3	60950-1, 2nd Ed + AM1	20B	0	0		
DPS-80AP-2 XX (X=0-9, A-Z or blank)													
	100-240Vac	50-60	0	53.43dc	3.54	150.90	3	60950-1, 2nd Ed + AM1	20B	0	0		
DPS-80MP (X)(X)	100-240ac	47-63	0	-	20	100	3	60950-1	20B	0	1		
				-	16	53	3						
				-	3	36	3						
				-	0.5	6	3						
DPS-80PB-10 XX (X Can be 0-9, A-Z or blank)[*r]													
	100-240ac	47-63	0	+5Vdc	5	25	3	60950-1, 2nd Ed + AM1	20B	0	1		

				+12Vdc	3	36	3				
				+3.3Vdc	3	9.9	3				
				+5VSBdc	0.6	3	3				
DPS-82AP XX(H2)	100-127, 200-240ac	47-63	0	3.36	3.6	11.3	3	60950-1	20B	0	1
				5.23	9.2	40.85	3				
				13.56	8.5	106.85	3				
DPS-84BP(X)(X)	100-240ac	47-63	0	5.02	3.4	16.1	3	1950	20B	0	0
				15.83	3.9	56.9	3				
				38.9	4	151.3	3				
				-15.69	4.4	32.3	3				
DPS-850AB-1 XX (&)	100-127V, 200-240V; 118Vac	50-60; 400	0	12.1035dc	19.471	212.64	3	60950-1, 2nd Ed + AM1	20B	0	1
				11.9115dc	1.4006	15.216	3				
				5.2455dc	15.180	66.02	3				
DPS-850AB-4 XX (X = 0-9, A-Z or blank)											
	100-127; 200-240ac	47-63	0	12.11dc	79.88	920.2	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.28dc	3.49	39.79	3				
DPS-850CB XX(m), PWS-865-PQ											
	100-240ac	50-60	0	3.3	39.3	92.3	3	60950-1 2nd	20B	0	0
				5	38.8	173.8	3				
				12	91.1	1084.5	3				
				-12	2.5	23.5	3				
				5	8.6	38.4	3				
DPS-850FB XX(m)	100-127/ 200-240ac	50/60	0	12.337	73	868.77	3	60950-1 2nd	20B	2	1
				3.39	30	54.6	3				
DPS-850GB XX (")	100-127V, 200-240V or 118V	-	0	11.9dc	19.1	227.2	3	60950-1	20B	0	1
				11.8dc	19.2	226.5	3				
				11.8dc	19.1	225.3	3				
				11.8dc	19.2	226.5	3				
				11.8dc	19.2	226.5	3				
				11.8dc	19.3	227.7	3				
				11.8dc	19.5	230.1	3				
				11.8dc	19.3	227.7	3				
				11.8dc	19.3	227.7	3				
				12.0dc	0.15	1.8	3				
DPS-85LB (X)(X)	100-127/200-240ac	47-63	0	47.85	2.77	132.75	3	1950	20B	0	0
				5.09	1.39	4.11	3				
				5.2	24	103	3				
				3.54	21	58	3				
				12.2	10.7	109	3				
				5	0.8	2	3				
				5	0.8	2	3				
				-5.1	0.7	2	3				
				-12.1	5.7	54	3				
DPS-87DB(30)(sb)[*r]	100-120/200-240ac	47-63	0	5	10	-	0	1950	20B	0	0
				3.3	6	-	0				

				12	2	-	0				
				5	2	-	0				
DPS-87FB (X)(X)	100-120/200-240ac	47-63	0	5.2	16.7	80	3	1950	20B	0	1
				3.3	13.3	32	3				
				12.3	5.4	62	3				
				12.1	2.2	26	3				
				5	0.07	0.3	3				
				12.2	2.6	29	3				
				15.1	3.5	51	3				
				5	2	8	3				
DPS-88AB-(X)(X), DPS-88AB-1, DPS-95GB (X)(X)											
	115/230ac	49-61	0	5.3	25	115	3	1950	20B	0	1
				12.5	11	99	3				
				3.3	13	33	3				
				-12.8	2	11	3				
				5.1	2	5	3				
DPS-88AB-2(X)(X)	100-127/200-240ac	45-66	0	12	29.8	128	3	1950	20B	2,6	1
				3.4	19	40.5	3				
				12.5	9.6	106.6	3				
				-12.5	2.9	30	3				
				5	5.2	15.1	3				
DPS-88AB-2BX(b)(14)[*r]	100-127/200-240ac	47-63	0	5	11.5	-	3	1950	20B	2,6	1
				3.3	8	-	3				
				12	2.5	-	3				
				-12	0.3	-	3				
				5	2	-	3				
DPS-900BB XX(m)	100-127/ 200-240ac	50-60	0	12.1	62	738.42	3	60950-1 2nd	20B	2,6	1
				5.05	7	31.92	3				
				12.12	43.42	518.87	3				
				12.09	8	93.44	3				
				5.09	7	31.29	3				
DPS-900BB-1 XX (m)	100-127, 200-240ac	50-60	0	5.12	17	56.44	3	60950-1 2nd	20B	2	1
				5.12	17	52.53	3				
DPS-900CB XX(\$-)\$	100-127, 200-240ac	47-63	3	12.2dc	73.8	-	3	60950-1	20B	0	1
				12dc	2.5	-	3				
DPS-900DB XX (&)	100-127Vac, 200-240Vac / optional 240Vdc	47-63/--	0/6	12.2 (+12.2V)dc	78.52	913.2	3	60950-1, 2nd Ed + AM1	20B	2,6	1
				12.0 (+12Vaux)dc	3.91	46.41	3				
DPS-90AB(X)(X), NPS-90AB BX(b)											
	100-120/200-240ac	50-60	0	5.6	32	130	3	1950	20B	0	1
				12.9	7.5	87	3				
				3.3	24	66	3				
				5.1	1.3	0.6	3				
				-12.7	3.8	45	3				
DPS-90AB-1 XX(%4)	100-240Vac	47-63	0	12.1dc	11.23	132.63	3	60950-1, 2nd	20B	0	1

								Ed + AM1			
				56.1dc	2.71	131.03	3				
DPS-90BB (X)(X), NPS-90BB BX(b), DPS-90BB CX(c), DPS-90AB-1(X)(X)											
	100-120/200-240ac	50-60	0	5.6	32	130	3	1950	20B	0	1
				12.9	7.5	87	3				
				3.3	24	66	3				
				5.1	1.3	0.6	3				
				-12.7	3.8	45	3				
DPS-920AB XX (X=0-9, A-Z or blank)											
	100-240Vac	50-60	0	54.5dc	20.4	1011	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
DPS-950AB XX (X=0-9, A-Z or blank)											
	200-240Vac	50/60	0	3.3570 (+3.3V)dc	21.420	61.32	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1
				5.0415 (+5V)dc	32.715	143.65	3				
				12.119 (+12V1~5)dc	23.550	276.66	3				
				-12.331 (-12V)dc	2.206	17.52	3				
				5.039 (5Vsb)dc	4.288	20.63	3				
DPS-95EB (X)(X), DPS-95EB-1 (X)(X), DPS-95EB-2 (X)(X), DPS-145PB-80 (X)(X), DPS-145PB-82 (X)(X), DPS-145PB-82 B(X), DPS-145PB-87 (X)(X), DPS-145PB-87 A(X)											
	100-127/200-240ac	47-63	0	3.3	18.6	48	3	1950	20B	6, 2	1
				5.1	31.5	136	3				
				12.4	7.5	72	3				
				-12.7	3.9	44	3				
				5.1	1.6	77	3				
DPS-96GP xx (")	115-230Vac	50-60	0	12dc	10.5	126	-	60950-1	20B	0	2
DPS-980AB XX(H2)	100-240ac	50-60	0	12.22	16.9	203.98	3	60950-1	20B	2	1
				12.22	16.8	202.78	3				
				12.22	17.7	213.11	3				
				12.22	16.3	196.58	3				
				12.22	18.6	223.76	3				
				12.23	15.5	187.24	3				
				5.13	8.5	41.65	3				
DPS-980BB XX(H2)	100-240ac	50-60	0	12.17	19.27	229.89	3	60950-1	20B	3, 7	1
				12.17	19.26	229.77	3				
				12.15	19.2	228.86	3				
				12.22	16.9	203.98	3				
				12.22	16.8	202.78	3				
				12.22	18.6	223.76	3				
				5.13	8.5	41.65	3				
DPS-980BB-1 XX, DPS-980BB-2 XX(")											
	100-240ac	50-60	0	12.18	89	1052.87	3	60950-1	20B	0	1
				5.1	7.3	35.55	3				
DPS-980CB XX(")	100-127, 200-240ac	50-60	0	12.1	82	977.44	3	60950-1	20B	2, 6	1
				5	0.8	3.92	3				
DPSN-100BP (X)(X)(29)	100-240ac	47-63	0	12.33	17.2	181.419	3	60950-1	20B	0	1
DPSN-100BP C(X)(79)	100-240ac	47-63	0	12	7.5	-	3	60950-1	20B	0	0
DPSN-100BP-2(X)(X)(31)	-18 to -36ac	-	0	12.4	18.1	196	3	1950	20B	0	0

DPSN-100CP EX(----)	100-240ac	47-63	0	-50.1dc	3.1	148	3	60950-1	20B	0	1
DPSN-100CP XX(~A)	100-240ac	47-63	0	-50.1dc	3.1	148	3	60950-1	20B	0	1
DPSN-100HP (X)(X)(88), DPSN-100BP GX[*r]											
	100-240ac	47-63	0	12	8.5	102	3	60950-1	20B	0	0
DPSN-100HP-1 (X)(X)(91)	-36 to -72dc	-	0	12.4	13.3	158	3	60950-1	-	0	0
DPSN-100HP-2 (X)(X)(31) [*r]	100-127/200-240ac	-	0	12.25	8.5	-	3	1950	20B	0	0
DPSN-100LP XX(H2)	100-240ac	50/60	0	12	16.1	153.9	3	60950-1	20B	2	1
DPSN-100MP XX(mm~), DPSN-100MP BX(m~), DPSN-100MP CX(m~), DPSN-100MP DX(m~)											
	100-240ac	47-63	0	12.6	18.9	175.8	3	60950-1	20B	0	0
DPSN-125BB XX	100-240ac	50/60	0	12.2	19.1	197	3	60950	20B	0	0
DPSN-125CP XX	100-240ac	50-60	0	12.1	15.2	182	3	60950	20B	0	1
DPSN-125DBXX (m)	100-240ac	50/60	0	12.4	16.2	165	3	60950-1	20B	0	1
DPSN-150BP LX (m); total 161W											
	100-240ac	47-63	0	12.1dc	17.8	174.24	3	60950-1	20B	0	0
DPSN-150BP MXX (\), DPSN-150BP LXX (\)											
	100-240ac	47-63	0	12.1	17.8	174.24	3	60950-1	20B	0	0
DPSN-150BP XXX (..~), DPSN-150BP QXX (\)											
	100-240ac	47-63	0	12.1	16.5	168	3	60950-1	20B	0	0
DPSN-150BP YX (m)(5), DPSN-150BP MX (m)(5), (Y=0-9, A-Z, except L and M)											
	100-240ac	47-63	0	12.1	16.5	168	3	60950-1	20B	0	0
DPSN-180AB XX (&)	-	-	-	-	-	-	-	-	-	-	-
DPSN-1900AB (X)(X)(53)	100-120/200-240ac	50-60	0	49.93	48.9	2402.46	3	1950	20B	0	0
				3.3	4.3	12.86	3				
				1.48	19.2	20.63	3				
DPSN-190AB-1 (X)(X)	-48~-60dc	-	0	5.17dc	23	116	3	60950-1	20B	0	2
				3.31dc	27.6	88	3				
				12.4dc	5	62	3				
				-12.7dc	5.2	66	3				
DPSN-20JP XX(m)	100-240Vac	47-63	0	12.214	4.67	39.62	3	60950-1	20B	0	1
DPSN-210AB XX (m)	100-240ac	50/60	0	12.2	18.3	222	3	60950-1	20B	0	1
DPSN-225CP GX (m)	100-240ac	47-63	0	14	4.5	58	3	60950-1	20B	0	1
				50	4.1	203	3				
DPSN-225CP XX (==)	100-240ac	47-63	0	14	5.28	55	3	60950	20B	0	0
				50.2	5.93	297	-				
DPSN-22AP XX (m)	100-127ac	47-63	0	2dc	13.8	8.6	3	60950-1	20B	0	1
				4.5dc	6	18	3				
				5dc	5.4	20.2	3				
				8.4dc	0.9	6.3	3				
				-5dc	0.9	3.3	3				
DPSN-235AP XX(m)	100-240ac	47-63	0	12.351	12.935	134.37	3	60950-1	20B	3	1
				51.12	4.83	196.31	3				
DPSN-265BB-1 XX (\$-\$)	-	-	-	-	-	-	-	-	-	-	-
DPSN-2800AB XX(^)	-48/-60dc	-	0	-60dc	65	3777.15	-	60950-1	20B	0	1
DPSN-300DB XX(m)	100-240ac	47-63	0	12.06	29.5	356	4	60950-1	20B	0	1
DPSN-300DB-1 XX(H2)	48Vdc	-	4	12.1	30.5	363	4	60950-1	20B	0	0
DPSN-30BP XX(m)	100-240ac	47-63	0	12.214dc	4.67	39.62	3	60950-1	20B	0	1
DPSN-30DP XX(m)	100-240ac	47-63	0	12.26	5.5	47.2	3	60950-1	20B	0	0
DPSN-350CB XX, DPSN-350CB AX(H2)											

	100-120, 100-240ac	50/60, 50-60	0	12.03	33.8	404.25	3	60950-1	20B	3	1
DPSN-350DB XX(0)	100-240ac	47-63	0	12.409	35	399.81	3	60950-1	20B	2	1
DPSN-35DP XX(m)	100-120ac	-	0	3.35	4.9	14.8	3	60950-1	20B	0	2
				5.27	3.7	17.8	3				
				4.93	0.15	0.6	3				
				12.16	4.41	45.45	3				
DPSN-35EP XX(H2), DPSN-35FP XX(H2)											
	100-240ac	50-60	0	55.6	1.25	64.5	3	60950-1	20B	0	1
DPSN-36AP (X)(X)	100-127ac	57-63	0	25.04	0.19	4.32	3	1950	20B	2,6	0
				9.32	1.7	15.23	3				
				5.64	1.98	9.5	3				
				4.12	4.15	12.2	3				
				-5.02	1.9	7.5	3				
DPSN-380AB AX(m)	100-240ac	50/60	0	12	8.8	91.2	3	60950-1	20B	0	1
				-55.9	19.9	1068.6	3				
DPSN-380AB BX(m)	100-240ac	50-60	0	12.13	11.5	115	3	60950-1	20B	0	1
				-50.63	7	353	3				
DPSN-38AP XX (m)	100-120ac	47-63	0	3.35	4.9	14.8	3	60950-1	20B	0	0
				5.08	3.45	17.25	3				
				4.93	0.15	0.6	3				
				12.16	4.41	45.45	3				
DPSN-400BB XX [1052-2]	100-240ac	50-60	0	5.1dc	30.8	155.2	3	60950-1, 1st Ed	20B	8	1
				-49dc	10.2	500	3				
DPSN-428AB AX, DPSN-428AB BX, DPSN-428AB CX											
	100-240ac	50-60	0	24.08dc	18	425.12	3	60950-1	20B	0	1
				24.08dc	19.51	456.76	-				
				3.49dc	5.29	18.21	-				
				5.11dc	4.66	23.48	-				
				5.11dc	4.65	23.18	-				
				11.96dc	5.17	60.93	-				
				11.96dc	5.21	61.03	-				
				3.36dc	0.86	2.34	-				
				11.82dc	5.27	61.29	-				
				110ac	1.6	-	-				
DPSN-428AB DX	100-127ac	50-60	0	23.684dc	19.42	450	3	60950-1	20B	0	1
				24.140dc	21.3	492	3				
				3.552dc	5.80	19.85	3				
				5.145dc	4.575	23.09	3				
				5.142dc	4.570	20.5	3				
				11.931dc	5.152	60.23	3				
				11.925dc	5.14	57.19	3				
				3.326dc	0.856	2.64	3				
				11.919dc	4.36	51.51	3				
DPSN-42BP XX(H2)	100-120ac	47-63	0	3.3	12	28.75	3	60950-1	20B	2,6	2
				5.02	9	36.69	3				
				5.1	0.19	0.94	3				
				12.3	3.6	43.42	3				

DPSN-45BP (X)(X)	100-240ac	47-63	0	14.944	2.3	26.678	3	60950	20B	0	0
				5.256	14.5	50.497	3				
				5.093	1.3	6.181	3				
				-12.108	1.3	15.021	3				
DPSN-465AB XX (X)	100-240ac	47-63	0	12.12	10.59	106.5	3	60950-1	20B	0	1
				50.01	10.1	502.5	3				
DPSN-470-AP CX (m)	100-240ac	47-63	0	48.68dc	13	627	3	60950-1	20B	0	1
DPSN-470AP BX (m), DPSN-470AP EX (m), DPSN-470AP FX (m)											
	100-240ac	47-63	0	12.13dc	24.7	269	3	60950-1	20B	0	1
				-48.35dc	12	576	3				
DPSN-470AP XX (m), DPSN-470AP DX (m)											
	100-240ac	47-63	0	-48.5	25.3	1211.9	3	60950-1	20B	0	1
				12	12.1	144	3				
DPSN-470BP AX (X=0-9, A-Z or blank); DPSN-470BP XX (1st X=0-9, B-Z or blank; 2nd X=0-9, A-Z or blank)											
	100-240Vac or -48Vdc	47-63	0	-48.2	25.2	1210	3	60950-1	20B	3	1
				12	12	143	3				
				12	34.5	310	3				
				12	63.2	332	3				
DPSN-500AB XX(H2) (a1894)[*r]	100-240ac or -48dc	60/50	0	85/72ac	-	24	4	60950-1, 2nd Ed+AM1	20B	0	1
				5ac	50	-	3				
				-48ac	7	-	3				
				-5ac	3	-	3				
				14ac	2.5	-	3				
DPSN-50EB XX (m)	100-240ac	50-60	0	5.2	12.2	52	3	60950-1	20B	2	1
				12.7	2.9	27	3				
				12.28	1.5	15	3				
DPSN-525AP HX (X=0-9, A-Z or blank)											
	100-240ac	50-60	0	12.1035dc	17.126	172	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				53.44dc	8.302	435	3				
DPSN-525AP XX(H2)	100-240ac	50-60	0	12.13	14.4	171.51	3	60950-1 2nd	20B	2, 6	0
				53.62	9.9	525.8	3				
DPSN-550AP XX(~~), DPSN-550AP CX(m)											
	100-240ac	50-60	0	50.8dc	11.8	585	4	60950-1 2nd	20B	0	2
				12.1dc	16	180	3				
DPSN-570AB (X)(X), DPSN-570AP XX											
	100-240ac	50/60	0	12.2dc	18.3	221.4	-	60950-1	20B	0	1
				-50dc	11.1	483.1	-				
DPSN-585AB XX(H2)	100-240ac	50-60	0	12.4	19	235.6	3	60950-1	20B	2, 6	1
				-50.2	9.2	460	3				
DPSN-600AB CX (m), DPSN-600AB DX (m), DPSN-600AB EX (m), DPSN-600AB-1 XX (m)											
	100-240ac	47-63	0	54.12dc	12.6	673.98	3	60950-1	20B	2,6	1
DPSN-600AB XX (sp), DPSN-600AB BX (m)											
	100-240Vac	47-63	0	48.1ac	14.5	698	3	60950-1	20B	2, 6	1
DPSN-60CP (~~)	100-240ac	50-60	0	12.1dc	10.5	82.1	3	60950-1	20B	0	1
DPSN-60CP CX(m)	100-240ac	50-60	0	12	10.8	83	3	60950-1	20B	0	1

DPSN-60DB (X)(X)	100-240ac	47-63	0	5.03	2.06	7	3	60950	20B	0	1
				3.9	3.29	8.78	3				
				2.82	4.39	5.12	3				
				30.32	3.82	5.8	3				
				2.32	4.81	5.11	3				
DPSN-66BP XX (m)(af)	100-240ac	50-60	0	12.2	12.8	119	3	60950-1	20B	0	1
				12.2	11.1	94	3				
				12.5	23.8	194	3				
DPSN-747AB XX(H2)	100-240ac	50-60	0	12.89	28.9	349.7	3	60950-1	20B	0	2
				52.94	11	569.8	3				
DPSN-75AP XX	100-240ac	47-63	0	12.01	9.6	100	3	60950	20B	0	0
DPSN-80BP (X)(X)	100-240ac	50-60	0	24.02	4.33	103.51	3	60950-1	20B	0	0
DPSN-80DP XX (\$-\$)	100-240ac	50-60	3	55.03dc	2.04	112.60	0	60950-1	20B	0	1
DPSN-90AL XX(m)	-40V- -72Vdc	-	6	11.88	10.44	95.95	3	60950-1	20B	5	0
DPST-1000DB XX(m~)	100-240ac	47-63	0	54.0dc	23	1239	3	60950-1, 2nd Ed+AM1+AM2	30B	2, 6	1
DPST-1000EB XX(H2)	100-240ac	47-63	0	53/54dc	25/25	1325/1350	3	60950-1	30B	0	1
DPST-1200AB X(0)	100-250ac	50/60	0	52.02dc	31	1275	3	60950-1	20B	0	1
DPST-1225AB XX	100-240ac	50-60	0	12.8	44	463	3	60950-1	20B	0	1
				-52.8	21.7	1113	3				
DPST-1225AB XX(m~), DPST-1150AB XX(m~)											
	100-240ac	50-60	0	12.8	44	463	3	60950-1	20B	0	1
				-52.8	21.7	1113	3				
DPST-2100AB XX(H2)	-40 to -72 Vdc	-	6	55.9dc	50.3	2686	3	60950-1	100B	0	0
DPST-2400AB X (X)	200-240/100-120ac	50-60	0	54.3	49.9	2655	3	60950-1	20B	0	0
				54.3	26.1	1381	3				
DPST-2500CB XX(H2)	100-120, 200-240ac	50/60	0	55dc	59.5	3123.75	3	60950-1	20B	0	1
DPST-3000BB XX(H2)	200-240ac	50-60	0	53.53dc	66.4	3309	3	60950-1	20B	0	2
DPST-5000AB XX (F1)	100-120/ 200-240Vac	50/60	0	55.9dc	112	5980	3	60950-1	20B	2, 6	1
DPST-6000AB X (X)	100-120/200-240ac	50/60	0	42dc	162	6690	3	60950-1, 2nd Ed + AM1	20B	2, 6	1
				12dc	20.5	239	3				
				3.3dc	32	104	3				
				42dc	84	3494	3				
DPST-6000BB X (X)	100-120, 200-240ac	50/60	0	49.8dc	144	7171	3	60950-1, 2nd Ed + AM1	20B	0	1
				3.29dc	13.3	43.8	3				
				1.47dc	19.4	28.5	3				
DPST-900AL XX(H2)	100-240ac	47-63	0	12.9dc	11.1	123	3	60950-1	20B	0	1
				54.6dc	19.1	863	3				
DRC-12V100W1A	100-240Vac	50-60	0	11.991dc	8.326	98.12	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2
DRC-12V10W1A	100-240Vac	50-60	0	11.96dc	1.33	15.73	1, 3	60950-1, 2nd Ed + AM1	20B	0	2
DRC-12V30W1A	100-240Vac	50-60	0	14.22dc	3.26	45.4	1, 3	60950-1, 2nd Ed + AM1	20B	1	0
DRC-12V60W1A	100-240ac	50-60	0	14.291dc	5.5	77.84	1, 3	60950-1, 2nd Ed + AM1	20B	0	2
DRC-24V100W1A	100-240Vac or 125-250Vdc	50-60 or N/A	0/6	23.9dc	5.865	93.45	1, 3	60950-1, 2nd Ed+AM1+AM2	20B	0	2
DRC-24V10W1A, DRC-24V10W1H, TGF110											

	100-240Vac	50-60	0	24.1dc	0.72	17.32	1,3	60950-1, 2nd Ed + AM1	20B	0	2
DRC-24V30W1A	100-240ac	50-60	0	28.984dc	2.043	58.34	1,3	60950-1, 2nd Ed + AM1	20B	0	1
DRC-24V60W1A	100-240ac	50-60	0	29.102dc	2.625	76.23	1,3	60950-1, 2nd Ed + AM1	20B	0	2
DRC-5V10W1A	100-240Vac	50-60	0	5.04dc	2.19	10.53	1,3	60950-1, 2nd Ed + AM1	20B	0	0
DRL-24V120W1X1X2X3 (Where X1, X2, X3 can be any alphanumeric character or blank), TIPS-120W24V1MA											
	100-240Vac	50-60	0	28.42dc	5.91	167.95	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DRL-24V240W1X1X2X3 (Where X1, X2, X3 can be any alphanumeric character or blank), TIPS-240W24V1MA											
	100-240Vac	50-60	0	24.61dc	12.37	296.26	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DRL-24V480W1X1X2 (Where X1, X2 can be any alphanumeric character or blank), TIPS-480W24V1MA (SWITCHING POWER SUPPLY)											
	100-240Vac	50-60	0	24.02dc	22.67	531.61	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DRL-48V120W1X1X2X3 (Where X1, X2, X3 can be any alphanumeric character or blank), TIPS-120W48V1MA											
	100-240Vac	50-60	0	57.14dc	3.00	171.43	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
DRS-24V30W1A	100-240Vac	50-60	0	24dc	1.546	41.88	3	60950-1, 2nd Ed + AM1	20B	0	1
DSP-200QB (X)(X)	100-120/200-240ac	47-66	0	5	22	200	3	1950	20B	0	1
				12	3.5	-	3				
				-12	0.5	-	3				
				3.3	32	-	3				
				5	0.1	-	3				
DTPS-150AB (X)(X)(sb), DPS-150AB-1 (X)(X)(sb), DPS-120HB (X)(X)(sb), DPS-120HB-1 (X)(X)(X)(sb)											
	100-240ac	45-66	0	5	16	92.4	3	1950	20B	0	1
				3.3	10	34.2	3				
				12	5	108	3				
				-12	0.3	2.4	3				
				-5	0.1	10.7	3				
				5	0.3	3.7	3				
DUF4820B	38-65dc	-	3	5	0.7	2	3	1950	-	0	0
				9	3	26	3				
				-5	0.4	0.5	3				
				-35.2	2.5	24	3				
				-69	1	2.5	3				
DUS1266A (X)(X)	10.8-12.6dc	-	3	3.6	26.5	93	3	60950	-	0	-
EA-450 GREEN V2, EA-430 GREEN V, GPS-450DB XX (where x can be 0-9, A-Z or blank).[*r]											
	100-240ac	47-63	0	+3.3Vdc	18	59.4	3	60950-1, 2nd Ed + AM1	20B	0	1
				+5Vdc	18	90	3				
				+12V1dc	20	240	3				
				+12V2dc	20	240	3				
				-12Vdc	0.3	3.6	3				
				+5VSBdc	2.5	12.5	3				
EADP-102AF B	100-240ac	50-60	0	5.09	4.6	21.9	3	60950-1	20B	0	1
				13.06	10.3	76.8	3				
				18.6	7	100	3				
EADP-102BF A, EADP-102BF CX and EADP-102BF DX											
	-36- -72dc	-	4	12.74	17.5	142.56	3	60950-1	20B	3	0

EADP-152CF A	100-127, 220-240ac	50-60	0	5.18	8.5	34.4	3	60950-1	20B	0	0
				25.8	8.7	216	3				
EADP-15BF A	100-240ac	50-60	0	5.03	4.6	15.78	3	60950-1	20B	5	2
EADP-17AF A	100-240Vac	50-60	0	15.27	3.6	32.8	3	60950-1	20B	0	2
EADP-185AB	100-240ac	50/60	0	12.1dc	23.5	273	3	60950-1	20B	0	2
				5.48dc	1.50	7.85	3				
EADP-200BF XX (kk)	100-240ac	50-60	0	12.22dc	19.2	231.55	3	60950-1	20B	0	1
EADP-220BB	100-240ac	50/60	0	12.14dc	28	319.8	3	60950-1	20B	0	2
				5.51dc	1.0	5.4	3				
EADP-245AB B	100-127, 200-240ac	50/60	0	5.18	8.9	44.77	3	60950-1	20B	3	1
				26.15	8.6	219.39	3				
EADP-260AB	100-240ac	50/60	0	12.2dc	31.4	366.3	3	60950-1	20B	0	2
				5.1dc	1	4.9	3				
EADP-260BB	100-240ac	50/60	0	12.14dc	29	336.4	3	60950-1	20B	0	2
				5.49dc	1	5.35	3				
EADP-30AF B	100-240ac	50-60	0	5.3	8	33.7	3	60950-1	20B	2	1
EADP-39BF B	100-240ac	50-60	0	12.27	3.5	42.32	3	60950-1	20B	2	1
EADP-3AF A	25Vdc	-	3	-	-	-	4	60950-1	-	0	0
EADP-43AF A	100-240ac	50-60	0	14dc	3.61	43.93	3	60950-1	20B	0	1
				5.28dc	3.22	16.07	3				
EADP-45AF B	100-240ac	50-60	0	15.1	1.8	20.7	3	60950-1	20B	0	2
				5.4	5.5	24.8	3				
EADP-45FF B	100-240ac	50-60	0	5.2	3	49.4	3	60950-1	20B	2	1
EADP-58BF A	100-240ac	50/60	0	13.23dc	3.8	45.98	-	60950-1	20B	0	1
				19.75dc	3.49	59.82	-				
EADP-59AF B	100-240ac	50-60	0	12.2	2.1	24.1	3	60950-1	20B	0	0
				5.4	7.9	33.5	3				
EADP-64AF B, EADP-64BF B	100-240ac	50-60	0	13.3	6.8	74.1	3	60950-1	20B	0	1
				20.6	6.4	89.3	3				
EADP-64CF B	100-240ac	50-60	0	13.3	6.8	74.1	3	60950-1	20B	2	1
				20.6	6.4	89.3	3				
ECP-250RC A, ECP-250RCN A, ECP-300CTF B and ECP-300CTFN B											
	115/ 230ac	47-63	0	5.2	23.4	111.4	3	60950-1	20B	0	1
				3.4	24.6	68.9	3				
				12.9	15.5	188.6	3				
				13.2	15.2	188.6	3				
				-12.1	1.5	33.5	3				
				5.1	3.5	17.3	3				
ECP-400RC A, ECP-400RC B, ECP-450CATX B, ATX-450Y, A-40GA, GPS-400BB-1 xx, GPS-400BB xx(m)											
	110-240 or 110-120, 220-240ac	50-60	0	5.23	23.49	106.6	3	60950-1	20B	2	1
				3.36	31.86	68.4	3				
				12.37	17.84	209.3	3				
				13.36	19.01	229.8	3				
				-12.39	7.06	46.9	3				
				5.12	4.39	20.6	3				
EDPS-1000AB XX (^)(100-127V)											
	100-127Vac	50-60	0	54.3dc	16.4	889	3	60950-1	20B	2,6	1

				12.0dc	4.18	49.3	3				
EDPS-1000AB XX (^)(200-240V)											
	200-240Vac	50-60	0	54.3dc	23.0	1333	3	60950-1	20B	2,6	1
				12.0dc	4.18	49.3	3				
EDPS-1100AB XX (F1), DPS-1100AB-11 XX (F1)											
	115-240Vac	50-60	0	56.1dc	23.0	1283	3	60950-1	20B	0	1
EDPS-135AF XX, EDPS-135AB BX, DPS-135AP-1 XX (")											
	100-240ac	50-60	0	12.28dc	14.9	157	3	60950-1 2nd	20B	5	1
EDPS-150AF XX(")	100-240ac	50-60	0	53.8	3.81	203	3	60950-1 2nd	20B	0	0
EDPS-1560AB XX (&)[*r]	110-127, 200-240	-	0	12Vdc	50	-	3	60950-1	20B	0	1
				-54dc	6 or 18	-	3				
EDPS-165AF XX(")	100-240ac	50-60	0	12.03	5.4	53.01	3	60950-1 2nd	20B	2,6	1
				48.08	4.4	167.16	3				
EDPS-165BF XX(")	100-240ac	50-60	0	-54.5dc	4.4	190.4	3	60950-1	20B	2,6	1
				12.03dc	5.4	53.01	3				
EDPS-172AB AX (1@)	-	-	-	-	-	-	-	-	-	-	-
EDPS-172AB AX (X=A-Z, 0-9)											
	100-127V, 220-240Vac	50-60	0	25dc	8.1	201.85	3	60950-1, 2nd Ed + AM1	20B	0	1
				6.5dc	8.4	53.26	3				
EDPS-172BB AA	100-127 or 220-240ac	50-60	0	25.17dc	8.4	207.23	3	60950-1, 2nd Ed + AM1	20B	0	--
				6.54dc	8.2	49.69	3				
				100-127 or 220-240ac	-	828	5				
EDPS-172BB AX (X = B-Z, 0-9, or blank)											
	100-127 or 220-240ac	50-60	0	25.17dc	8.4	207.23	3	60950-1, 2nd Ed + AM1	20B	0	--
				6.54dc	8.2	49.69	3				
				100-127 or 220-240ac	-	828	5				
EDPS-172CB xx (x can be 0-9, A-Z or blank)											
	-	-	-	-	-	-	-	-	-	-	-
EDPS-180AF XX (^)	100-240ac	50-60	0	12.33dc	19.7	229.5	3	60950-1	20B	0	0
EDPS-1BF A[*r]	25dc	-	4	500dc	150 u	-	--	60950-1 2nd	--	0	--
				-735dc	10 u	-	--				
				-1909dc	130 u	-	--				
				-1035dc	30 u	-	--				
				-300dc	100 u	-	--				
EDPS-215AB XX (0)	100-240ac	50-60	0	12.02dc	21.8	248.392	3	60950-1 2nd	20B	3	1
EDPS-22AF XX(m)	100-240 Vac	47-63	0	12.29dc	3.3	25.32	3	60950-1	20B	2	1
EDPS-240AB XX(m)	100-240ac	50-60	0	24.9	21.1	522	3	60950-1 2nd	20B	0	1
EDPS-250AB XX(")	100-240ac	50/60	0	12.12	20.9	212.0	3	60950-1 2nd	20B	0	2
				5.14	10.8	43.5	3				
				3.27	7.7	15.7	3				
				12.27	0.9	9.74	3				
				5.08	2.5	11.7	3				
EDPS-250AF XX(0)	100-240ac	47-63	0	13.78	7.2	67.15	3	60950-1 2nd	20B	2	1
				49.94	6.0	298.86	3				
EDPS-250BF XX(0)	100-240ac	47-63	0	53.85	6	319.86	3	60950-1 2nd	20B	2	1

				13.78	7.2	67.15	3				
EDPS-250CF XX(")	100-240ac	47-63	0	12.3dc	5.3	62.8	3	60950-1	20	0	0
				54.4dc	5.7	308.9	3				
EDPS-291AB xx (H9)	100-240ac	47-63	0	-	9.824	241.4	3	60950-1	20B	0	0
				-	20.39	99.1	3				
EDPS-300AB CX (ab)	100-240Vac	50/60	0	11.99dc	33	385.11	3	60950-1 2nd	20B	5	1
				3.39dc	6.2	18.724	3				
EDPS-300AB XX(ah), DXS-PWR300AC											
	100-240ac	50/60	0	+11.99dc	33	385.11	3	60950-1 2nd	20B	5	1
				+3.39dc	6.2	18.724	3				
EDPS-300BB XX (where X can be any alphanumeric or blank), DXS-PWR300DC											
	-40 - -70dc	-	4	12dc	29	328	3	60950-1	20B	0	1
				3.4dc	3.75	11.6	3				
EDPS-300EB xx [zz]	100-240ac	50/60	3	23.81dc	13.5	309.2	0	60950-1	20B	8	0
EDPS-350CB XX(&), DPS-350AB-36 XX(&)											
	100-240ac	50-60	0	56dc	6.8	380	3	60950-1 2nd	20B	0	1
EDPS-350DB XX (&)	100-240ac	50/60	0	+3.3dc	17	48	2	60950-1 2nd	20B	0	1
				+5.2dc	18	53.1	2				
				+12VAdc	12.3	16	2				
				+12VBdc	11.9	17	2				
				12.1dc	1.1	11.3	2				
				23.7dc	8	182	2				
EDPS-400AB XX where X may be any alphanumeric or blank											
	100-240ac	50-60	0	11.88dc	40.32	476	3	60950-1, 2nd Ed+AM1+AM2	20B	4	1
				11.46dc	3.32	38.09	3				
EDPS-400BB XX (where XX can be any alphanumeric character or blank)											
	-48 to -60dc	-	3	12.02dc	43.058	515.84	3	60950-1	-	0	-
				12.18dc	0.85	9.84	3				
EDPS-501AF AX, EDPS-501AF BX, EDPS-501AF CX(X)											
	100-240ac	47-63	0	12.09	9.5	112.67	3	60950-1 2nd	20B	2,6	1
				54.03	11	589.38	3				
EDPS-585AB XX(\$-¢)*r]	100-240ac	50-60	0	12dc	19	222	3	60950-1	20B	2,6	1
				-54.9dc	10.4	522	3				
EDPS-600ABXX	-	-	0	12.41	13	142	3	60950-1	20B	0	1
				49.17	13	614	3				
EDPS-60AF B	100-240Vac	50-60	0	13.1 (12V)dc	8.9	84.4	3	60950-1, 2nd Ed + AM1	20B	0	0
EDPS-60AF XX(H2)	100-240ac	50-60	0	13.12	8.90	84.84	3	60950-1 2nd	20B	2	1
EDPS-60BF AB[*r]	-36V to -72Vdc	-	6	12.27	8.5	85.54	3	60950-1	20B	0	1
EDPS-60BF XX(H5)	-36V to -72Vdc	-	6	12.27	8.5	85.54	3	60950-1	20B	0	1
EDPS-620AB XX (^)	100-240Vac	50-60	0	12.0dc	20.7	238	3	60950-1 2nd	20B	2,6	1
				54.1dc	10.5	567	3				
EDPS-645AB XX(")	100-240ac	47-63	0	12.496	39.5	444.3	3	60950-1	20B	2,6	1
				52.88	5.8	302.12	3				
EDPS-645BB XX(")	-48V to -60Vdc	-	3	12.55	37.5	425.25	3	60950-1 2nd	-	0	0
				-52.99	5.9	307.57	3				
EDPS-69BB A	100-127ac	47-63	0	-	7.1	161.59	3	60950-1	20B	0	0

				-	6.3	29.42	3				
EDPS-69BB C	200-240ac	47-63	0	-	6.9	154.91	3	60950-1	20B	0	0
				-	6.2	27.03	3				
EDPS-715AB XX(")	100-240ac	50-60	0	-56.0	14.2	788	3	60950-1 2nd	20B	2	1
EDPS-915AF XX(H2)	100-240ac	50-60	0	12	14.4	170	3	60950-1 2nd	20B	2	1
				-53	20.8	1100	3				
EDPS-92BB A	100-127ac	47-63	0	-	8.824	196.24	3	60950-1	20B	0	0
				-	6.214	24.56	3				
EDPS-92BB C	200-240ac	47-63	0	-	8.490	190.13	3	60950-1	20B	0	0
				-	6.521	25.94	3				
ESR-48/40A XX(H2)	100-164, 220-240ac	50-60	0	54	41.1	2055	3	60950-1	20B	0	1
GPS-1000AB XX (H2), G-1000HA, CFT-1000A-14B, GPS-1000AB A, ECP-1000AAB A, GPS-1000AB BX(H2)											
	100-240ac	47-63	0	5.25	35.7	168.5	3	60950-1	20B	0	1
				3.48	33.7	103.46	3				
				-12.14	1.4	14.03	3				
				12.62	24.3	295.97	3				
				5.11	10.5	49.77	3				
GPS-200AB XX (m)	100-240ac	47-63	0	3.3dc	26	73	3	60950-1 2nd	20B	2	0
				5.6dc	28	122	3				
				12.5dc	19	216	3				
				5.1dc	4.93	19.2	3				
				12.1dc	1.8	18.4	3				
GPS-200CB XX (m)	100-240ac	47-63	0	3.3dc	26	73	3	60950-1 2nd	20B	2	0
				12.5dc	19	216	3				
				5.1dc	4.93	19.2	3				
				12.1dc	1.8	18.4	3				
				5.5dc	21.1	92.6	3				
GPS-200CC-1XX X, GPS-300CC-3XX X, GPS-200CD-1XX X, GPS-300CD-3XX X*											
	115/220-230ac	50-60	0	3.3	30.9	78	3	60950	20B	0	1
				5.2	48	210	3				
				14.8	19	224.4	3				
				14.2	3	28.8	3				
				5.1	3.5	16.7	3				
GPS-200CC-1XX X, GPS-300CC-3XX X, GPS-200CD-1XX X, GPS-300CD-3XX X+											
	115/220-230ac	50-60	0	3.3	25	65	3	60950	20B	0	1
				3.3	29.8	73	3				
				5.2	35	219	3				
				14.6	20	220	3				
				13.2	3.8	28	3				
				5.1	5.2	16.5	3				
GPS-200DB XX (X can be 0-9, A-Z or blank)											
	100-240ac	47-63	0	+3.3dc	26.0	73	3	60950-1	20B	0	1
				+5.6dc	28.0	122	3				
				+12.5dc	19.0	216	3				
				+5.1dc	4.93	19.2	3				
				-12.1dc	+1.8	18.4	3				
GPS-250CC-1XX X, GPS-300CC-2XX X, GPS-250CD-1XX X, GPS-300CD-2XX X*											
	115/220-230ac	50-60	0	3.3	34.2	81.2	3	60950	20B	0	1

				5.1	45.7	170.1	3				
				14.8	22.2	251	3				
				15.1	3.2	28.4	3				
				5.1	3.7	17.1	3				
GPS-250CC-1XX X, GPS-300CC-2XX X, GPS-250CD-1XX X, GPS-300CD-2XX X+											
	115/220-230ac	50-60	0	3.3	25	65	3	60950	20B	0	1
				5.2	26	106	3				
				13.7	19.3	218	3				
				13	4.7	43	3				
				5.1	5.2	15.8	3				
GPS-250CX-1XX X, GPS-300CX-2XX X*											
	115/220-230ac	50-60	0	4	40.5	95.7	3	60950	20B	0	1
				5.3	50.7	186.1	3				
				3.3	40.5	88	3				
				3.3	38	93.8	3				
				3.3	35	93.1	3				
				3.3	35	82	3				
				5.2	75	292	3				
				14.9	30	341	3				
				14.9	31.6	357	3				
				15	2.9	31.5	3				
				5.1	3.6	17.2	3				
GPS-250CX-1XX X, GPS-300CX-2XX X+											
	115/220-230ac	50-60	0	3.3	27	71	3	60950	20B	0	1
				5.4	25	100	3				
				14.3	19.8	200	3				
				14.3	17.5	185	3				
				12.3	4.9	36	3				
				5.1	5.2	16.6	3				
GPS-300AB Ax, GPS-300AB Bx, GPS-300AB Cx, GPS-300AB Dx, GE-C300P-Ax, GE-C300N-Ax, GE-C300P-Cx, GE-C300N-Cx											
	115, 230ac	50-60	0	3.35	32.4	85.1	3	60950-1 2nd	20B	0	1
				5.17	24.7	111.8	3				
				12.8	22.3	245.2	3				
				12.9	31.1	294.1	3				
				-12.67	7.76	55.3	3				
				5.13	4	17.4	3				
GPS-300AB-1 XX@7, ECP-300RCE A											
	100-127/ 220-24ac	60/50	0	3.42	31.34	80.9	3	60950-1 2nd	20B	2	1
				5.25	30.6	120	3				
				12.84	13.95	150	3				
				12.78	19.3	217.5	3				
				-12.53	5.51	48.6	3				
				5.04	5.09	24.3	3				
GPS-300CB Ax, GPS-350BB Ax(m)											
	115, 230ac	50-60	0	3.35	32.4	85.1	3	60950-1 2nd	20B	0	1
				5.17	24.7	111.8	3				
				12.8	22.3	245.2	3				
				12.9	31.1	294.1	3				

				-12.67	7.76	55.3	3						
				5.13	4	17.4	3						
GPS-300CC-1XX X, GPS-350CC-2XX X, GPS-300CD-1XX X, GPS-350CD-2XX X*													
	115/220-230ac	50-60	0	4	40.5	95.7	3	60950	20B	0	1		
				5.3	50.7	186.1	3						
				3.3	40.5	88	3						
				3.3	38	93.8	3						
				3.3	35	93.1	3						
				5.1	51	192.3	3						
				13.7	30	338.2	3						
				15.2	2.3	25.6	3						
				5.1	3.6	15.3	3						
GPS-300CC-1XX X, GPS-350CC-2XX X, GPS-300CD-1XX X, GPS-350CD-2XX X+													
	115/220-230ac	50-60	0	3.3	33	94	3	60950	20B	0	1		
				5.2	31.9	138	3						
				13.2	20.6	235	3						
				12.9	5.1	42	3						
				5.08	4.85	15	3						
GPS-300CX-1XX X, GPS-350CX-2XX X *													
	115/220-230ac	50-60	0	4	40.5	95.7	3	60950	20B	0	1		
				5.3	50.7	186.1	3						
				3.3	40.5	88	3						
				3.3	38	93.8	3						
				5.6	76	38	3						
				14.3	33	382	3						
				14.3	34	382	3						
				14.5	2.9	27	3						
				5.1	3.7	17	3						
GPS-300CX-1XX X, GPS-350CX-2XX X+													
	115/220-230ac	50-60	0	3.3	33	80.6	3	60950	20B	0	1		
				5.3	34.5	133	3						
				13.7	19.2	217	3						
				13.6	16.7	185	3						
				12.8	4.9	39	3						
				5.1	5	16	3						
GPS-300EA-1XXXX, GPS-300AA XX (m)													
	100-127, 200-240ac	47-63	0	5.1	19.8	87.7	3	60950-1	20B	4	1		
				12.1	17.4	197	3						
				12.1	18.3	198	3						
				3.4	25.3	75.4	3						
				-12	1.9	18.7	3						
				5	3.9	18.8	3						
GPS-300GB XX (where X=0-9, A-Z or blank)													
	-	-	-	-	-	-	-	-	-	-	-	-	-
GPS-300GB XX (where X=0-9, A-Z or blank)													
	100-127/200-240ac	47-63	0	3.37dc	19.56	60.44	3	60950-1	20B	0	1		
				5.25dc	21	98.07	3						
				13.37dc	15.9	187.14	3						

				13.19dc	18.04	211.79	3				
				5.11dc	4.85	23.57	3				
				13.05dc	1.32	14.11	3				
GPS-300HB XX(The X=0-9, A-Z, or BLANK)											
	100-120, 200-240ac	47-63	0	3.27dc	16.82	45.59	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.05dc	18.59	82.07	3				
				12.04dc	18.24	208.84	3				
				12.01dc	18.01	201.40	3				
				-12.49dc	0.77	8.45	3				
				5.03dc	6.41	28.54	3				
GPS-300JB XX (Where X=0-9, A-Z, or BLANK)											
	100-240ac	50-60	0	+5Vdc	13	65	3	60950-1	20B	0	1
				+3.3Vdc	10	33	3				
				+12V1dc	9	108	3				
				+12V2dc	17	204	3				
				+5Vauxdc	2	10	3				
				-12Vdc	0.3	3.6	3				
GPS-350AB AX, GPS-350AB BX, GPS-350AB CX, GPS-350AB DX, GPS-350AB Gx, GPS-350AB Hx, GPS-400AB AX, GPS-400AB BX, GPS-400AB CX, GPS-400AB DX, GE-C350P-Ax, GE-C350N-Ax, GE-C350P-Cx, GE-C350N Cx, GE-C400P-Ax, GE-C400N-Ax, GE-C400P-Cx, GE-C400N-Cx, HH-400EBEA, HH-400EBTA, HH-400UNEA, HH-450EBEA, HH-450EBTA, HH-450UNEA, Litepower 400NP, Litepower 400PP, ECP-400AB C, HH-400UNTA, HH-450UNTA, LN-350D, AGI-U350HH, GPS-350CB XX											
	115, 230ac	50-60	0	3.32	38	92	3	60950-1 2nd	20B	0	1
				5.2	48	192	3				
				13.19	31	312	3				
				13.21	31	312	3				
				-12.78	6	37	3				
				5.09	4	16	3				
GPS-350CC-1XX X, GPS-350CD-1XX X *											
	115/220-230ac	50-60	0	4	40.5	95.7	3	60950	20B	0	1
				5.3	50.7	186.1	3				
				3.3	40.5	88	3				
				5.2	46.4	177.8	3				
				14.9	32	337.6	3				
				15.2	2.9	61.7	3				
				5.1	3.6	16.8	3				
GPS-350CC-1XX X, GPS-350CD-1XX X +											
	115/220-240ac	50-60	0	3.3	32	74	3	60950	20B	0	1
				5.4	31	117	3				
				14.3	20.3	224	3				
				12.7	4	37	3				
				5.1	5.2	16.8	3				
GPS-350CX-1XX X *											
	115/220-230ac	50-60	0	4	40.5	95.7	3	60950	20B	0	1
				5.3	50.7	186.1	3				
				16.9	35.2	406	3				
				16.9	37	407	3				
				14.4	2.9	46	3				
				5.1	3.6	17	3				
GPS-350CX-1XX X +											
	115/220-230ac	50-60	3	3.4	27	80	3	60950	20B	0	1
				5.4	51	154	3				

				14	20.6	224	3				
				14	18.1	204	3				
				13	4.1	38	3				
				5.1	5.1	15.2	3				
GPS-350GB XX, GPS-350GB-1 XX (H2)											
	100-127 or 200-240ac	60 or 50	0	3.33	27.01	62.5	3	60950-1 2nd	20B	2	1
				5.12	31	131.4	3				
				13.32	19.6	210.6	3				
				-12.16	1.29	14.3	3				
				5.14	3.7	27.8	3				
GPS-350HB XX (where X can be 0-9, A-Z or blank)											
	100-240ac	47-63	0	+3.3Vdc	17	56.1	3	60950-1	20B	0	1
				+5Vdc	17	85	3				
				+12V1dc	14	168	3				
				+12V2dc	17	204	3				
				+5VSBdc	2.5	12.5	3				
				-12Vdc	0.3	3.6	3				
GPS-350MB XX (&)	100-240Vac	47-63	0	3.34dc	23.0	65.4	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.10dc	21.9	99.3	3				
				12.0dc	28.1	319	3				
				12.9dc	4.30	43.2	3				
				5.17dc	3.80	18.5	3				
GPS-360AA-1XXXX	115/220-230ac	47-63	0	3.3	32.1	74.1	3	60950	20B	0	1
				5.2	34	148.6	3				
				12.1	22	249	3				
				-12	2.3	19.1	3				
				5.1	4.5	24.5	3				
				-5.1	2.2	10.9	3				
GPS-360BA-1XXXX	115/220-230ac	47-63	0	3.3	26	61.2	3	60950	20B	0	1
				5.1	35.9	152.6	3				
				12.1	20.5	230.9	3				
				12	19.8	221.6	3				
				-12	2.2	18.1	3				
				5.1	4.2	20.6	3				
				-5.1	2.2	10.6	3				
GPS-400BB-1 XXXX(^)	115Vor 230Vac	47-63	0	5.18	33.3	151.2	3	60950-1	20B	2	1
				3.36	36	109.4	3				
				12.79	20	228	3				
				12.44	20.4	222.8	3				
				12.26	2.05	22.5	3				
				4.99	4.8	23.28	3				
GPS-400CB XX(m)	100-127V, 200-240Vac	47-63	0	5.6	31.5	110	3	60950-1 2nd	20B	0	1
				3.42	35.7	94.3	3				
				12.9	19.7	232	3				
				13.0	20.0	235	3				
				14.4	4.0	40.0	3				
				5.07	5.61	26.1	3				

GPS-400DB XX (where X can be any alphanumeric or blank)[*r]

	100-240ac	47-63	0	+3.3Vdc	17	56.1	3	60950-1	20B	0	1
				+5Vdc	18	90	3				
				+12V1dc	16	192	3				
				+12V2dc	18	216	3				
				-12Vdc	0.3	3.6	3				
				+5VSBdc	2.5	12.5	3				
GPS-420AA-1XXXX	115/220-230ac	47-63	0	3.3	40.3	72	3	60950	20B	0	1
				5.2	32.5	142	3				
				12.1	23.1	259	3				
				-12	2.2	18.9	3				
				5.1	4.3	21.8	3				
				-5.1	2.2	10.8	3				
GPS-420BA-1XXXX	115/220-230ac	47-63	0	3.3	44.9	88	3	60950	20B	0	1
				5.2	35.5	155	3				
				12.2	20.4	232	3				
				12.2	19.8	228	3				
				-12	2.4	20.6	3				
				5	4.3	21.1	3				
				-5.1	2.2	10.8	3				
GPS-430AB XX(m)	100V-240ac	47-63	0	5.4	32.4	14.8	3	60950-1 2nd	20B	0	0
				3.39	31.0	88.4	3				
				13.2	19.8	236	3				
				13.2	19.9	229	3				
				-12.6	7.03	49.5	3				
				5.07	5.2	25.5	3				

GPS-450AB XX (where X can be any alphanumeric or blank)[*r]

	100-240ac	47-63	0	+3.3Vdc	18	59.4	3	60950-1	20B	0	1
				+5Vdc	18	90	3				
				+12V1dc	20	240	3				
				+12V2dc	20	240	3				
				-12Vdc	0.3	3.6	3				
				+5VSBdc	2.5	12.5	3				
GPS-460AA-1XXXX	115/220-230ac	47-63	0	3.3	34.2	80	3	60950	20B	0	1
				5.1	32.9	142	3				
				12.1	27.1	289	3				
				-12.1	2.4	18.5	3				
				5.1	4.6	22.2	3				
				-5.1	1.9	8.5	3				
GPS-460BA-1XXXX	115/220-230ac	47-63	0	3.33	31.1	79	3	60950	20B	0	1
				5.14	33.9	169	3				
				12.1	19.8	222	3				
				12	17.9	205	3				
				-12	2.3	18.5	3				
				5	4.3	21.1	3				
				-5	1.9	8.6	3				

GPS-500AB XX (m), A-50GA1, ENP-500AAB XX (m), P-50GA,

	115V/200-230Vac	47-63	0	3.03	30.72	93.23	3	60950-1	20B	0	1
--	-----------------	-------	---	------	-------	-------	---	---------	-----	---	---

				4.72	28	132.07	3				
				12.66	18.59	235.42	3				
				12.49	18.79	234.6	3				
				11.94	18.89	225.64	3				
				-7.3	2.03	14.81	3				
				4.82	5.18	24.88	3				
GPS-500BB XX(m)	100V-240ac	47-63	0	5.51	30.1	136.8	3	60950-1 2nd	20B	0	0
				3.75	34.01	105.4	3				
				13.80	28.0	342.4	3				
				13.81	29.6	356.1	3				
				12.10	1.31	14.2	3				
				5.1	5.31	26.0	3				
GPS-500EB XX ((X can be 0-9, A-Z or blank))*r]											
	100-240ac	47-63	0	+3.3Vdc	18	59.4	3	60950-1	20B	0	0
				+5Vdc	18	90	3				
				+12V1dc	22	264	3				
				+12V2dc	22	264	3				
				-12Vdc	0.5	6	3				
				+5VSBdc	2.5	12.5	3				
GPS-550AB XX (m), A-55GA1, ENP-550AAB XX (m), P-55GA											
	115V/200-230Vac	47-63	0	3.03	30.72	93.23	3	60950-1	20B	0	1
				4.72	28	132.07	3				
				12.66	18.59	235.42	3				
				12.49	18.79	234.6	3				
				11.94	18.89	225.64	3				
				-7.3	2.03	14.81	3				
				4.82	5.18	24.88	3				
GPS-550GB XX ((X can be 0-9, A-Z or blank))*r]											
	100-240ac	47-63	0	+3.3Vdc	18	59.4	3	60950-1	20B	0	0
				+5Vdc	18	90	3				
				+12V1dc	22	264	3				
				+12V2dc	22	264	3				
				+12V3dc	22	264	3				
				-12Vdc	0.5	6	3				
				+5VSBdc	2.5	12.5	3				
GPS-550LB XX, GPS-450EB XX (&)											
	100-240Vac	47-63	0	3.34dc	25.0	83.5	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.12dc	24.0	110.64	3				
				12.14dc	39.0	432.9	3				
				12.8dc	4.0	39.04	3				
				5.06dc	3.6	17.64	3				
GPS-650AB XX, ENP-650AAB XX, CFT-650-12X, GPS-650A-12X, CFT-650A-12X(m), U-65GA											
	100-120 / 200-240ac	47-63	0	5.75	39.9	177.6	3	60950-1	20B	2	1
				3.38	37.54	84.7	3				
				12.12	17.99	214.8	3				
				12.19	17.8	209	3				
				12.19	20.15	238	3				

				-12.11	2.2	19.8	3						
				5.05	5.2	24.6	3						
GPS-650FB XX ((X can be 0-9, A-Z or blank))*r]													
	100-240ac	47-63	0	+3.3Vdc	18	59.4	3	60950-1	20B	0	0		
				+5Vdc	18	90	3						
				+12V1dc	22	264	3						
				+12V2dc	22	264	3						
				+12V3dc	22	264	3						
				+12V4dc	22	264	3						
				-12Vdc	0.5	6	3						
				+5VSBdc	2.5	12.5	3						
GPS-650JB XX (X can be any 0-9, A-Z or blank)													
	100-240ac	47-63	0	3.38dc	29.00	80.62	3	60950-1, 2nd Ed + AM1	20B	2	1		
				5.11dc	28.00	119.84	3						
				12.16dc	45.00	500.40	3						
				12.12dc	9.50	95.00	3						
				5.11dc	5.50	24.92	3						
GPS-750AB xx(m), CFT-750A-14x(m), ECP-750AAB xx(m), U-75HA													
	100-120/200-240 or 100-240 (For GPS-750AB xx only)ac	47-63	0	5.01	36.02	146.2	3	60950-1	20B	2	1		
				3.38	35.01	81.9	3						
				12.03	19.81	227	3						
				12.13	20	228.4	3						
				12.13	20.51	234.4	3						
				12.13	19.91	224.2	3						
				-12.12	2.01	21.1	3						
				5.19	5	24.2	3						
GPS-750FB XX, GPS-650LB XX, GPS-550NB XX, GPS-450HB XX, DPS-750AB-40 XX, GPS-450JB XX (X= 0-9, A-Z or blank)													
	100V-240Vac	47-63	0	3.38dc	35.01	88.93	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1		
				4.63dc	35.49	154.74	3						
				12.14dc	54.95	613.79	3						
				11.74dc	6.29	57.87	3						
				5.03dc	5.70	26.85	3						
GPS-850CB XX, G-850HA, CFT-850A-14B, ECP-850AAB A and IP-1850A-BBAA													
	100-240ac	50-60	0	5.25	35.7	168.5	3	60950-1	20B	2	1		
				3.48	33.7	103.46	3						
				12.14	1.4	14.03	3						
				12.62	24.3	295.97	3						
				5.11	10.5	49.77	3						
GPS-850HB XX (X can be 0-9, A-Z or blank)													
	100V-240Vac	47-63	0	3.39dc	34.95	75.69	3	60950-1, 2nd Ed+AM1+AM2	20B	2, 6	1		
				5.11dc	31.02	116.64	3						
				12.20dc	58.28	688.87	3						
				11.96dc	9.79	79.01	3						
				5.04dc	6.60	30.23	3						
GPS300AB	100-127, 220-240ac	50-60	0	3.42	31.34	80.9	3	60950-1 2nd	20B	2, 4	1		

				5.25	30.6	120	3				
				12.84	13.95	150	3				
				12.78	19.3	217.5	3				
				-12.53	5.51	48.6	3				
				5.04	5.09	24.3	3				
				5.01	0.6	3.3	3				
H48SL12020XXXXX(///)	36-75dc	-	2,3	12.1	25	302.3	2,3	60950-1	20B	0	0
H48SL1R560XXXXX(///), H48SL1R860XXXXX(///), H48SL2R560XXXXX(///), H48SL3R360XXXXX(///), H48SL05040XXXXX(///)[*r]											
	36-75dc	-	2,3	1.5	60	-	2,3	60950-1	20B	0	0
				1.8	60	-	2,3				
				2.5	60	-	2,3				
				3.31	78	257.4	2,3				
				5	40	-	2,3				
H48ST3R360XXXXX(///), H48ST2R560XXXXX(///), H48ST1R860XXXXX(///), H48ST05040XXXXX(///)											
	36-75dc	-	2	3.3	78.6	259.4	3	60950-1	20	0	0
				2.51	81.9	204.75	3				
				1.8	76.4	137.52	3				
				5.05	50.1	252	3				
HAC-60AP XX(??)[*r]	100-240ac	47-63	0	13.8dc	3.26	45	3	60950-1	20B	0	0
HCP-1300 Platinum,	110-240ac	50-60	0	12.28dc	54	618.68	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				3.33dc	35.2	96.8	3				
				5.12dc	36	146.88	3				
				13.09dc	6.3	46.15	3				
				5.05dc	6.4	29.38	3				
HPS-D8000AB XX (Where X =0-9, A-Z or blank)											
	19-40Vdc	-	3	58.27 (while +58Vdc)dc	211.0	12149.38	3	60950-1, 2nd Ed + AM1	N/A	0	0
				42.26 (while +42Vdc)dc	211.0	8777.60	3				
HSTNS-PD44, HSTNS-PD44-1	200-240Vac, 240 Vdc	50-60	0	12.31dc	70.54	830.26	3	60950-1, 2nd Ed + AM1	20B	2	1
HSTNS-PD60	100-127Vac	50-60	0	12.28dc	49.98	584.7	3	60950-1, 2nd Ed+AM1+AM2	20B	2,6	1
LP-450AL2ND	110-120, 220-240ac	50-60	0	5.23	23.49	106.6	3	60950-1	20B	2	1
				3.36	31.86	68.4	3				
				12.37	17.84	209.3	3				
				13.36	19.01	229.8	3				
				-12.39	7.06	46.9	3				
				5.12	4.39	20.6	3				
MDS-040APB48 A	100-240ac	50-60	0	47.70dc	1.32	62.92	3	60950-1, 2nd Ed + AM1	20B	2,6	2
MDS-040APS12 B, PJT-12V40WBAX (&)											
	100-240ac	50-60	0	11.98dc	5.49	63.6	3	60950-1, 2nd Ed + AM1	20B	0	2
MDS-040APS15 B, PJT-15V40WBAX (&)											
	100-240ac	50-60	0	15.02dc	5.13	75.1	3	60950-1, 2nd Ed + AM1	20B	0	2
MDS-040APS18 B, PJT-18V40WBAX (&)											
	100-240ac	50-60	0	18.0dc	3.81	67.2	3	60950-1, 2nd	20B	0	2

									Ed + AM1			
MDS-040APS24 B, PJT-24V40WBAX (&)												
	100-240ac	50-60	0	24.03dc	3.03	73	3	60950-1, 2nd Ed + AM1	20B	0	2	
MDS-065APS12 B, PJT-12V65WBA												
	100-240Vac	50-60	0	12.0dc	8.05	93.10	3	60950-1, 2nd Ed + AM1	20B	0	2	
MDS-065APS15 B, PJT-15V65WBA												
	100-240Vac	50-60	0	15.1dc	8.44	123.39	3	60950-1, 2nd Ed + AM1	20B	0	2	
MDS-065APS18 B, PJT-18V65WBA												
	100-240Vac	50-60	0	17.95dc	7.18	126.38	3	60950-1, 2nd Ed + AM1	20B	0	2	
MDS-065APS24 B, PJT-24V65WBA												
	100-240Vac	50-60	0	23.8dc	5.21	122.09	3	60950-1, 2nd Ed + AM1	20B	0	2	
MDS-100AP401 B	100-240Vac	50-60	0	12.03dc	5.57	65.61	3	60950-1, 2nd Ed + AM1	20B	0	2	
				14.92dc	2.01	23.33	3					
				5.14dc	15.27	68.56	3					
				-14.92dc	2.00	23.23	3					
MDS-100APS24 B[*r]	100-240Vac	50-60	0	24.0dc	5.54	132	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1	
MDS-100BPS12 B, PJT-12V100WBB												
	100-240ac	50-60	0	12.04dc	9,80	115.54	3	60950-1, 2nd Ed + AM1	20B	2	0	
MDS-100BPS15 B, PJT-15V100WBB												
	100-240ac	50-60	0	15.11dc	8.44	124.57	3	60950-1, 2nd Ed + AM1	20B	2	0	
MDS-100BPS18 B, PJT-18V100WBB												
	100-240ac	50-60	0	18.07dc	7.03	125.34	3	60950-1, 2nd Ed + AM1	20B	2	0	
MDS-100BPS24 B, PJT-24V100WBB												
	100-240ac	50-60	0	24.05dc	5.82	138.05	3	60950-1, 2nd Ed + AM1	20B	2	0	
MDS-120APA20	100-240Vac	50/60	0	20.59dc	19.40	382.374	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2	
MDS-150AD501 XX (Where X can be 0-9, A-Z or blank)[*r]												
	100-240ac	50-60	0	MDS-150AD501	-	-	-	60950-1, 2nd Ed+AM1+AM2	20B	0	2	
				5Vsbdc	1	5	3					
				24dc	4	96	3					
				5dc	12	60	3					
				15dc	1	15	3					
				-15dc	1	15	3					
MDS-150AD502 XX (Where X can be 0-9, A-Z or blank)[*r]												
	100-240ac	50-60	0	MDS-150AD501	-	-	-	60950-1, 2nd Ed+AM1+AM2	20B	0	2	
				5Vsbdc	1	5	3					
				24dc	4	96	3					
				5dc	12	60	3					
				12dc	1	12	3					
				-12dc	1	12	3					
MDS-200APB12 XX, MDS-200ADB12 XX (X=0-9, A-Z or blank)												
	100-240Vac	50-60	0	12.06dc	22.15	250.52	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1	

MDS-200APB24 XX, MDS-200APD24 XX, MDS-200ADB24 XX (X=0-9, A-Z or blank)

	100-240Vac	50-60	0	24.02dc	10.82	257.30	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
--	------------	-------	---	---------	-------	--------	---	-------------------------	-----	---	---

MDS-250APB12 XX, MDS-250ADB12 XX (X=0-9, A-Z or blank)

	100-240ac	50-60	0	5.02dc	0.7	3.46	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				11.96dc	26.43	305.27	3				

MDS-300ADB12 XX (X=0-9, A-Z or blank)[*r]

	100-240ac	50-60	0	12dc	25	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5dc	0.5	-	3				

MDS-300ADB18 XX (X=0-9, A-Z or blank)[*r]

	100-240ac	50-60	0	18dc	16.66	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5dc	0.5	-	3				

MDS-300ADPB48 XX (X=0-9, A-Z or blank)[*r]

	100-240ac	50-60	0	48dc	6.25	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5dc	0.5	-	3				

MDS-300APB12 XX (X=0-9, A-Z or blank).

	100-240Vac	50-60	0	5.03dc	0.69	3.42	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				12.07dc	35.38	408.29	3				

MDS-300APB18 XX (X=0-9, A-Z or blank)

	100-240Vac	50-60	0	5.03dc	0.70	3.45	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				18.05dc	24.13	430.96	3				

MDS-300APB24 XX, MDS-300ABB24 XX, MDS-300ADB12 XX, MDS-300ADB18 XX, MDS-300ADB24 XX, MDS-300ADB48 XX, MDS-250APB24 XX, MDS-250ADB24 XX (X=0-9, A-Z or blank)

	100-240Vac	50-60	0	5.01dc	0.69	3.44	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				24.02dc	16.98	406.33	3				

MDS-300APB48 XX (X=0-9, A-Z or blank).

	100-240ac	50-60	0	5.04dc	0.7	3.42	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				48.28dc	9.44	454.25	3				

MDS-350AD701 XX (X=0-9, A-z or blank)

	100-240ac	60-50	0	3.37dc	20.87	59.48	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				4.99dc	20.63	84.79	3				
				12.14dc	37.90	429.79	3				
				5.00dc	4.50	19.66	3				
				11.99dc	1.99	23.02	3				
				5.11dc	1.69	8.01	3				

MDS-400ADB12 XX, MDS-400APB12 XX (X=0-9, A-Z or blank)

	100-240Vac	50-60	0	11.97dc	47.89	539.24	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5.03dc	2.48	11.38	3				
				11.97dc	41.43	417.76	3				

MDS-400ADB24 XX, MDS-400APB24 XX (X=0-9, A-Z or blank)

	100-240ac	50-60	0	23.91dc	23.46	537.1	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				5.03dc	2.74	11.4	3				
				11.87dc	1.46	14.77	3				

MDS-400AUS18 B

	100-240ac	50-60	0	18.27dc	26.60	475.71	3	60950-1, 2nd Ed + AM1	20B	2	1
--	-----------	-------	---	---------	-------	--------	---	-----------------------	-----	---	---

				11.77dc	1.24	14.35	3				
MDS-400AUS19 B	100-240ac	50-60	0	19.25dc	26.37	500.66	3	60950-1, 2nd Ed + AM1	20B	2	1
				11.77dc	1.24	14.35	3				
MDS-400AUS24 B	100-240ac	50-60	0	24.22dc	21.33	505.27	3	60950-1, 2nd Ed + AM1	20B	2	1
				12.08dc	0.75	8.92	3				
MEB-1K2A24T	100-240Vac	50-60	0	5.0dc	2.49	11.88	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				24.17dc	56.93	1339.82	3				
MEU-600C24T	100-240ac	50-60	0	5.02dc	1.70	8.3	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				11.87dc	1.29	15.09	3				
				23.97dc	34.99	817.37	3				
Model D350E-S3	100-240ac	50/60	0	12.32dc	3.75	447	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				12.02dc	4.1	47.2	3				
Model DPS-690AB XX(X can be 0-9,A-Z or blank)											
	100-240ac	50/60	0	12.2125dc	19.372	226.23	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				5.2265dc	11.596	54.40	3				
Model DPS-900EB XX(X can be 0-9,A-Z or blank)											
	100-240Vac	50/60	0	12.2125dc	19.290	226.06	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1
				5.2400dc	11.703	55.15	3				
N250E-S0	100-240ac	50/60	0	3.31	111.6	35.73	3	60950-1 2nd	20B	0	2
				5.03	12.2	89.66	3				
				12.08	28.3	333.09	3				
				12.09	2.95	35.25	3				
N305E-00	100-120/ 200-240 or 100-240ac	50-60	0	5.1	33.4	138.8	3	60950-1	20B	3	1
				3.4	26	80.6	3				
				12.4	19.7	228.3	3				
				12.4	19.5	225.1	3				
				-13.2	4.5	51.4	3				
				5.1	5.2	24.6	3				
N305P-06	100-120, 200-240ac	50-60	0	3.34	22	56.4	3	60950-1	20B	2	1
				5.25	33	150.6	3				
				12.28	20.5	218.3	3				
				12.23	21	222.5	3				
				-12.24	1.6	18.9	3				
				5.01	6	25.3	3				
N700P-S0	100-240ac	50/60	0	3.26	5.31	16.3	3	60950-1	20B	0	1
				12.15	71	809.4	3				
N750P-S1	100-240ac	50-60	0	12.13	67.93	817.9	3	60950-1	20B	0	1
				3.4	7.06	23	3				
N870P-S0	100-240ac	50/60	0	12	71	898.4	3	60950-1	20B	2	0
				12	1.5	26.4	3				
N875E-00	100-120, 200-240, 100-240ac	50-60	0	5.14	19.5	95.94	3	60950-1	20B	0	1
				3.39	34.5	106.59	3				
				12.1	1.2	14.1	3				

				12.35	20.8	229.13	3				
				12.35	21.2	229.91	3				
				12.36	20.7	230.66	3				
				12.37	20.7	230.1	3				
				12.34	21	231.47	3				
				5.12	5.6	26.04	3				
NC12SX1X230XXXX, NC12SX1X240XXXX (ss)											
	12dc	-	0	5.6	45.7	233	3	60950-1	20B	0	0
NPS-173AB XX (X can be 0-9, A-Z or blank)[*r]											
	100-240ac	50-60	0	-53.5Vdc	2.52	134.82	3	60950-1	20B	0	1
				+12Vdc	3	36	3				
				+3.3Vdc	0.7	2.31	3				
NPS-173AB-1 XX(X=0-9, A-Z or blank)											
	100-240ac	50-60	0	11.76dc	5.90	67.85	3	60950-1, 2nd Ed + AM1	20B	0	1
				3.28dc	0.90	2.90	3				
				-53.65dc	4.31	223.48	3				
NPS-250CB XX (where "X" is any alphanumeric character or blank)[*r]											
	100-120 / 200-240ac	50-60	0	+3.3dc	20	66	3	60950-1	20B	0	1
				+5dc	25	125	3				
				+12dc	13	156	3				
				-12dc	0.8	9.6	3				
				+5Vsbdc	2	10	3				
NPS-400CB XX (F1)	100-240ac	47-63	0	5.04	21.6	104	3	60950-1 2nd	20B	2	1
				3.38	21.9	69.9	3				
				12.1	20.7	226	3				
				12.2	20.4	228	3				
				13.2	2.70	26.8	3				
				4.97	3.23	15.5	3				
OPS-200PB-159 XX (m)	100-240ac	47-63	0	24	5.1	200	3	60950-1	20B	0	1
P48S130-3 XX (m)	48dc	-	0	1.7	114	192	3	60950	20B	0	-
PJ-12V100WB, PJ-12V100WL, PJ-12V100WC											
	100-240ac	50-60	0	12.03dc	11.77	119.81	3	-	20B	0	1
PJ-12V150WC, PJ-12V150WL, PJ-12V150WB											
	100-240Vac	50-60	0	12.1dc	16.5	191	3	60950-1, 2nd Ed + AM1	20B	0	1
PJ-12V15WC, PJ-12V15WL, PJ-12V15WB											
	100-240Vac	50-60	0	12.01dc	2.01	23.93	3	60950-1, 2nd Ed + AM1	20B	0	0
PJ-12V30WB, PJ-12V30WL, PJ-12V30WC											
	100-240ac	50-60	0	12.13dc	4.61	55.10	3	60950-1, 2nd Ed + AM1	20B	0	1
PJ-12V50WC, PJ-12V50WB, PJ-12V50WL											
	100-240ac	50-60	0	12.00dc	6.25	72.78	3	60950-1	20B	0	0
PJ-24V100WB, PJ-24V100WL, PJ-24V100WC, PJB-24V100WB, PJB-24V100WL, PJB-24V100WC											
	100-240ac	50-60	0	24.10dc	5.91	125.19	3	-	20B	0	1
PJ-24V150WC, PJ-24V150WL, PJ-24V150WB											
	100-240ac	50-60	0	24.1dc	8.32	200	3	60950-1	20B	0	1
PJ-24V30WB, PJ-24V30WL, PJ-24V30WC											
	100-240ac	50-60	0	24.01dc	2.88	68.84	3	60950-1, 2nd	20B	0	1

									Ed + AM1			
PJ-24V50WC, PJ-24V50WB, PJ-24V50WL												
	100-240ac	50-60	0	24.05dc	2.85	67.91	3	60950-1	20B	0	0	
PJ-48V50WC, PJ-48V50WB, PJ-48V50WL												
	100-240ac	50-60	0	48.19dc	1.89	91.05	3	60950-1	20B	0	0	
PJ-5V15WC, PJ-5V15WL, PJ-5V15WB												
	100-240Vac	50-60	0	12.01dc	2.01	23.93	3	60950-1, 2nd Ed + AM1	20B	0	0	
PJB-24V150WB	100-240ac	50-60	0	23.95dc	8	191.12	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1	
PJB-24V150WC, PJB-24V150WL, PJB-24V150WB												
	100-240ac	50-60	0	24.0dc	14.0	332	3	60950-1, 2nd Ed + AM1	20B	0	1	
PJB-24V240WB, PJB-24V240WC, PJB-24V240WL, PJB-24V150WB												
	100-240Vac	50-60	0	24.06dc	21.46	495.19	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0	
PJT-24V100WBA, PJT-18V100WBA, PJT-15V100WBA, PJT-12V100WBA												
	100-240Vac	50-60	0	24.0 (PJT-24V100WBA)dc	5.54	132	3	60950-1, 2nd Ed + AM1	20B	0	0	
				18.0 (PJT-18V100WBA)dc	6.9	121	3					
				15.0 (PJT-15V100WBA)dc	8.11	119	3					
				12.0 (PJT-12V100WBA)dc	9.9	113	3					
PMB-12V35W1AG[*r]	120-240ac	50-60	0	12dc	2.92	-	3	60950-1	20B	0	0	
PMB-12V50W1AG[*r]	120-240ac	50-60	0	12dc	4.2	-	3	60950-1	20B	0	0	
PMF-24V200WCX, PMF-24V240WCX (X=A, G)												
	100-240ac	50-60	0	24.09dc	12.41	296.72	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1	
PMF-24V320WCX (&)	100-240Vac	50-60	0	24.1dc	17.3	432	3	60950-1, 2nd Ed + AM1	20B	0	1	
PMF-5V320WCX, PMF-4V320WCX (&)												
	100-240Vac	50-60	0	5.13dc	64.5	322	3	60950-1, 2nd Ed + AM1	20B	0	1	
PML-12V35W1AG[*r]	120-240ac	50-60	0	12dc	2.92	-	3	60950-1	20B	0	0	
PML-12V50W1AG[*r]	120-240ac	50-60	0	12dc	4.2	-	3	60950-1	20B	0	0	
PMR-4V320WCX (X=0-9, A-Z or blank)												
	100-240Vac	50-60	0	4.20	78.53	305.48	-	60950-1, 2nd Ed + AM1	20B	0	1	
PMR-4V320WDA, PMR-4V320WDB, PMR-4V320WDC, PMR-4V320WDG, PMZ-4V320WDA												
	100-240Vac	50-60	0	4.44 (4.3Vdc)dc	70.00	264.56	3	60950-1, 2nd Ed + AM1	20B	0	1	
PMR-5V320WCX (&)	100-240Vac	50-60	0	5.03 (5Vdc)dc	76.91	343.39	3	60950-1, 2nd Ed + AM1	20B	0	1	
PMR-5V320WDA, PMR-5V320WDB, PMR-5V320WDC, PMR-5V320WDG												
	100-240Vac	50-60	0	5.13dc	72.22	334.48	3	60950-1, 2nd Ed + AM1	20B	0	1	
PMT-12V100W1AA, PMT-12V100W1AG, PMT-12V100W1AH, PML-12V100W1AA, PML-12V100W1AG, PML-12V100W1AH												
	100-120Vac, 200-240V	50-60	0	11.65dc	11.30	129.84	3	60950-1, 2nd Ed + AM1	20B	0	1	
PMT-12V150W1AX, PML-12V150W1AX (where X=A, G, H)												
	100-120V or 200-240Vac	50-60	0	12.06dc	16.02	173	3	60950-1, 2nd Ed + AM1	20B	0	1	
PMT-12V350W1AR, PMT-12V350W1AK.												
	100-120V, 200-240Vac	50-60	0	12.08dc	40.93	475.20	3	60950-1, 2nd Ed+AM1+AM2	20B	2	1	
PMT-12V35W1AA, PML-12V35W1AA, PMB-12V35W1AA, PMT-12V35W1AH, PML-12V35W1AH, PMB-12V35W1AH[*r]												

	100-240ac	50-60	0	12dc	2.92	-	3	60950-1	20B	0	0
PMT-12V35W1AG[*r]	120-240ac	50-60	0	12dc	2.92	-	3	60950-1	20B	0	0
PMT-12V50W1AA, PML-12V50W1AA, PMB-12V50W1AA, PMT-12V50W1AH, PML-12V50W1AH, PMB-12V50W1AH[*r]											
	100-240ac	50-60	0	12dc	4.2	-	3	60950-1	20B	0	0
PMT-12V50W1AG[*r]	120-240ac	50-60	0	12dc	4.2	-	3	60950-1	20B	0	0
PMT-15V50W1AA, PMT-15V50W1AG, PMT-15V50W1AH, PML-15V50W1AA, PML-15V50W1AG, PML-15V50W1AH											
	100-240ac	50-60	0	14.5dc	4.8	67.2	3	60950-1, 2nd Ed + AM1	20B	2	1
PMT-24V100W1AA, PMT-24V100W1AH, PMT-24V100W1AG, PML-24V100W1AA, PML-24V100W1AH, PML-24V100W1AG, PMT-24V100W1AC											
	100-120Vac, 200-240V	50-60	0	24.17dc	5.65	134.74	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-24V150W1AX, PML-24V150W1AX (where X=A, G, H)											
	100-120V or 200-240Vac	50-60	0	24.09dc	8.07	190	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-24V200W1AM, PMT-24V200W1AN, PML-24V200W1AM, PML-24V200W1AN											
	100-120V or 200-240Vac	50-60	0	24.09dc	11.05	261.45	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-24V350W1AG, PMT-24V350W1AM											
	100-120V, 200-240Vac	50-60	0	23.9dc	19.6	381.7	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-24V350W1AK, PMT-24V350W1AR											
	100-120Vac, 200-240V	50-60	0	24.21dc	18.40	441.27	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-24V35W1AA, PML-24V35W1AA, PMB-24V35W1AA, PMT-24V35W1AH, PML-24V35W1AH, PMB-24V35W1AH, PMT-24V35W1AG, PML-24V35W1AG, PMB-24V35W1AG											
	100-240ac	50-60	0	24.04dc	3.04	72.87	3	60950-1	20B	0	0
PMT-24V50W1AA, PML-24V50W1AA, PMB-24V50W1AA, PMT-24V50W1AH, PML-24V50W1AH, PMB-24V50W1AH, PMT-24V50W1AG, PML-24V50W1AG, PMB-24V50W1AG											
	100-240ac	50-60	0	24.06dc	3.42	81.80	3	60950-1	20B	0	0
PMT-36V350W1AR, PMT-36V350W1AK											
	100-120V or 200-240Vac	50-60	0	36.1dc	12.59	445.43	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-48V150W1AX, PML-48V150W1AX (where X=A, G, H)											
	100-120 or 200-240ac	50-60	0	48.14dc	4.40	210.28	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-48V350W1AR, PMT-48V350W1AK											
	100-120V or 200-240Vac	50-60	0	48.08dc	0.29	445.73	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-4V350W1AM, PMT-4V350W1AG, PMT-4V350W1AN											
	100-120 or 200-240ac	50-60	0	4.22dc	74.08	278.5	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-5V350W1AM, PMT-5V350W1AG, PMT-5V350W1AN											
	100-120 or 200-240ac	50-60	0	5.01dc	71.9	328.7	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-5V35W1AA, PMT-5V35W1AG, PMT-5V35W1AH, PML-5V35W1AA, PML-5V35W1AG, PML-5V35W1AH											
	100-240Vac	50-60	0	5.07dc	9.91	45.3	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-5V50W1AA, PMT-5V50W1AG, PML-5V50W1AA, PML-5V50W1AG											
	100-240Vac	50-60	0	5.06dc	14.0	58.7	3	60950-1, 2nd Ed + AM1	20B	0	1
PMT-D1V100W1AX, PML-D1V100W1AX (where X=A, G, H)											
	100-120 or 200-240ac	50/60	0	12.13dc	10.85	124.23	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				4.99dc	5.90	27.34	3				
PMT-D2V100W1AX, PML-D2V100W1AX (where X=A, G, H)											
	100-120 or 200-240ac	50-60	0	24.19dc	5.14	123.10	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1

				5.02dc	6.83	32.37	3				
PS4040[*r]	100-240ac	50-60	0	5	28	350	3	1950	-	6	1
				3.3	6	-	3				
				12	15	-	3				
				5	1.5	-	3				
PS4060[*r]	100-120/200-240ac	50-60	0	3.3	18	400	3	1950	-	0	1
				5.125	32	-	3				
				12.25	20	-	3				
				-5	1.5	-	3				
PSU-3201, PSU-3201A	100-240Vac	47-63	0	5.187dc	4.4	22.12	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
				11.967dc	12.6	146.95	3				
				24.251dc	15.2	361.4	3				
PWS-1K25P-PQ, DPS-1200QB XX (zz)[*r]											
	100-240ac	50-60	0	+3.3Vdc	20	66	3	60950-1	20B	0	1
				+5Vdc	20	100	3				
				+12Vdc	99	1188	3				
				-12Vdc	0.3	3.6	3				
				+5VSBdc	3	15	3				
PWS-665-PQ	100-240ac	50-60	0	12.0	64.5	749	3	60950-1 2nd	20B	2,3	1
				5.12	38.0	172	3				
				3.36	32.1	92.1	3				
				-12.0	1.30	12.7	3				
				5.12	7.41	35.0	3				
Q48SK10478XXXX(\$ 1)[*r]	45-56dc	-	-	8.3-11.2dc	83	-	-	60950-1, 2nd Ed + AM1	-	-	-
Q48SK10666XXXX(\$ 1)[*r]	45-56dc	-	0	8.3-11.2dc	75	-	-	60950-1, 2nd Ed + AM1	-	-	-
Q48SL120X2XXXX(m)(w)	36-75dc	-	0	12	11.5	138	3	60950-1, 2nd Ed + AM1	-	0	0
Q48SL1R525XXXX(m)	36-75dc	-	0	1.5	32.9	49	3	60950-1, 2nd Ed + AM1	-	0	0
Q48SL1R535XXXX(m)	36-75dc	-	0	1.5	40	60	3	60950	-	0	0
Q48SL1R8(k)(X)(X)(X)(X)(X), Q48SL2R5(k)(X)(X)(X)(X)(X), Q48SL3R3(k)(X)(X)(X)(X)(X), Q48SL050(k)(X)(X)(X)(X)(X), Q48SL1R5(k)(X)(X)(X)(X)(X)											
	36-75dc	-	0	3.3	30	-	3	60950-1, 2nd Ed + AM1	-	0	0
Q48ST050(X2)(X)(X)(X)(X)(X)	36-72dc	-	0	4.99	26	120.9	3	60950-1, 2nd Ed + AM1	-	0	0
Q48ST1R5(X2)(X)(X)(X)(X)(X)	36-75dc	-	0	1.79	45	68.2	3	60950-1, 2nd Ed + AM1	-	0	0
Q48ST1R8(X2)(X)(X)(X)(X)(X)	36-75dc	-	0	1.79	45	68.2	3	60950-1, 2nd Ed + AM1	-	0	0
Q48ST2R5(X2)(X)(X)(X)(X)(X)	36-75dc	-	0	2.49	44	81.5	3	60950-1, 2nd Ed + AM1	-	0	0
Q48ST3R3(X2)(X)(X)(X)(X)(X)	36-72dc	-	0	3.29	42	109.8	3	60950-1, 2nd Ed + AM1	-	0	0
RMN: HSTNS-PD30(133)[*r]	110-120ac	47-63	0	12.0dc	75	900	3	60950-1 2nd	20B	2,6	1
				12.0dc	2.5	30	3				
RMN: HSTNS-PD30[132][*r]	100ac	47-63	0	12.0dc	66.7	800	3	60950-1 2nd	20B	2,6	1
				12.0dc	2.5	30	3				
RMN: HSTNS-PD30[134]	200-240ac	47-63	0	12.3dc	132	1475	3	60950-1 2nd	20B	2,6	1
				12.0dc	4.5	46.7	3				
RPS-350-(X)(X), DPS-350AB(X)(X), DPS-400EB (X)(X), RPS-800 (X)(X), RPS-600-2 (X)(X)											

	100-127/200-240ac	50-60	0	5.4	41	196	3	1950	20B	6.2	1
				12.3	16.1	186	3				
				3.3	34	108	3				
				11.8	1.6	16	3				
				5.2	7.6	34	3				
RPS-350-15(X)(X)(sb)[*r]	100-127/200-240ac	47-63	0	5	20	-	3	60950-1	20B	2,6	1
				3.3	20	-	3				
				12	18	-	3				
				12	18	-	3				
				-12	1.6	-	3				
				5	2	-	3				
RPS-350-17(X)(X)(sb)[*r]	100-127/200-240ac	47-63	0	5	20	-	3	60950-1	20B	2,6	1
				3.3	20	-	3				
				12	18	-	3				
				12	18	-	3				
				-12	2.6	-	3				
				5	2	-	3				
RPS-500-18 XX (X can be 0-9, A-Z or blank)[*r]											
	shall be mated with model DPS-250AB-81 XX	-	0	+12Vdc	15.8	189.6	3	60950-1	20B	0	1
				+5VSBdc	2	10	3				
				+5Vdc	8	40	3				
				+3.3Vdc	6	19.8	3				
RPS-500-8(X)(X)(sb)	-48 to -60dc	-	0	5.05	29	3	3	60950	-	0	1
				3.35	28	86.8	-				
				12.16	20	233.4	-				
				12.16	19.5	230	-				
				12.16	19.5	229	-				
				-11.91	3.33	29	-				
				5.15	4.7	21.2	-				
RPS-500X1X2 (X)(X)(89), DPS-500EB (X)(X)(90)											
	100-127/200-240ac	47-63	0	3.31	25.8	75	3	60950-1	20B	2,3	1
				5.02	27.3	125	3				
				12.11	19.3	224	3				
				12.11	19.3	224	3				
				12.11	19.3	224	3				
				12.12	1.3	11	3				
				5.13	6.6	30	3				
RPS-550-2 XX, AC-129 XX (X=0-9, A-Z or blank)											
	mated with model DPS-550AB-2 XX or DPS-550AB-11 XX	-	0	12.25dc	45.61	522.45	3	60950-1, 2nd Ed + AM1	20B	0	1
				5.09dc	27.22	128.21	3				
				-12.32dc	0.94	10.29	3				
				3.34dc	16.34	51.63	3				
				5.08dc	6.87	33.80	3				

RPS-600-4 (X)(X), RPS-300 (X)(X), DPS-300NB B(X)											
	100-127/200-240ac	47-63	0	3.39	46	135	3	60950	20B	0	0
				5.1	39.2	188	-				
				12.25	17	200	-				
				12.3	17.2	202	-				
				12.25	17.1	201	-				
RPS-650XX(Power Cage) with DPS-650EB XX(Power Module)											
	100-240ac	47-63	0	3.4	32.2	95	3	60950-1	20B	2	1
				5	30.4	138	3				
				5.1	5.8	23	3				
				-12	0.65	6.1	3				
				12.1	19.1	222	3				
				12.1	19	221	3				
				12.1	19	221	3				
				12.1	19.2	225	3				
RPS-700(X)(X)(sb)(38), RPS-700-1(X)(X)(sb)(38)[*r]											
	100 127/200-240ac	50-60	0	5	39	-	3	60950-1	20B	0	1
				5	2	-	3				
				-12	0.5	-	3				
				12	18	-	3				
				12	18	-	3				
				12	18	-	3				
				3.3	39	-	3				
RPS-700-2(X)(X)(39), RPS-700-4(X)(X)(39), RPS-700-6(X)(X)(39), RPS-700-7(X)(X)(39)											
	100-127/200-240ac	50-60	0	5	43.5	216	3	60950-1	20B	0	1
				3.3	48.6	160	3				
				12.1	19.2	236	3				
				12.1	19	227	3				
				5.1	8.9	43	3				
				-12.3	3.9	43	3				
RPS-700-3(X)(X)(40)(sb) [*r]	100-127/200-240ac	50-60	0	5	38	-	3	60950-1	20B	0	1
				5	2	-	3				
				-12	-0.5	-	3				
				12.1	57.5	638	3				
				12.1	18.9	227	3				
				3.3	38	-	3				
RPS-700-5 (X)(X)(42)(sb) [*r]	100-127/200-240ac	47/63	0	5	38	-	3	60950-1	20B	0	1
				5	2	-	3				
				-12	0.5	-	3				
				12	47.5	-	3				
				3.3	38	-	3				
S36SS3R304XXXXX(///)	18-60dc	-	3	3.3	6.8	21.5	3	60950-1	-	0	-
S48SR05003XXXX, S48SR05002XXXX(}											
	36-75dc	-	3	5	4.7	21.5	3	60950-1	-	0	0
S49SA1R512XXXX (ab)	36-75dc	-	3	1.5	15.8	22	3	60950	20B	0	0,2
SADP-185AF B	100-240ac	47-63	0	12.3	17.6	212.5	3	60950-1	20B	3	1

SADP-65KB C	100-240Vac	50-60	0	19.3dc	4.1	77	3	60950-1	20B	0	1
SADP-65KB D	100-240Vac	50-60	0	19.3dc	4.1	77	3	60950-1	20B	0	1
SDMV24150XX, SDMV36150XX(----)											
	100-277ac	50/60	0	36	4.9	176	3	60950-1 2nd	20B	0	1
				24	7.2	170	3				
SDMV24200AX (%)	100-277ac	50/60	0	230.7	23.3	9.9	3	60950-1	20B	0	1
SMP-350BB REV B, SMP-350BB REV C											
	100-120/200-244ac	47-63	0	5.12	44	220	3	1950	20B	6,2	1
				12.26	17.4	206.8	3				
				-5.1	1.75	8.6	3				
				-12.55	2.1	23.1	3				
SMP-400BB	100-125/200-240ac	50-60	0	5.15	46.1	215.29	3	1950	15B	0	1
				12.17	5.45	62.01	3				
				12.12	3.3	21.85	3				
				5	11	53.24	3				
				12.16	15.6	177.79	3				
SMP-75RB REV. B, SMP-75RB REV. C											
	100-125ac	60	0	5	25.8	116.62	3	1950	-	6,2	1
				12	10.1	114.23	3				
				-5	1.71	7.8	3				
TDPS-138AF XX(")	100-240	50-60	0	3.4	16.3	54.61	3	60950-1 2nd	20B	0	0
				5.09	3.4	17.20	3				
				29.15	1.8	51.95	3				
				47.26	1.8	70.79	3				
				107.33	0.8	71.34	3				
TDPS-150BB XX, where XX represents any alphanumeric character or blank.											
	100-240ac	47-63	0	12.0dc	16.6	199.2	3	60950-1	20B	0	0
TDPS-235AB A	100-240Vac	50-60	0	12.351	12.935	134.37	3	60950-1 2nd	20B	3	1
				51.12	4.83	196.31	3				
TDPS-550CB BX [1052-2] [*r]	100-240ac	50/60	0	-54dc	8.33	104.19	3	60950-1 2nd	20B	2	1
				+12dc	8.33	105.6	3				
TDPS-550CB XX [1052-1]	100-240ac	50/60	0	-54Vdc	8.33A	104.19	3	60950-1 2nd	20B	6,2	1
				+12Vdc	6.25A	514.141	3				
TDPS-550CB-1 XX [1052-2]	100-240ac	50/60	0	-	6.25A	514.141	3	60950-1 2nd	20B	6,2	1
TEPDB1219	12Vdc	-	3	12.31	18	213.84	3	60950-1	-	0	0
				5.09	26	114.14	3				
				3.34	25	79.25	3				
				12.05	0.7	7.44	3				
				3.38	7.3	20.95	3				
battery charger	100-240ac	50-60	0	-	-	-	-	60950-1, 2nd Ed+AM1+AM2	20B	2	0

[*r] - Output values are rated.

\$\$ - X1=050, X2=15, X= any alphanumeric characters, +, *, #, _, hyphen or blank

\$-\$ - Where X can be any alphanumeric characters or blank.

%3 - X1=V; X2=06, 10, 20; X= alphanumeric character, +, *, #, _, hyphen or blank

%4 - X = 0-9, A-Z, or blank

%5 - X=0-9, A-Z or blank and for marketing purpose only, and no impact safety related constructions and critical components.

& - where Y can be 0-9 or A-Z but cannot be blank.

(") - where X can be any alphanumeric or blank

(\$ 1) - Where X can be any alphanumeric or blank for marketing purpose and no impact safety related critical components and constructions

(%) - AC-026XX input must mate with one or two DPS-730AB XX

(&) - X can be 0-9, A-Z or blank

(---) - Where X maybe 0-9, A-Z, blank or -

(----) - x=0~9, A~Z, - or blank

(..~) - First X=0-9, A-Z or blank; Scnd X=A-Z or blank; Third X=0-9, A-Z or blank, include DPSN-150BP M, DPSN-150BP L, DPSN-150BP Q, not include DPSN-150BP MXX, DPSN-150BP LXX, DPSN-150BP QXX

(///) - X= alphanumeric character, +, *, #, _, hyphen or blank

(0) - where X could be any alphanumeric or blank

(1) - Total 275 W maximum continuous output.

(102) - Notes: Combined +5 V and +3.3 V total output power 80 W max. Total 180 W maximum continuous output at 25C ambient. Total 160 W maximum continuous output at 50C ambient.

(111) - The total continuous output power shall be 755 W max.

(113) - +3.3 V and +5 V combined maximum output power = 165 W. Total output power 680 W.

(115) - Maximum combined power on +5 V & +12 V output is 218 W. Maximum combined power on +5 V & +3.3 V output is 145 W. Total output 250 W maximum continuous output.

(118) - +5 V and +3.3 V total output power cannot exceed 55 W. Total output 130.4 W maximum.

(125) - where X2 may be 01 to 15

(13) - Total 180 W maximum continuous output @ 25C. Total 150 W maximum continuous output @ 50C.

(131) - Total 2504 W output at input range 200-208 V and 2748 W output at input range 220-240 V

(132) - Total 800 W maximum continuous output.

(133) - Total 900 W maximum continuous output.

(135) - Maximum combined power 5V and 3.3V is 60 W. Total power 240 W max.

(136) - Total output is 550 W maximum.

(137) - When ambient is 25 deg C, +3.3V & +5V & +12V total combined output not exceed 223W; Max. Power 225W. When ambient is 45 deg C, +3.3V & +5V total combined output not exceed 95W; +3.3V & +5V & +12V total combined output not exceed 191W; Max. Power 193W.

(14) - Maximum combined power 5V and 3.3V output is 78W. Total output is 114 W maximum.

(18) - Total 253.5 W maximum continuous output.

(19) - Total 200 W maximum continuous output.

(2) - Total 300 W maximum continuous output @ 25C. Total 275 W maximum continuous output @ 50C.

(20) - Total 250 W maximum continuous output.

(26) - Total 266 W maximum continuous output. Input must mate with power cage RPS-280(X)(X) (X)(X).

(29) - Total 102 W maximum continuous output.

(30) - Total 87 W maximum continuous output.

(31) - Total 104 W maximum continuous output.

(38) - Maximum combined power 5V and 3.3V is 300 W. Max 12 V1, 12 V2, 12 V3 combined current 48.75 max. Total power 670 W max.

(39) - Maximum combined power 5V and 3.3V is 300 W. Max 12 V1, 12 V2, 12 V3 is combined current 47.5 max. Total power 650 W max.

(40) - Maximum combined power 5V and 3.3V is 300 W. Max 12 V1 & C30 12 VFAN is combined current 48.75 A max. Total power 650 W max.

(42) - Maximum combined power 5V and 3.3V is 300 W. Total power 650 W max.

(43) - Input must mate with power cage RPS-350-1 (X)(X). Total power is 350 W max.

(5) - Total 156 W maximum continuous output.

(53) - Total output power 1050 W @ 100-120V; 1900W @ 200-240V input range.

(59) - Total 5V and 3.3V output power can not exceed 105 W. Total 200W maximum.

(60) - Total 1900W maximum continuous output.

(63) - Total 5V and 3.3V output power can not exceed 140 W. Total 550 W maximum.

(64) - Total 5V and 3.3V output power can not exceed 125 W. Total 200 W maximum.

(65) - Total 5V and 3.3V output power can not exceed 145 W. Total 250 W maximum.

(7) - Total 250 W maximum continuous output @ 25C. Total 200 W maximum continuous output @ 50C.

(72) - Total 1066 W maximum continuous output.

(77) - Maximum combined power 5V and 3.3V output is 120 W. Total output power is 430 W.

(78) - Maximum combined power 5V and 3.3V output is 125 W. Total output power is 200 W.

(79) - Total output power is 90 W maximum.

(81) - Total output power is 95 W maximum.

(85) - Maximum combined power 5V 3.3 and 12V output is 190 W. Total output power is 203 W at 50 C ambient.

(86) - Maximum combined power 5V and 3.3V output is 155 W. Total output power is 450 W.

(87) - Maximum combined power 5V and 3.3V output is 120 W. Total output power is 425 W.

(88) - Total output power is 102 W maximum.

(89) - The combined 12V, 12V, 12V combined current is 28.6 A max combined power of 3.3V and 12 V should be 120W. Total power output is 480W.

(90) - The combined 12V, 12V, 12V combined current is 28.6 A max combined power of 3.3V and 12 V should be 120W. Total power output is 500W.

(91) - Total power output is 104 W maximum.

(96) - +5 V and +3.3 V total output power can not exceed 55 W. Total output 124.4 W maximum.

(??) - where X can be any alphanumeric or blank for marketing purpose and no impact safety related critical components and constructions

(a) - Maximum 21.725 continuous output.

(a1894) - Combination of +5Vdc and -48Vdc not to exceed 440W

(ab) - Where X can be 0-9, A-Z, blank or dash.

(ac) - where X can be any alphanumeric, blank or dash.

(ac1) - where X, X1, X2 can be any alphanumeric, blank or dash

(ad) - the "X" may be A or B or C or D for different output rating; A is for +18.5V, B is for +19V, C is for +19.5V, D is for +20V

(af) - Another input is -36 to -72 DC

(au) - The last 5V output is auxiliary.

(b) - Where X may be any alphanumeric character or blank except B.

(BC) - where XX is any alphanumeric character or blank.

(c) - Where X may be any alphanumeric character or blank except B or C.

(d) - The 4.9 V output is aux. The 12.3 V output is for a fan.

(ddd) - y can be 0-9, A-Z, or blank

(F1) - X=0-9, A-Z or blank

(F3) - X1=0-99, A-Z or blank except 2, 4 and 6; X=0-9, A-Z or blank

(H2) - X=0-9, A-Z or blank

(H4) - with a DC/DC module part number AC-064 XX (X=A-Z, 0-9 or blank)

(H8) - where X = A-Z or blank

(H9) - The "X" can be 0-9, A-Z or blank

(k) - Represents a number from 1-35.

(kk) - Where X can be any alphanumeric or blank for marketing purpose and no impact safety related critical components and constructions

(m) - Where X can be 0-9, A-Z, or blank

(mm~) - X can be any alphanumeric character or blank, but first X excluding B, C and D

(m~) - X can be any alphanumeric character or blank

(q) - Rated output 675 V ac, 6.5 mA

(r) - Rated output 675 V ac, 7.0 mA

(sb) - The last output voltage is standby.

(sp) - Where first X=0-9, A-Z or blank except B, C, D and E; second X=0-9, A-Z or blank

(t) - Rated maximum output 675 V rms, 13 mA.

(w) - where X2 in two digits, representing the rated output current in Amperes, can be 01-35 for all models, except for Q48SL120X1X2XXXX can only be 01-10 representing the rated output current in Amperes.

(X) - Where X may be any alphanumeric character or blank.

(X2) - where X2 can be H or V

(X6) - XX can be 0-9, A-Z or blank.

(X7) - where X can be any alphanumeric character or blank

(X9) - Where X can be any alphanumeric character except the first X can not be A.

(z) - where Y can be 0-9, A-Z, or blank

(zz) - X can be 0-9, A-Z, or blank.

(\) - First X=0-9; Second X=0-9, A-Z or blank

({) - where X can be any alphanumeric characters, +, *, #, _, hyphen or blank

(~A) - DPSN-100CP XX, where 1st X = 0-9, A-Z or Blank except E. 2nd X= 0-9, A-Z or Blank

* - Without Daughter Board

+ - With Daughter Board

138 - the first X can be 0-9, A, C-Z or blank, the second X can be 0-9, A-Z or blank

1@ - X=B-Z, 0-9

== - 1st X=0-9, A-Z or blank, except G; 2nd X=0-9, A-Z or blank

?2 - X=0-9, A-Z or blank, except B for first letter

@1 - X2=A-Z, X3=1R2 or 1R5 or 1R8 or 2R5 or 3R3 or 5R0 or 0A0, X4=R or S, X5=06 or 10 or 16, X6=N or P, X7=A-Z, hyphen or blank, X=A-Z or blank

@2 - 2ndX=any alphanumeric character, +, *, #, _, hyphen or blank, except 1;X=any alphanumeric character, +, *, #, _, hyphen or blank

@7 - Where X could be 0-9, A-Z, a-z or blank

ah - Where X can be 0-9, A-B, D-Z, dash or blank, first X can't be C.

ak - input must mate with DPS-650GB XX

h12 - Where X=0-9, A-Z or blank, for marketing purpose and no impact safety related critical components and constructions,

h5 - X1=3R3, X2=03 or 04; X1=1R8, X2=05; X1=2R5, X2=04; X1=050, X2=02 or 03; X1=120, X2=01; X1=070, X2=02; X1=100, X2=01; X= alphanumeric character, +, *, #, _, hyphen or blank

ss - X1=1R2, 1R5, 1R8, 2R5, 3R3, 050 or 0A0; X2=H or V; X=any alphanumeric characters, +, *, #, _, hyphen or blank

XX - Where X is any alphanumeric character or blank for customer code

[1052-1] - The first X can be A, C-Z, 0-9 or blank, second X can be A-Z, 0-9 or blank.

[1052-2] - The X can be A-Z, 0-9 or blank.

^ - where X can be any alphanumeric character or blank

~~ - 1st X=0-9, A-Z or blank, except C; 2nd X=0-9, A-Z or blank)

Marking: Company name and model designation on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2017-07-21

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".