

# Ranges

**A range of ways to cook.  
One exceptional way to engineer them.**





Love a sleek, built-in look but only have room for a range? Upgrade from a freestanding range to a slide-in range without changing cabinetry or countertops. These sleek, full-depth slide-in ranges optimize counter space, offering five burners, ovens with European convection and a convenient warming drawer.

With precise German-engineered performance, Bosch ranges offer burners with high heat and low simmer options for optimal cooking flexibility. Choose from gas, dual fuel or electric models in stainless steel.

# Benchmark® Ranges

European design that slides right in.



## Fuel Options

Bosch slide-in ranges are available in gas, electric, dual fuel and induction. The Bosch induction slide-in range is one of the very few induction slide-in ranges on the market, and offers a powerful and efficient cooking option with only a 40 Amp circuit.



## Genuine European Convection Cooking

Bosch Genuine European Convection uses a third heating element for faster and more even cooking on all racks. Available in dual fuel, electric and induction slide-in ranges.



## Dual-Stacked Burner

The Bosch Benchmark® gas and dual fuel slide-in ranges feature a versatile 20,000 BTU dual-stacked burner that delivers both fast boiling and low simmering for greater cooking flexibility.



## QuietClose® Door

The Bosch Benchmark® slide-in range oven features a door that closes smoothly and effortlessly, without slamming shut. It's a premium feel and feature, and is another first from Bosch for slide-in ranges.







# Benchmark® Gas & Dual-Fuel Slide-in Ranges



**HGIP054UC (Gas)**

- Full-depth Slide-in Range
- 5 Burners
- 20,000 BTU Dual-Stacked Burner
- QuietClose® Door
- Telescopic Rack
- Temperature Probe
- Warming Drawer
- 4.8 cu. ft.




**HDIP054U (Dual-Fuel)**

- Full-depth Slide-in Range
- 5 Burners
- 20,000 BTU Dual-Stacked Burner
- Multi-Rack Genuine European Convection
- QuietClose® Door
- Telescopic Rack
- Temperature Probe
- Warming Drawer
- 4.6 cu. ft.


|                                                | Gas                                                                                                                                                    | Dual-Fuel                                                                                                                                                                                                                      |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                | Stainless Steel – HGIP054UC                                                                                                                            | Stainless Steel – HDIP054U                                                                                                                                                                                                     |
| General Properties                             |                                                                                                                                                        |                                                                                                                                                                                                                                |
| Cooking modes                                  | Bake, Variable Broil (hi & low), Roast, Warm, Proof Dough, Convection Bake, Convection Roast, Convection Conversion, Pizza, Temperature Probe, Sabbath | Bake, Variable Broil (hi & low), Roast, Warm, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Multi-Rack Genuine European Convection, Convection Conversion, Pizza, Temperature Probe, Fast Preheat, Sabbath |
| Cleaning type                                  | Self clean                                                                                                                                             | Self clean                                                                                                                                                                                                                     |
| Type of grate                                  | Cast iron                                                                                                                                              | Cast iron                                                                                                                                                                                                                      |
| Knob material                                  | Metal                                                                                                                                                  | Metal                                                                                                                                                                                                                          |
| Drawer type                                    | Warming drawer                                                                                                                                         | Warming drawer                                                                                                                                                                                                                 |
| Sealed burners                                 | Yes                                                                                                                                                    | Yes                                                                                                                                                                                                                            |
| Oven Performance                               |                                                                                                                                                        |                                                                                                                                                                                                                                |
| Bake / broil burner power BTU                  | 18,000 / 12,500 BTU                                                                                                                                    | N/A                                                                                                                                                                                                                            |
| Bake / broil element watts (W)                 | N/A                                                                                                                                                    | 2,400 W / 3,800 W                                                                                                                                                                                                              |
| Convection element watts (W)                   | N/A                                                                                                                                                    | 2,000 W                                                                                                                                                                                                                        |
| Burner Performance                             |                                                                                                                                                        |                                                                                                                                                                                                                                |
| Total number of cooktop burners                | 5                                                                                                                                                      | 5                                                                                                                                                                                                                              |
| Total cooktop (NG / LP) BTU                    | 55,000 / 48,500                                                                                                                                        | 55,000 / 48,500                                                                                                                                                                                                                |
| Power of front left burner (NG / LP) BTU       | 10,000 / 8,000                                                                                                                                         | 10,000 / 8,000                                                                                                                                                                                                                 |
| Power of back left burner (NG / LP) BTU        | 5,000 / 5,000                                                                                                                                          | 5,000 / 5,000                                                                                                                                                                                                                  |
| Power of center burner (NG / LP) BTU           | 20,000 / 17,000                                                                                                                                        | 20,000 / 17,000                                                                                                                                                                                                                |
| Power of back right burner (NG / LP) BTU       | 5,000 / 5,000                                                                                                                                          | 5,000 / 5,000                                                                                                                                                                                                                  |
| Power of front right burner (NG / LP) BTU      | 15,000 / 13,500                                                                                                                                        | 15,000 / 13,500                                                                                                                                                                                                                |
| Technical Details                              |                                                                                                                                                        |                                                                                                                                                                                                                                |
| Watts (W)                                      | N/A                                                                                                                                                    | 4,800 / 6,400 W                                                                                                                                                                                                                |
| Circuit breaker (A)                            | 15 A                                                                                                                                                   | 30 A                                                                                                                                                                                                                           |
| Volts (V)                                      | 120 V                                                                                                                                                  | 208 V / 240 V                                                                                                                                                                                                                  |
| Frequency (Hz)                                 | 60 Hz                                                                                                                                                  | 60 Hz                                                                                                                                                                                                                          |
| Plug type                                      | US 3-prong                                                                                                                                             | N/A                                                                                                                                                                                                                            |
| Cord length (in.)                              | 78"                                                                                                                                                    | N/A                                                                                                                                                                                                                            |
| Energy source                                  | Gas                                                                                                                                                    | Mixed Electric / Gas                                                                                                                                                                                                           |
| Gas type                                       | Natural gas 15 mbar (USA)                                                                                                                              | Natural gas 15 mbar (USA)                                                                                                                                                                                                      |
| Alternative gas type                           | LP 27, 5 mbar (USA)                                                                                                                                    | LP 27, 5 mbar (USA)                                                                                                                                                                                                            |
| Dimensions & Weight                            |                                                                                                                                                        |                                                                                                                                                                                                                                |
| Overall appliance dimensions (HxWxD) (in.)     | 36 1/2" x 31 1/2" x 29 3/16"                                                                                                                           | 36 1/2" x 31 1/2" x 29 1/6"                                                                                                                                                                                                    |
| Required cutout size (HxWxD) (in.)             | 35 1/2" x 30" x 25 1/4"                                                                                                                                | 35 1/2" x 30" x 25 1/8"                                                                                                                                                                                                        |
| Adjustable range height (in.)                  | 1 1/2"                                                                                                                                                 | 1 1/2"                                                                                                                                                                                                                         |
| Overall Oven Interior Dimensions (HxWxD) (in.) | 17 13/16" x 24 1/8" x 18"                                                                                                                              | 17 13/16" x 24 1/8" x 18"                                                                                                                                                                                                      |
| Usable Oven Interior Dimensions (HxWxD) (in.)  | 11 1/2" x 23 1/4" x 15 1/4"                                                                                                                            | 12 5/16" x 23 1/4" x 15 1/4"                                                                                                                                                                                                   |
| Net weight (lbs)                               | 243 lbs                                                                                                                                                | 243 lbs                                                                                                                                                                                                                        |
| Accessories – Included                         |                                                                                                                                                        |                                                                                                                                                                                                                                |
| Included                                       | Use and care manual, installation guide, temperature probe, LP conversion kit, standard racks, telescopic rack                                         | Use and care manual, installation guide, temperature probe, LP conversion kit, standard racks, telescopic rack                                                                                                                 |

# Benchmark® Gas & Dual-Fuel Slide-in Ranges


## Gas and Dual-Fuel Range Dimensions




## Gas and Dual-Fuel Cutout Dimensions




## Gas Range Installation




## Island Trim – Gas Range



## Dual-Fuel Range Installation



## Island Trim – Dual-Fuel Range



## Optional Accessories

|                                 |                                   |                                         |                     |                       |                                                            |
|---------------------------------|-----------------------------------|-----------------------------------------|---------------------|-----------------------|------------------------------------------------------------|
|                                 |                                   |                                         |                     |                       |                                                            |
| HEZTR301<br>30" Telescopic rack | HGZBS301<br>4" Low backguard, gas | HDZBS301<br>4" Low backguard, dual-fuel | HEZGR301<br>Griddle | HEZ298102<br>Wok ring | HGZIT301<br>Island trim for island applications, dual-fuel |

# 800 Series Gas & Dual-Fuel Slide-in Ranges



HG18054UC (Gas)

- Full-depth Slide-in Range
- 18,000 BTU Burner
- 5 Burners
- Warming Drawer
- 4.8 cu. ft.




HD18054U (Dual-Fuel)

- Full-depth Slide-in Range
- 18,000 BTU Burner
- 5 Burners
- Multi-Rack Genuine European Convection
- Temperature Probe
- Warming Drawer
- 4.6 cu. ft.

|                                                | Gas                                                                                                                                 | Dual-Fuel                                                                                                                                                                                                                      |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                | Stainless Steel – HG18054UC                                                                                                         | Stainless Steel – HD18054U                                                                                                                                                                                                     |
| General Properties                             |                                                                                                                                     |                                                                                                                                                                                                                                |
| Cooking modes                                  | Bake, Variable Broil (hi & low), Roast, Warm, Proof Dough, Convection Bake, Convection Roast, Convection Conversion, Pizza, Sabbath | Bake, Variable Broil (hi & low), Roast, Warm, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Multi-Rack Genuine European Convection, Convection Conversion, Pizza, Temperature Probe, Fast Preheat, Sabbath |
| Cleaning type                                  | Self clean                                                                                                                          | Self clean                                                                                                                                                                                                                     |
| Type of grate                                  | Cast iron                                                                                                                           | Cast iron                                                                                                                                                                                                                      |
| Knob material                                  | Metal                                                                                                                               | Metal                                                                                                                                                                                                                          |
| Drawer type                                    | Warming drawer                                                                                                                      | Warming drawer                                                                                                                                                                                                                 |
| Sealed burners                                 | Yes                                                                                                                                 | Yes                                                                                                                                                                                                                            |
| Oven Performance                               |                                                                                                                                     |                                                                                                                                                                                                                                |
| Bake / broil burner power BTU                  | 18,000 / 12,500 BTU                                                                                                                 | N/A                                                                                                                                                                                                                            |
| Bake / broil element watts (W)                 | N/A                                                                                                                                 | 2,400 / 3,800 W                                                                                                                                                                                                                |
| Convection element watts (W)                   | N/A                                                                                                                                 | 2,000 W                                                                                                                                                                                                                        |
| Burner Performance                             |                                                                                                                                     |                                                                                                                                                                                                                                |
| Total number of cooktop burners                | 5                                                                                                                                   | 5                                                                                                                                                                                                                              |
| Total cooktop (NG / LP) BTU                    | 53,000 / 46,500                                                                                                                     | 53,000 / 44,000                                                                                                                                                                                                                |
| Power of front left burner (NG / LP) BTU       | 10,000 / 8,000                                                                                                                      | 10,000 / 8,000                                                                                                                                                                                                                 |
| Power of back left burner (NG / LP) BTU        | 5,000 / 5,000                                                                                                                       | 5,000 / 5,000                                                                                                                                                                                                                  |
| Power of center burner (NG / LP) BTU           | 18,000 / 15,000                                                                                                                     | 18,000 / 12,500                                                                                                                                                                                                                |
| Power of back right burner (NG / LP) BTU       | 5,000 / 5,000                                                                                                                       | 5,000 / 5,000                                                                                                                                                                                                                  |
| Power of front right burner (NG / LP) BTU      | 15,000 / 13,500                                                                                                                     | 15,000 / 13,500                                                                                                                                                                                                                |
| Technical Details                              |                                                                                                                                     |                                                                                                                                                                                                                                |
| Watts (W)                                      | N/A                                                                                                                                 | 4,800 / 6,400 W                                                                                                                                                                                                                |
| Circuit breaker (A)                            | 15 A                                                                                                                                | 30 A                                                                                                                                                                                                                           |
| Volts (V)                                      | 120 V                                                                                                                               | 208 V / 240 V                                                                                                                                                                                                                  |
| Frequency (Hz)                                 | 60 Hz                                                                                                                               | 60 Hz                                                                                                                                                                                                                          |
| Plug type                                      | US 3-prong                                                                                                                          | N/A                                                                                                                                                                                                                            |
| Cord length (in.)                              | 78"                                                                                                                                 | N/A                                                                                                                                                                                                                            |
| Energy source                                  | Gas                                                                                                                                 | Mixed Electric / Gas                                                                                                                                                                                                           |
| Gas type                                       | Natural gas 15 mbar (USA)                                                                                                           | Natural gas 15 mbar (USA)                                                                                                                                                                                                      |
| Alternative gas type                           | LP 27, 5 mbar (USA)                                                                                                                 | LP 27, 5 mbar (USA)                                                                                                                                                                                                            |
| Dimensions & Weight                            |                                                                                                                                     |                                                                                                                                                                                                                                |
| Overall appliance dimensions (HxWxD) (in.)     | 36 1/2" x 31 1/2" x 29 3/16"                                                                                                        | 36 1/2" x 31 1/2" x 29 1/6"                                                                                                                                                                                                    |
| Required cutout size (HxWxD) (in.)             | 35 1/2" x 30" x 25 1/4"                                                                                                             | 35 1/2" x 30" x 25 1/8"                                                                                                                                                                                                        |
| Adjustable range height (in.)                  | 1 1/2"                                                                                                                              | 1 1/2"                                                                                                                                                                                                                         |
| Overall Oven Interior Dimensions (HxWxD) (in.) | 17 13/16" x 24 1/8" x 18"                                                                                                           | 17 13/16" x 24 1/8" x 18"                                                                                                                                                                                                      |
| Usable Oven Interior Dimensions (HxWxD) (in.)  | 11 1/2" x 23 1/4" x 15 1/4"                                                                                                         | 12 5/16" x 23 1/4" x 15 1/4"                                                                                                                                                                                                   |
| Net weight (lbs)                               | 243 lbs                                                                                                                             | 243 lbs                                                                                                                                                                                                                        |
| Accessories – Included                         |                                                                                                                                     |                                                                                                                                                                                                                                |
| Included                                       | Use and care manual, installation guide, LP conversion kit, standard racks                                                          | Use and care manual, installation guide, temperature probe, LP conversion kit, standard racks                                                                                                                                  |


# 800 Series Gas & Dual-Fuel Slide-in Ranges

## Gas and Dual-Fuel Range Dimensions



measurements in inches (mm)


## Gas and Dual-Fuel Cutout Dimensions



\*For gas range island installation with island trim (HGZIT301), use a cutout depth of 25<sup>3</sup>/<sub>8</sub>" (645)


measurements in inches (mm)

## Gas Range Installation




Measurements in inches (mm)

## Island Trim – Gas Range




Measurements in inches

## Dual-Fuel Range Installation




Measurements in inches (mm)

## Island Trim – Dual-Fuel Range



Measurements in inches

## Optional Accessories



HEZTR301  
30" Telescopic rack



HGZBS301  
4" Low backguard, gas



HDZBS301  
4" Low backguard, dual-fuel



HEZGR301  
Griddle



HEZ298102  
Wok ring

HGZIT301  
Island trim for island applications, gas

HDZIT301  
Island trim for island applications, dual-fuel



# Benchmark® Electric & Induction Slide-in Ranges



HEIP054U (Electric)

- Full-depth Slide-in Range
- 12" 3,000-Watt Triple-Ring Element
- 9.5" 3,200- / 1100-Watt Versatile Element
- 4 Elements + 1 Warming Zone
- QuietClose® Door
- Telescopic Rack
- Temperature Probe
- Warming Drawer
- 4.6 cu. ft.




HIIP054U (Induction)

- Full-depth Slide-in Range
- Induction Cooktop Offers Faster, Cleaner and More Efficient Cooking
- Powerful 3,600-Watt Speeds Cooking Time
- QuietClose® Door
- Telescopic Rack
- Temperature Probe
- 4.6 cu. ft.

|                                                | Electric                                                                                                                                                                                                                       | Induction                                                                                                                                                                                               |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                | Stainless Steel – HEIP054U                                                                                                                                                                                                     | Stainless Steel – HIIP054U                                                                                                                                                                              |
| General Properties                             |                                                                                                                                                                                                                                |                                                                                                                                                                                                         |
| Cooking modes                                  | Bake, Variable Broil (hi & low), Roast, Warm, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Multi-Rack Genuine European Convection, Convection Conversion, Pizza, Temperature Probe, Fast Preheat, Sabbath | Bake, Variable Broil (hi & low), Roast, Warm, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Multi-Rack Genuine European Convection, Pizza, Temperature Probe, Fast Preheat, Sabbath |
| Cleaning type                                  | Self clean                                                                                                                                                                                                                     | Self clean                                                                                                                                                                                              |
| Knob material                                  | Metal                                                                                                                                                                                                                          | Metal                                                                                                                                                                                                   |
| Drawer type                                    | Warming drawer                                                                                                                                                                                                                 | Warming drawer                                                                                                                                                                                          |
| Oven Performance                               |                                                                                                                                                                                                                                |                                                                                                                                                                                                         |
| Bake / broil element watts (W)                 | 2,400 / 3,800 W                                                                                                                                                                                                                | 2,400 / 3,800 W                                                                                                                                                                                         |
| Convection element watts (W)                   | 2,000 W                                                                                                                                                                                                                        | 2,000 W                                                                                                                                                                                                 |
| Element Performance                            |                                                                                                                                                                                                                                |                                                                                                                                                                                                         |
| Total number of cooktop elements               | 5                                                                                                                                                                                                                              | 4                                                                                                                                                                                                       |
| Power of front left element watts (W)          | 1,050 / 1,950 / 3,000 W                                                                                                                                                                                                        | 2,200 W (3,300 w/boost)                                                                                                                                                                                 |
| Power of back left element watts (W)           | 1,200 W                                                                                                                                                                                                                        | 1,400 W (1,800 w/boost)                                                                                                                                                                                 |
| Power of center element watts (W)              | 100 W                                                                                                                                                                                                                          | N/A                                                                                                                                                                                                     |
| Power of back right element watts (W)          | 1,200 W                                                                                                                                                                                                                        | 2,400 W (3,600 w/boost)                                                                                                                                                                                 |
| Power of front right element watts (W)         | 1,100 / 3,200 W                                                                                                                                                                                                                | 1,400 W (1,800 w/boost)                                                                                                                                                                                 |
| Element Size                                   |                                                                                                                                                                                                                                |                                                                                                                                                                                                         |
| Dimension of front left heating element        | 6" / 9" / 12"                                                                                                                                                                                                                  | 9"                                                                                                                                                                                                      |
| Dimension of back left heating element         | 6"                                                                                                                                                                                                                             | 6"                                                                                                                                                                                                      |
| Dimension of center heating element            | 6"                                                                                                                                                                                                                             | N/A                                                                                                                                                                                                     |
| Dimension of back right heating element        | 6"                                                                                                                                                                                                                             | 11"                                                                                                                                                                                                     |
| Dimension of front right heating element       | 9.5"                                                                                                                                                                                                                           | 6"                                                                                                                                                                                                      |
| Technical Details                              |                                                                                                                                                                                                                                |                                                                                                                                                                                                         |
| Watts (W)                                      | 11,300 / 14,800 W                                                                                                                                                                                                              | 11,400 / 13,800 W                                                                                                                                                                                       |
| Circuit breaker (A)                            | 40 A                                                                                                                                                                                                                           | 40 A                                                                                                                                                                                                    |
| Volts (V); Frequency (Hz)                      | 208 V / 240 V; 60 Hz                                                                                                                                                                                                           | 208 V / 240 V; 60 Hz                                                                                                                                                                                    |
| Plug type                                      | N/A                                                                                                                                                                                                                            | N/A                                                                                                                                                                                                     |
| Cord length (in.)                              | N/A                                                                                                                                                                                                                            | N/A                                                                                                                                                                                                     |
| Energy source                                  | Electric                                                                                                                                                                                                                       | Electric                                                                                                                                                                                                |
| Dimensions & Weight                            |                                                                                                                                                                                                                                |                                                                                                                                                                                                         |
| Overall appliance dimensions (HxWxD) (in.)     | 35 1/2" x 31 1/2" x 28 7/8"                                                                                                                                                                                                    | 35 1/2" x 31 1/2" x 28 7/8"                                                                                                                                                                             |
| Required cutout size (HxWxD) (in.)             | 35 1/2" x 30" x 25"                                                                                                                                                                                                            | 35 1/2" x 30" x 25"                                                                                                                                                                                     |
| Adjustable range height (in.)                  | 1 1/2"                                                                                                                                                                                                                         | 1 1/2"                                                                                                                                                                                                  |
| Overall Oven Interior Dimensions (HxWxD) (in.) | 17 13/16" x 24 1/8" x 18"                                                                                                                                                                                                      | 17 13/16" x 24 1/8" x 18"                                                                                                                                                                               |
| Usable Oven Interior Dimensions (HxWxD) (in.)  | 12 5/16" x 23 1/4" x 15 1/4"                                                                                                                                                                                                   | 12 5/16" x 23 1/4" x 15 1/4"                                                                                                                                                                            |
| Net weight (lbs)                               | 248 lbs                                                                                                                                                                                                                        | 248 lbs                                                                                                                                                                                                 |
| Accessories – Included                         |                                                                                                                                                                                                                                |                                                                                                                                                                                                         |
| Included                                       | Use and care manual, installation guide, temperature probe, standard racks, telescopic rack                                                                                                                                    | Use and care manual, installation guide, temperature probe, standard racks, telescopic rack                                                                                                             |

# Benchmark® Electric & Induction Slide-in Ranges


## Electric and Induction Range Dimensions



\* Overall height is adjustable via leveling legs.


measurements in inches (mm)

## Electric and Induction Range Cutout Dimensions



measurements in inches (mm)

## Electric and Induction Range Installation



Measurements in inches (mm)

## Optional Accessories



HEZTR301  
30" Telescopic rack



HEZBS301  
4" Low backguard,  
Electric and Induction



HEZ390210  
8" AutoChef® pan  
for 6" element



HEZ390220  
9" AutoChef® pan  
for 7" element



HEZ390230  
10" AutoChef® pan  
for 8" and 9" elements

# 800 Series Electric Slide-in Range




HEI8054U

- Full-depth Slide-in Range
- 6" / 9" 3,000-Watt Dual-Ring Element
- 9.5" 3,200- / 1100-Watt Versatile Element
- 4 Elements + 1 Warming Zone
- Warming Drawer
- 4.6 cu. ft.

| Electric                                       |                                                                                                                                                                                                             |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stainless Steel – HEI8054U                     |                                                                                                                                                                                                             |
| General Properties                             |                                                                                                                                                                                                             |
| Cooking modes                                  | Bake, Variable Broil (hi & low), Roast, Warm, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Multi-Rack Genuine European Convection, Convection Conversion, Pizza, Fast Preheat, Sabbath |
| Cleaning type                                  | Self clean                                                                                                                                                                                                  |
| Knob material                                  | Metal                                                                                                                                                                                                       |
| Drawer type                                    | Warming drawer                                                                                                                                                                                              |
| Oven Performance                               |                                                                                                                                                                                                             |
| Bake / broil element watts (W)                 | 2,400 / 3,800 W                                                                                                                                                                                             |
| Convection element watts (W)                   | 2,000 W                                                                                                                                                                                                     |
| Element Performance                            |                                                                                                                                                                                                             |
| Total number of cooktop elements               | 5                                                                                                                                                                                                           |
| Power of front left element watts (W)          | 1,400 / 3,000 W                                                                                                                                                                                             |
| Power of back left element watts (W)           | 1,200 W                                                                                                                                                                                                     |
| Power of center element watts (W)              | 100 W                                                                                                                                                                                                       |
| Power of back right element watts (W)          | 1,200 W                                                                                                                                                                                                     |
| Power of front right element watts (W)         | 1,100 / 3,200 W                                                                                                                                                                                             |
| Element Size                                   |                                                                                                                                                                                                             |
| Dimension of front left heating element        | 6" / 9"                                                                                                                                                                                                     |
| Dimension of back left heating element         | 6"                                                                                                                                                                                                          |
| Dimension of center heating element            | 6"                                                                                                                                                                                                          |
| Dimension of back right heating element        | 6"                                                                                                                                                                                                          |
| Dimension of front right heating element       | 9.5"                                                                                                                                                                                                        |
| Technical Details                              |                                                                                                                                                                                                             |
| Watts (W)                                      | 11,300 / 14,800 W                                                                                                                                                                                           |
| Circuit breaker (A)                            | 40 A                                                                                                                                                                                                        |
| Volts (V); Frequency (Hz)                      | 208 V / 240 V; 60 Hz                                                                                                                                                                                        |
| Plug type                                      | N/A                                                                                                                                                                                                         |
| Cord length (in.)                              | N/A                                                                                                                                                                                                         |
| Energy source                                  | Electric                                                                                                                                                                                                    |
| Dimensions & Weight                            |                                                                                                                                                                                                             |
| Overall appliance dimensions (HxWxD) (in.)     | 35 1/2" x 31 1/2" x 28 7/8"                                                                                                                                                                                 |
| Required cutout size (HxWxD) (in.)             | 35 1/2" x 30" x 25"                                                                                                                                                                                         |
| Adjustable range height (in.)                  | 1 1/2"                                                                                                                                                                                                      |
| Overall Oven Interior Dimensions (HxWxD) (in.) | 17 13/16" x 24 1/8" x 18"                                                                                                                                                                                   |
| Usable Oven Interior Dimensions (HxWxD) (in.)  | 12 5/16" x 23 1/4" x 15 1/4"                                                                                                                                                                                |
| Net weight (lbs)                               | 248 lbs                                                                                                                                                                                                     |
| Accessories – Included                         |                                                                                                                                                                                                             |
| Included                                       | Use and care manual, installation guide, standard racks                                                                                                                                                     |

# 800 Series Electric Slide-in Range


## Electric Range Dimensions



\* Overall height is adjustable via leveling legs.


measurements in inches (mm)

## Electric Range Cutout Dimensions



measurements in inches (mm)

## Electric Range Installation



## Optional Accessories



HEZTR301  
30" Telescopic rack



HEZBS301  
4" Low backguard,  
Electric and Induction



HEZ390210  
8" AutoChef® pan  
for 6" element



HEZ390220  
9" AutoChef® pan  
for 7" element



HEZ390230  
10" AutoChef® pan  
for 8" and 9" elements