

Scotch®

ATG 700 Adhesive System

Scotch® ATG 700

A hand is shown holding a yellow Scotch ATG 700 adhesive dispenser. The dispenser is being used to apply adhesive to a metal surface, likely a hinge or a similar component. The dispenser has a silver nozzle and a red trigger. The background is a plain, light-colored surface.

Versatility in your hands.

A quick, easy and convenient way to bond just about anything.

For any job, big or small... portable power in your hands!

The Scotch® ATG 700 Adhesive System is a small, yet mighty system that can handle many jobs – faster, cleaner and more conveniently than regular tape.

FASTER

Bond long, large and small surfaces. Finish multiple pieces quicker. No cure time.

EASIER

Apply tape on any shape, form or in uncomfortable positions. No preparation needed. Just Glide and Go!

SAFER

No harmful vapors or strong odors.

VERSATILE

Choose the right tape for your application and bond anything from paper and wood to metal, glass and hard-to-bond plastics.

Dispenses tape easily on any shaped surface.

CLEANER QUALITY

Consistent thickness with no mess from oozing, glue lines or over-spray. Liner removes automatically and stays in applicator.

COST- EFFECTIVE

Use only the amount of tape you need. No waste!

CONVENIENT

Can complete multiple jobs without reloading. Easy to "cut" tape and liner is removed automatically.



THOUSANDS OF USES
in light and heavy industrial
applications.

From appliance and automotive assembly to picture framing, the Scotch® ATG 700 Adhesive System is being used in countless applications for reliable, versatile bonding.

Scotch® ATG 700 Adhesive System



**Scotch®
ATG Tape 926
High Temperature
Resistance**

Works on a wide variety of substrates and materials, with excellent resistance to solvents and high temperatures.



**Scotch®
ATG Tape 969
Heavy Duty**

Features high initial adhesion and good holding power to a variety of materials, including most plastics, metals, glass and UV-coated paper.



**Scotch®
ATG Tape 924
General Purpose**

Provides good adhesion to most paper stocks.



**Scotch®
ATG Tape 987
Economy**

A cost-effective option for lighter applications.



Product Number	Tape Thickness w/o Liner (Mils/μm)	Description	Temp Resistance		Solvent Resistance	Relative Adhesion		Application Examples
			Short Term (°C/°F)	Long Term (°C/°F)		HSE*	LSE**	
926	5.0/130	Excellent temperature and solvent resistance.	232/450	149/300	High	High	High	Bond aluminum foil in kitchen ovens. Bond noise-damping material in auto engine covers.
969	5.0/130	High tack. Excellent adhesion to most plastics, metals, glass and UV-coated paper.	121/250	66/150	Medium	High	High	Bond fiberglass/foam layers in resin infusion processes to make composites. Bond UV-coated point-of-purchase display boxes.
924	2.0/50	General purpose. Excellent adhesion to most paper stocks.	121/250	82/180	Medium	Medium	Low	Bond paper folders. Bond mat board in picture frames. Splice paper.
987	1.7/40							

* High Surface Energy (HSE) Substrates: Copper, Aluminum, Zinc, Tin, Lead, Stainless Steel, Glass, Porcelain, Polyimide Film, Phenolic, Nylon, Alkyd Enamel, Polyester, Epoxy Paint, Polyurethane Paint, Polycarbonate, PVC Rigid, Acrylic

** Low Surface Energy (LSE) Substrates: PVA, Polystyrene, Acetal, EVA, Polyethylene, Polypropylene, Polyvinyl Fluoride (PVF), Fluoropolymer, Powder-Coated Paint

More tapes are available. Please contact your local 3M Sales Representative for details.

Warranty, Limited Remedy, and Disclaimer: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



Industrial Adhesives and Tapes Division

3M Center, Building 225-3S-06
St. Paul MN 55144-1000
Phone: 800-422-8116
Web: 3M.com/converter

3M, Scotch and the Plaid Design are trademarks of 3M Company.
Please recycle. Printed in USA.
© 3M 2016. All Rights reserved.
70-0713-4632-7