




# AQUA INTERNATIONAL LIMITED

Rooms 709-710, 7/F, Star House, No.3 Salisbury Road, Tim Sha Tsui, Kowloon, HongKong.  
Tel. (852) 2620-5100 Fax (852) 2620-5183

B) HI-POT TEST ( FOR AC PRODUCTS ONLY )					
Sampling Plan ISO-2859 Level-II		Sample Size :		200 PCS	
AQL : CRITICAL=0 / NOT ALLOWED					
DEFECTIVE				CRITICAL	
AC 1250V 1mA FOR 1Min.				0	
HI-POT TEST RESULT :		WITHIN AQL <input checked="" type="checkbox"/>		BEYOND AQL <input type="checkbox"/>	
C) PERFORMANCE TEST		SAMPLE SIZE		RESULT	
Power on check for 4 Hours		5 PCS		OK	
Radio Maximum Sensitivity Measurement		5 PCS		OK	
Broadcasting Station		5 PCS		OK	
Interior Workmanship Check		1 PC		OK	
3M-600 Tape Test For Silkscreen Printing		5 PCS		OK	
D) PACKING :					
Carton Size (CM)		(L)	52	Gift Box Size (CM) :	
		(W)	40.5		
		(H)	32		
Carton Barcode :		816203013620(MAHOGANY) 816203014252(CRAPHITE GRAY)		Gift Box Barcode :	
Spare Unit :		N/A		Spare Parts:	
				N/A	

E) SHIPPING MARKS :	
<p>Front Mark</p> 	<p>Side Mark</p> 

# AQUA INTERNATIONAL LIMITED

Rooms 709-710, 7/F, Star House, No.3 Salisbury Road, Tim Sha Tsui, Kowloon, HongKong.  
Tel. (852) 2620-5100 Fax (852) 2620-5183

F) FINAL RESULT :		
WITHIN AQL	<input checked="" type="checkbox"/>	This is an Inspection Report and not valid for any L/C Negotiation. The issue of this Inspection Report has no effect on the rights of the buyer to claim any deviations in the goods released for shipment when compared with the conditions contained in the order. This particularly applies to the quantity, quality, marking and packing of the released goods compared with the order details.
BEYOND AQL	<input type="checkbox"/>	
PENDING	<input type="checkbox"/>	
Refer To Remark No. :		

\_\_\_\_\_  
FACTORY SIGNATURE

\_\_\_\_\_  
YUKI (C)  
INSPECTOR SIGNATURE  
[Electronic file's) not shown the signature]

G) REMARK
<ol style="list-style-type: none"><li>1) PACKING ACCESSORIES: ENGLISH IM. ,&amp; 45 RMP ADAPTOR.</li><li>2) UNIT PLAYBACK TEST OF 8CM CD,PHILIPS 444A, CD-R/RW &amp; 33.3 RPM &amp; 45 RPM PHONE RECORDS ARE ACCEPTABLE.</li><li>3) WOOD MOISTURE MEASUREMENT ARE 7.1% TO 11.8%, (MFRS SPEC: LESS THAN 12%).</li><li>4) THE MANUFACTURER STICK THE CARB LABEL (ID CODE:1010197) ON UNIT &amp; MASTER CARTON.</li><li>5) BLUETOOTH DISTANCE 10M TEST OF IPDAD 4 ON S-1(8PCS) WAS ACCEPTED.</li><li>6) THE TIMING OF THE TONE ARM AUTO STOP IN THE PLAYBACK END ARE WITHIN 3 SEC FOR 33.3 RPM 20SEC FOR 45RPM&amp; 78 RPM.</li><li>7) IM. VERSION: 200B140700E.</li><li>8) THE UNIT STANDBY POWER IS: 1.38W.</li><li>9) FCC ID: ZXNLEETACE6B01.</li><li>10) THE I/M SHOWN "6 IN 1 NOSTALGIC ENTERTAINMENT CENTER "DIFFERENT FROM P/I SHOWN "RETRO 4 IN 1 WOODEN MUSIC CENTER".</li><li>11) ADD POLYFORM ON CD DOOR POSITION IN CARTON PACKING.</li><li>12) THE QVC SKU LABEL (E227162848000 FOR CRAPHITE GRAY &amp; E227162126000 FOR MAHOGANY) STICK ON TOP OF MASTER CARTON</li><li>13) THE BMC MARKING ON BOTTOM OF CARTON.</li><li>14) WITH TRANSPARENT TAPE STICK ON THE QVC SKU LABEL.</li><li>15) EXTRA CLEAR TAPE WAS COVERED THE QVC SKU LABEL ON MASTER CARTON. BUT IT CAN SCANNABLE.</li></ol>

# AQUA INTERNATIONAL LIMITED

Rooms 709-710, 7/F, Star House, No.3 Salisbury Road, Tim Sha Tsui, Kowloon, HongKong.  
Tel. (852) 2620-5100 Fax (852) 2620-5183

## DROP TEST REPORT

Report No.: 15-0346

Date: 08/Apr/15

Checked by: YUKI

Manufacturer:	LEETAC		
Model No.:	ITVS-200B	P.O.No.:	QVC PO#832063 , IT PO#LT-Q-BR718.R2 (PI/IT150123 REV.4)
Location:	QA TESTING ROOM	Lot No.:	3001

A) TYPE OF SAMPLE	
Brand New Model	<input type="checkbox"/>
Repeat Order	<input type="checkbox"/>
Materials Change	<input type="checkbox"/>
Regular Testing	<input checked="" type="checkbox"/>

B) TYPE OF PACKING	
Polybag	<input checked="" type="checkbox"/>
Clamshell/ Blister Packed	<input type="checkbox"/>
Ply corrugated carton	<input checked="" type="checkbox"/>
Polyfoam Packed	<input checked="" type="checkbox"/>
Shrink wrap/ Cellophane	<input type="checkbox"/>

C) SAMPLE QUANTITY		
Master Ctn :	1	CTN
Pieces Per Ctn :	1	PC
Gross Weight :	8.47	KGS
Carton Size :	52X40.5X32 CM	
Individual GB :	N/A	PC

D) MASTER CARTON	
76 cm	<input checked="" type="checkbox"/>
61 cm	<input type="checkbox"/>
46 cm	<input type="checkbox"/>
Other: _____	<input type="checkbox"/>
PASS	<input checked="" type="checkbox"/>
FAIL	<input type="checkbox"/>

E) INDIVIDUAL GIFT-BOX	
76 cm	<input type="checkbox"/>
61 cm	<input type="checkbox"/>
46 cm	<input type="checkbox"/>
Other: _____	<input type="checkbox"/>
PASS	<input type="checkbox"/>
FAIL	<input type="checkbox"/>

F) DROP TEST REQUIREMENT
10 drops: 1 Corner, 3 Edges, 6 Faces
Less than 10KGS (W) : 76CM (H)
10 to less than 19KGS (W) : 61CM (H)
19 to less than 28KGS (W) : 46CM (H)
28 to less than 45KGS (W) : 31CM (H)
45 to less than 68KGS (W) : 20CM (H)

G) CONTENT OF CHECK ITEMS	DESCRIPTIONS
Cabinet Broken / Crack	
Parts Loose/ Poor Fixing	
Switches Damaged / Jammed	
Dial Pointer Off Position	
Malfunction	
Power TRF Vibration/ Noise	
Antenna Bar Damaged	
Wiring Worn Off	
Posts Broken / Crack	
PCB Broken / Crack	
Solder Joint Torn Off (ESP Big Component)	
Foreign Parts	
Packaging Damage	

Note: Based on ISTA 1A 2001 STD.

# AQUA INTERNATIONAL LIMITED

Rooms 709-710, 7/F, Star House, No.3 Salisbury Road, Tim Sha Tsui, Kowloon, HongKong.  
Tel. (852) 2620-5100 Fax (852) 2620-5183

I) PHOTOS

Report No : 15-0346

Date : 8/9/10/APR/15

MASTER CARTON/REMARK(12)

LABEL ON  
CARTON/REMARK(4)

MARKING ON  
CARTON/REMARK(13)

LABEL ON  
CARTON/REMARK(12/14)




LABEL ON  
CARTON/REMARK(12)

BARCODE ON CARTON

BARCODE ON CARTON

SCANNING TEST



CARTON INNER PACKING

CARTON INNER  
PACKING/REMARK(11)

UNIT/ACCESSORIES PACKING

ACCESSORIES/REMARK(1)



MANUAL PRINTING

POLYBAG/ DESICCANT

UNIT VIEW

UNIT VIEW



UNIT VIEW

UNIT VIEW

UNIT VIEW

UNIT VIEW



# AQUA INTERNATIONAL LIMITED

Rooms 709-710, 7/F, Star House, No.3 Salisbury Road, Tim Sha Tsui, Kowloon, HongKong.  
Tel. (852) 2620-5100 Fax (852) 2620-5183

UNIT VIEW



UNIT DETAILS



UNIT DETAILS



UNIT DETAILS



UNIT DETAILS



UNIT DETAILS



UNIT DETAILS/REMARK(4)



UNIT DETAILS



UNIT DETAILS



UNIT DETAILS



PROTECT CD SHEET



UNIT DETAILS



UNIT DETAILS/REMARK(9)



UNIT DETAILS



POWER PLUG




POWER CORD



UNIT INTERIOR VIEW




UNIT INTERIOR VIEW



UNIT INTERIOR VIEW



UNIT INTERIOR VIEW



# AQUA INTERNATIONAL LIMITED

Rooms 709-710, 7/F, Star House, No.3 Salisbury Road, Tim Sha Tsui, Kowloon, HongKong.  
Tel. (852) 2620-5100 Fax (852) 2620-5183

UNIT INTERIOR VIEW



UNIT INTERIOR VIEW




UNIT INTERIOR VIEW



UNIT INTERIOR VIEW



UNIT INTERIOR VIEW



UNIT INTERIOR VIEW



UNIT INTERIOR VIEW



IN TESTING



REMARK(3)



REMARK(7)



REMARK(8)



MISSING SEGMENT ON DISPLAY



POOR PAINTING ON SPEAKER WINDOW



BURRS ON SIDE OF BASE



BURRS ON SIDE OF BASE



BURRS ON SIDE OF BASE



BURRS ON SIDE OF BASE



BURRS ON SIDE OF BASE



POOR PAINTING ON SPEAKER WINDOW



# AQUA INTERNATIONAL LIMITED

Rooms 709-710, 7/F, Star House, No.3 Salisbury Road, Tsim Sha Tsui, Kowloon, HongKong.  
Tel. (852) 2620-5100 Fax (852) 2620-5183



POOR ELECTROPLATE ON FRONT PANEL



FRONT PANEL INSTALL SLANT



SCRATCH ON FRONT PANEL REMARK (15)



# AQUA INTERNATIONAL LIMITED

Rooms 709-710, 7/F, Star House, No.3 Salisbury Road, Tim Sha Tsui, Kowloon, HongKong.  
Tel. (852) 2620-5100 Fax (852) 2620-5183

INSPECTION SERIAL NO. AS BELOW:

AQUA INTERNATIONAL LIMITED									
SERIAL NUMBERS									
DATE: 8/3/10. Apr. 2015			REPORT NO: 15-0346						
SUPPLIER: LEETAC									
SER.	SER.	SER.	SER.	SER.	SER.				
1	D1170301000	26	1448	51	0126	76	0328	101	0563
2	1442	27	0781	52	0319	77	2235	102	1682
3	0824	28	0970	53	2100	78	0347	103	1386
4	0783	29	0627	54	0129	79	1743	104	0576
5	1269	30	0897	55	2008	80	0595	105	1647
6	0625	31	0745	56	1963	81	1879	106	1874
7	0029	32	0355	57	0138	82	2157	107	2165
8	0027	33	0803	58	1916	83	0350	108	2379
9	1522	34	0487	59	0284	84	2025	109	1433
10	1123	35	0299	60	2114	85	0179	110	0190
11	1139	36	1579	61	0487	86	1990	111	2187
12	0008	37	0034	62	2019	87	0203	112	0549
13	0268	38	1615	63	1984	88	2207	113	1864
14	0626	39	0223	64	0480	89	1620	114	2388
15	1046	40	0425	65	0140	90	0236	115	0323
16	1360	41	0711	66	0176	91	0845	116	2219
17	1495	42	1595	67	2360	92	1515	117	2073
18	0796	43	0872	68	2128	93	0249	118	1769
19	1095	44	0397	69	2395	94	1642	119	2246
20	0570	45	1541	70	0227	95	0251	120	0430
21	0179	46	0528	71	1804	96	1777	121	
22	0148	47	1411	72	0462	97	1500	122	
23	0555	48	1300	73	1825	98	0453	123	
24	1188	49	1256	74	2008	99	1427	124	
25	0689	50	0020	75	1703	100	1392	125	

AQUA INTERNATIONAL LIMITED									
SERIAL NUMBERS									
DATE: 8/3/10. Apr. 2015			REPORT NO: 15-0346						
SUPPLIER: LEETAC									
SER.	SER.	SER.	SER.	SER.	SER.				
1	2456	36	2747	51	2856	76	3274	101	
2	2577	37	2983	52	3236	77	3285	102	
3	2448	38	3319	53	3240	78	2688	103	
4	2552	39	2420	54	2564	79	3283	104	
5	2573	40	2927	55	2725	80	2996	105	
6	2515	41	2762	56	2945	81		106	
7	2451	42	2469	57	2867	82		107	
8	2577	43	2821	58	3037	83		108	
9	2542	44	2608	59	2869	84		109	
10	2440	45	2472	60	2572	85		110	
11	2401	46	3007	61	3119	86		111	
12	2713	47	2619	62	2720	87		112	
13	2815	48	2493	63	2929	88		113	
14	2506	49	2751	64	2630	89		114	
15	2714	50	2496	65	2848	90		115	
16	2435	51	2839	66	2733	91		116	
17	2776	52	3015	67	2899	92		117	
18	2642	53	2489	68	2589	93		118	
19	2426	54	3036	69	3332	94		119	
20	2806	55	2613	70	2624	95		120	
21	2667	56	3024	71	3138	96		121	
22	2759	57	3131	72	2888	97		122	
23	2511	58	2679	73	3020	98		123	
24	2656	59	3120	74	2674	99		124	
25	2827	60	3201	75	3211	100		125	