

LED Dimmer/Bulb Compatibility

Decora Slide

DSM10



Leviton is proud to be a leader in the electrical industry by using the latest technology to develop products that enhance daily living and help save energy. Sharing our knowledge and experience with you is an important part of our brand promise to put our customers at the center of everything we do.

This report was developed to help you understand how to best pair today's LED bulbs with Leviton dimmers so you can locate the best combination to meet your lighting needs.

LED vs Incandescent Bulbs

Incandescent bulbs are rapidly being phased out in favor of longer-lasting, more energy efficient LED bulbs. Because their circuitry is more complex, not all LED bulbs will dim smoothly, and some may present other inconsistencies such as flickering, slow start-up, limited dimming range or inconsistent illumination.



Compatibility is Key

In order to achieve the best performance, it is important to ensure that the LED bulb and dimmer you select are compatible when used together. Existing dimmers in older homes are likely "incandescent only" dimmers - installed before LED bulbs became mainstream. Incandescent dimmers are not rated for use with LED bulbs. Leviton recommends only using LED bulbs with dimmers that are rated to control an LED load.



Testing for Compatibility

Leviton is dedicated to providing our customers with the best experience when using Leviton dimmers. We work closely with LED bulb manufacturers and have a dedicated team in our in-house lab that conducts ongoing testing of the latest LED bulbs/fixtures with our LED dimmers to determine the best combinations.

This test program is designed to meet or exceed the latest testing criteria for evaluating performance of LED bulbs with Leviton dimmers. We measure a number of factors including dimming range and irregular functionality such as flickering or shimmering, slow start up, noise (humming/buzzing) levels and inconsistent illumination. The testing is ongoing and results are updated regularly in our user friendly LED Compatibility Selector Tool available at Leviton.com/led.

Understanding the Rating System

Our ratings will help you determine which bulbs/fixtures have been tested and approved as compatible with Leviton LED dimmers. All results listed within this report are deemed compatible. The bulbs that display an asterisk (*) after the model# are those that had exceptional performance and compatibility beyond our criteria.

**LED Bulb Compatibility
Decora Slide Dimmer - DSM10**



Bulb Type	Bulb Manufacturer	Model #	Wattage	Equivalent Wattage	Color/Temperature (K)
4 in Retrofit	ConTech	RF4L130KCG-WHT	12	60	Bright White (3000-3499K)
		RF4L127KCG-PL	12	60	Soft White (2400-2999K)
		RF4L127KCG-WHT	12	60	Soft White (2400-2999K)
		RF4L130KCE-PL	12	60	Bright White (3000-3499K)
		RF4L130KCE-WHT	12	60	Bright White (3000-3499K)
	Cree	RF4L130KCG-PL	12	60	Bright White (3000-3499K)
		SRDL4-0572700FH-12DE26-1-11	8	55	Daylight (4500-6500K)
		SRDL4-0575000FH-12DE26-1	8	55	Daylight (4500-6500K)
6 in Retrofit	ConTech	TRDL4-0782700FH50-12DE26-1-11	10.5	75	Soft White (2400-2999K)
		TRDL4-0784000FH50-12DE26-1-11004S-D	10.5	75	Cool White (3500-4499K)
		RF6L130KCG-WHT*	15	75	Bright White (3000-3499K)
		RF6L127KCE-WHT	15	75	Soft White (2400-2999K)
		RF6L127KCE-PL*	15	75	Soft White (2400-2999K)
		RF6L127KCG-PL	15	75	Soft White (2400-2999K)
		RF6L127KCG-WHT	15	75	Bright White (3000-3499K)
	Cree	RF6L130KCE-PL*	15	75	Bright White (3000-3499K)
		RF6L130KCE-WHT*	15	75	Bright White (3000-3499K)
		RF6L130KCG-PL*	15	75	Bright White (3000-3499K)
		SRDL6-0652700FH-12DE26-1-11*	10	65	Soft White (2400-2999K)
		SRDL6-0655000FH-12DE26-1-11*	10	65	Daylight (4500-6500K)
		TRDL6-0802700FH50-12DE26-1-11004S-D	11	75	Soft White (2400-2999K)
		TRDL6-1102700FH50-12DE26-1-11*	14.5	100	Soft White (2400-2999K)
EcoSmart	TRDL6-1602700FH50-12DE26-1-11*	21	150	Soft White (2400-2999K)	
	TRDL6-0804000FH50-12DE26-1-11004S-D	11	75	Cool White (3500-4499K)	
	TRDL6-1104000FH50-12DE26-1-11004S-D*	14.5	100	Cool White (3500-4499K)	
A15	Nicor	DL-N34A9ER1-27	9	65	Warm White (2000-2399K)
	Noma	DCR561081203KWH*	10.3	60	Bright White (3000-3499K)
	Philips	399-0223-2*	10	50	Warm White (2000-2399K)
A15	EcoSmart	ECS A15 40WE W27 120 G1*	4	40	Soft White (2400-2999K)
	Philips	046677463960*	5.5	40	Warm White (2000-2399K)
A19	Amazon Basic	B01N9454ZB	4.5	25	Soft White (2400-2999K)
		B01MTO11GI*	6	40	Daylight (4500-6500K)
		B00BXBG76*	10	60	Soft White (2400-2999K)
		B01MRKXX6E	11	75	Daylight (4500-6500K)
	Cree	SA19-08127MDFD-12DE26-1-14	9.5	60	Soft White (2400-2999K)
		SA19-08150MDFD-12DE26-1-14*	8.5	60	Daylight (4500-6500K)
		TA19-04527MDFH25-12DE26-1-12	5.5	40	Soft White (2400-2999K)
		TA19-04550MDFH25-12DE26-1-12	5.5	40	Daylight (4500-6500K)
		TA19-08027MDFH25-12DE26-1-12014S-D	10	60	Soft White (2400-2999K)
		TA19-08050MDFH25-12DE26-1-12	10	60	Daylight (4500-6500K)
		TA19-11027MDFH25-12DE26-1-11007S-D*	12	75	Soft White (2400-2999K)
		TA19-11050MDFH25-12DE26-1-11*	12	75	Daylight (4500-6500K)
		TA19-11030MDFH25-12DE26-1-11007S-D*	12	75	Soft White (2400-2999K)
		A19-75W-P1-27K-E26-U1*	12	75	Soft White (2400-2999K)
		A19-75W-P1-30K-E26-U1*	12	75	Bright White (3000-3499K)
		A19-75W-P1-50K-E26-U1*	12	75	Daylight (4500-6500K)
		TA19-04530MDFH25-12DE26-1-12014S-D	5.5	40	Bright White (3000-3499K)
		A19-40W-P1-27K-E26-U1	5.5	40	Soft White (2400-2999K)
		A19-40W-P1-30K-E26-U1	5.5	40	Bright White (3000-3499K)
		A19-40W-P1-50K-E26-U1	5.5	40	Daylight (4500-6500K)
		TA19-08030MDFH25-12DE26-1-12014S-D	10	60	Bright White (3000-3499K)
		A19-60W-P1-27K-E26-U1	10	60	Soft White (2400-2999K)
		A19-60W-P1-30K-E26-U1	10	60	Bright White (3000-3499K)
		A19-60W-P1-40K-E26-U1	10	60	Cool White (3500-4499K)
	A19-60W-P1-50K-E26-U1	10	60	Daylight (4500-6500K)	
	EcoSmart	B7A19A40WESD34*	5.7	40	Daylight (4500-6500K)
		C5A19A40WESD09*	5.6	40	Daylight (4500-6500K)
		B7A19A40WESD02*	5.7	40	Bright White (3000-3499K)

A19	EcoSmart	B7A19A60WESD14*	9.5	60	Soft White (2400-2999K)		
		ECS A19 40WE W27 FIL 120 3PK*	4.5	40	Soft White (2400-2999K)		
		A460ST-Q1D-01*	6.5	40	Soft White (2400-2999K)		
		A7A19A60WESQD01*	7.5	60	Soft White (2400-2999K)		
		A7A19A60WESQD03*	7.5	60	Daylight (4500-6500K)		
		B6A19100WESD03*	15	100	Bright White (3000-3499K)		
		CSA19A75WESD04*	12.5	75	Soft White (2400-2999K)		
		A19 6.5 E26 DIM 2700K	6.5	60	Warm White (2000-2399K)		
		A6A1960WESD81*	9	60	Warm White (2000-2399K)		
		B6A19100WESD01*	15	100	Warm White (2000-2399K)		
		A7A19A75WESD09	13	75	Warm White (2000-2399K)		
		A8A19A60WESGD03	7.5	60	Warm White (2000-2399K)		
		A8A19A60WESD01	8	60	Warm White (2000-2399K)		
		A7A19A75WESD08	13	75	Warm White (2000-2399K)		
		B7A19A40WESD14*	5.7	40	Soft White (2400-2999K)		
		B7A19A40WESD11*	5.7	40	Soft White (2400-2999K)		
		B7A19A40WESD31*	5.7	40	Daylight (4500-6500K)		
		B7A19A60WESD11*	9.5	60	Soft White (2400-2999K)		
		B7A19A60WESD02	9.5	60	Bright White (3000-3499K)		
		B7A19A60WESD34	9.5	60	Daylight (4500-6500K)		
		A7A19A75WESD07	13	75	Warm White (2000-2399K)		
		A19	GE	LED8A19DD-LT	8	60	Warm White (2000-2399K)
				LED8DAGDL15-LT4	8	60	Warm White (2000-2399K)
				LED8DAGDL15-LT8	8	60	Warm White (2000-2399K)
				LED8DAGDL9-LT8	8	60	Warm White (2000-2399K)
LED8DAGRVL-LT2	8			60	Warm White (2000-2399K)		
LED8DAGSW9-LT8	8			60	Warm White (2000-2399K)		
LED8DAGRVL-LT4	8			60	Warm White (2000-2399K)		
LED8DAGDL9-LT4	8.5			60	Warm White (2000-2399K)		
LED8DAGSW9-LT4	8.5			60	Warm White (2000-2399K)		
LED8DAGRVL-LT8	8			60	Warm White (2000-2399K)		
LED8DAGSW15-LT4	8			60	Warm White (2000-2399K)		
LED8DAGSW15-LT8	8			60	Warm White (2000-2399K)		
LED5DAGDL15-LT8*	5			40	Soft White (2400-2999K)		
LED5DAGCSW-LT2*	5			40	Daylight (4500-6500K)		
LED5DAGSW9-LT8*	5			40	Soft White (2400-2999K)		
LED5DAGDL15-LT4*	5			40	Daylight (4500-6500K)		
LED5DAGDL9-LT4*	5			40	Daylight (4500-6500K)		
LED5DAGDL9-LT8*	5			40	Daylight (4500-6500K)		
LED5DAGRVL-LT2*	5			40	Soft White (2400-2999K)		
LED5DAGRVL-LT4*	5			40	Soft White (2400-2999K)		
LED5DAGSW15-LT4*	5			40	Soft White (2400-2999K)		
A19	Noma			399-0212-8*	9	60	Warm White (2000-2399K)
				399-0211-0*	9	60	Warm White (2000-2399K)
				399-0210-2*	5.5	40	Warm White (2000-2399K)
A19	Philips			04667746244*	6	40	Warm White (2000-2399K)
		04667746524*	9.5	60	Warm White (2000-2399K)		
		461632*	4.5	60	Warm White (2000-2399K)		
		9290018362*	5.5	40	Daylight (4500-6500K)		
A19	Satco	S29839*	9.8	60	Daylight (4500-6500K)		
		S29840*	9.8	60	Soft White (2400-2999K)		
		S29841*	9.8	60	Cool White (3500-4499K)		
		S29842*	9.8	60	Cool White (3500-4499K)		
		S29810*	11	75	Soft White (2400-2999K)		
		S29812*	11	75	Cool White (3500-4499K)		
		S29805*	15	100	Bright White (3000-3499K)		
		S29815	15	100	Soft White (2400-2999K)		
		S29816	15	100	Bright White (3000-3499K)		
		S29817	15	100	Cool White (3500-4499K)		
		S29818	15	100	Daylight (4500-6500K)		
		S29819*	15	100	Soft White (2400-2999K)		
		S29831*	6	40	Bright White (3000-3499K)		
		S29830*	6	40	Soft White (2400-2999K)		
		S29832*	6	40	Cool White (3500-4499K)		
		S29834	6	40	Daylight (4500-6500K)		
		A21	Amazon Basic	B01MXLSK5W*	15	100	Soft White (2400-2999K)
EcoSmart	A21 11W E26 DIM 2700K*		11	90	Warm White (2000-2399K)		
Philips	046677459062*		14	75	Warm White (2000-2399K)		
	046677459109*		18	100	Warm White (2000-2399K)		

B10	Feit	CTT/S/CL/FILED	4.5	25	Warm White (2000-2399K)
B11	Cree	TB11-01827MDCH15-12DE12-1-12	2.6	25	Soft White (2400-2999K)
		TB11-01850MDCH15-12DE12-1-12	2.6	25	Daylight (4500-6500K)
		TB11-03527MDCH15-12DE12-1-12*	4	40	Soft White (2400-2999K)
		TB11-03550MDCH15-12DE12-1-12*	4	40	Daylight (4500-6500K)
		TB11-05027MDCH15-12DE12-1-12*	5.3	60	Soft White (2400-2999K)
		TB11-05050MDCH15-12DE12-1-12*	5.3	60	Daylight (4500-6500K)
		B11-25W-P1-27K-E12-U1	2.6	25	Soft White (2400-2999K)
		B11-25W-P1-50K-E12-U1	2.6	25	Daylight (4500-6500K)
		B11-40W-P1-27K-E12-U1*	4	40	Soft White (2400-2999K)
		B11-40W-P1-50K-E12-U1*	4	40	Daylight (4500-6500K)
		B11-60W-P1-27K-E12-U1*	5.3	60	Soft White (2400-2999K)
	B11-60W-P1-50K-E12-U1*	5.3	60	Daylight (4500-6500K)	
	EcoSmart	ECS B11 CA 40WE W27 LP E12 120 3PK*	4	40	Soft White (2400-2999K)
		ECS B1160WE850DIME12CLR3PKBL	4.5	60	Warm White (2000-2399K)
		ECS B1160WE850DIME12FR3PKBL	5.5	60	Warm White (2000-2399K)
		ECS B1160WE827DIME12FR3PKBL	5.5	60	Warm White (2000-2399K)
		FG-03128*	4	40	Warm White (2000-2399K)
		FG-03130*	4	40	Warm White (2000-2399K)
		FG-03129*	4	40	Warm White (2000-2399K)
		FG-03131*	4	40	Warm White (2000-2399K)
FG-03132*		2.5	25	Warm White (2000-2399K)	
FG-03133*	2.5	25	Warm White (2000-2399K)		
Philips	463901*	4.5	40	Daylight (4500-6500K)	
BR20	EcoSmart	1003020502	12	75	Warm White (2000-2399K)
		1003020802	12	75	Warm White (2000-2399K)
		1003020602	12	75	Warm White (2000-2399K)
BR30	Cree	D-BR30-65WE-2700K*	8.5	65	Soft White (2400-2999K)
		SBR30-06527FLFD-12DE26-1-13	8	65	Soft White (2400-2999K)
		SBR30-06550FLFD-12DE26-1*	7	65	Daylight (4500-6500K)
		SBR30-06550FLFD-12DE26-1-13*	7	65	Daylight (4500-6500K)
	EcoSmart	1003024203	10.5	65	Warm White (2000-2399K)
		1003024102	12.5	75	Warm White (2000-2399K)
		1003024802	12.5	75	Warm White (2000-2399K)
		A7BR3065WESD05	8	65	Warm White (2000-2399K)
		1002878703	9	65	Daylight (4500-6500K)
		1001654247	9	65	Daylight (4500-6500K)
	GE	LED9DR30/7-5KLT6*	8.5	65	Soft White (2400-2999K)
		LED9DR30/15-5KL6	8.5	65	Soft White (2400-2999K)
		LED9DR30/15-LT12*	8.5	65	Soft White (2400-2999K)
	Noma	399-1972-0*	11	60	Warm White (2000-2399K)
	Philips	046677465995*	9	65	Warm White (2000-2399K)
	Satco	S9620*	9.5	65	Soft White (2400-2999K)
		S9621*	9.5	65	Bright White (3000-3499K)
		S9622*	9.5	65	Cool White (3500-4499K)
		S9623*	9.5	65	Daylight (4500-6500K)
		S9624*	9.5	65	Soft White (2400-2999K)
S9625*		9.5	65	Soft White (2400-2999K)	
S9626*		9.5	65	Soft White (2400-2999K)	
S9627*		9.5	65	Bright White (3000-3499K)	
BR40	Philips	46677465254*	10	65	Warm White (2000-2399K)
		459826*	10	65	Daylight (4500-6500K)
		457002*	10	65	Soft White (2400-2999K)
	Satco	S9640	16.5	85	Cool White (3500-4499K)
		S9639*	16.5	85	Bright White (3000-3499K)
		S9638*	16.5	85	Soft White (2400-2999K)
		S9641	16.5	85	Daylight (4500-6500K)
S9615	16.5	85	Soft White (2400-2999K)		
C35	EcoSmart	CL35G 4.5W E26 L DIM 2200K	4.5	40	Warm White (2000-2399K)
		C35C 4.5W E26 L DIM	4.5	60	Warm White (2000-2399K)
		C35C 4.5W E12 DIM	4.5	40	Warm White (2000-2399K)
		C35C 4.5W E26 DIM*	4.5	40	Warm White (2000-2399K)
CA11	Philips	046677469672*	4	40	Warm White (2000-2399K)
Downlight	Cree	CR6T-825L-27K-12-E26GU24	11	75	Soft White (2400-2999K)
		CR6T-825L-30K-12-E26GU24	11	75	Bright White (3000-3499K)
		CR6T-825L-35K-12-E26GU24	11	75	Cool White (3500-4499K)
		CR6T-825L-40K-12-E26GU24	11	75	Cool White (3500-4499K)
		CR4T-790L-27K-12-E26GU24	10.5	75	Soft White (2400-2999K)
		CR4T-790L-30K-12-E26GU24	10.5	75	Bright White (3000-3499K)

Downlight	Cree	CR4T-790L-35K-12-E26GU24	10.5	75	Cool White (3500-4499K)
		CR4T-790L-40K-12-E26GU24	10.5	75	Cool White (3500-4499K)
		CR6T-1100L-27K-12-E26GU24*	14.5	100	Soft White (2400-2999K)
		CR6T-1100L-30K-12-E26GU24*	14.5	100	Bright White (3000-3499K)
		CR6T-1100L-35K-12-E26GU24*	14.5	100	Cool White (3500-4499K)
		CR6T-1100L-40K-12-E26GU24*	14.5	100	Cool White (3500-4499K)
		CR6T-1600L-27K-12-E26GU24*	21	150	Soft White (2400-2999K)
		CR6T-1600L-30K-12-E26GU24*	21	150	Bright White (3000-3499K)
		CR6T-1600L-35K-12-E26GU24*	21	150	Cool White (3500-4499K)
		CR6T-1600L-40K-12-E26GU24*	21	150	Cool White (3500-4499K)
F15	Philips	458620*	7	60	Warm White (2000-2399K)
G16.5	EcoSmart	FG-03154	4	40	Warm White (2000-2399K)
		FG-03155	4	40	Warm White (2000-2399K)
		FG-03157	4	40	Warm White (2000-2399K)
		ECS G16.560WE827DIME12FR3PKBL	5.5	60	Warm White (2000-2399K)
		ECS G16.560WE850DIME12FR3PKBL	5.5	60	Warm White (2000-2399K)
	Philips	9290018429*	2.7	25	Soft White (2400-2999K)
		477745*	5.5	60	Soft White (2400-2999K)
G25	EcoSmart	G25 7W L E26 DIM	7	100	Warm White (2000-2399K)
		ECS G2560WE850DIME26FR3PK*	5.5	60	Warm White (2000-2399K)
		ECS G2560WE827DIME26FR3PK*	5.5	60	Warm White (2000-2399K)
	Feit	G25/S/CL/FILED	6.5	40	Warm White (2000-2399K)
	Philips	477646*	5	40	Daylight (4500-6500K)
		9290018409*	5	40	Soft White (2400-2999K)
9290018410*		5	40	Daylight (4500-6500K)	
PAR16	EcoSmart	A6PR16M50WESD02	5.3	50	Warm White (2000-2399K)
	Megaman	LR5906DHR-75H35D-GU10-27K*	6	50	Soft White (2400-2999K)
		LR5906DHR-75H24D-GU10-27K*	6	50	Soft White (2400-2999K)
		LR5906DHR-75H24D-GU10-30K*	6	50	Bright White (3000-3499K)
		LR5906DHR-75H24D-GU10-35K*	6	50	Cool White (3500-4499K)
		LR5906DHR-75H24D-GU10-40K*	6	50	Cool White (3500-4499K)
		LR5906DHR-75H35D-GU10-30K*	6	50	Bright White (3000-3499K)
		LR5906DHR-75H35D-GU10-35K*	6	50	Cool White (3500-4499K)
		LR5906DHR-75H35D-GU10-40K*	6	50	Cool White (3500-4499K)
Noma	399-0220-8*	6.5	40	Warm White (2000-2399K)	
PAR20	Cree	SPAR20-0553040TH*	6.2	50	Bright White (3000-3499K)
	EcoSmart	A6PR20P50WESD02*	6.5	50	Warm White (2000-2399K)
	GE	LED7DP20GFL5KLT2*	7	50	Daylight (4500-6500K)
		LED7DP20GFLRVL2*	7	50	Bright White (3000-3499K)
		LED7DP20GSP-LT2*	7	50	Soft White (2400-2999K)
		LED7DP20SP3K7LT2*	7	50	Bright White (3000-3499K)
	Megaman	LR5110DHR-75H35D-E26-27K*	10	50	Soft White (2400-2999K)
		LR5110DHR-75H15D-E26-27K*	10	50	Soft White (2400-2999K)
		LR5110DHR-75H15D-E26-30K*	10	50	Bright White (3000-3499K)
		LR5110DHR-75H15D-E26-35K*	10	50	Cool White (3500-4499K)
		LR5110DHR-75H15D-E26-40K*	10	50	Cool White (3500-4499K)
		LR5110DHR-75H35D-E26-30K*	10	50	Bright White (3000-3499K)
		LR5110DHR-75H35D-E26-35K*	10	50	Cool White (3500-4499K)
		LR5110DHR-75H35D-E26-40K*	10	50	Cool White (3500-4499K)
Noma	399-0216*	7	40	Warm White (2000-2399K)	
	399-0216399-1791-2*	7	40	Warm White (2000-2399K)	
Philips	9290018451*	7	50	Soft White (2400-2999K)	
PAR30	EcoSmart	A7PR30S75WESD02*	8	75	Warm White (2000-2399K)
		A6PR30P75WESD03	8	75	Warm White (2000-2399K)
		B7PR38P100ESD12	13	90	Warm White (2000-2399K)
	GE	LED12DP3LGFLRVL2*	12	75	Soft White (2400-2999K)
		LED10DP3LGFL-LT2	10	75	Bright White (3000-3499K)
	Megaman	LR5210.5DDG-WFL-E26-27K	10.5	75	Soft White (2400-2999K)
		LR5210.5DDG-WFL-E26-40K	10.5	75	Soft White (2400-2999K)
		LR5510.5DDG-WFL-E26-30K	10.5	75	Soft White (2400-2999K)
		LR5510.5DDG-WFL-E26-35K	10.5	75	Soft White (2400-2999K)
		LR5510.5DDG-WFL-E26-27K	10.5	75	Soft White (2400-2999K)
		LR5210.5DDG-WFL-E26-30K*	10.5	75	Soft White (2400-2999K)
		LR5210.5DDG-WFL-E26-35K*	10.5	75	Soft White (2400-2999K)
	Satco	S9410*	13	50	Soft White (2400-2999K)
		S9411*	13	50	Bright White (3000-3499K)
		S9412*	13	50	Cool White (3500-4499K)
		S9413*	13	50	Cool White (3500-4499K)
S9414*		13	50	Daylight (4500-6500K)	

PAR30	Satco	S9416*	13	50	Bright White (3000-3499K)
		S9417*	13	50	Cool White (3500-4499K)
		S9418*	13	50	Cool White (3500-4499K)
		S9419*	13	50	Daylight (4500-6500K)
		S9424*	13	50	Daylight (4500-6500K)
		S9425*	13	75	Soft White (2400-2999K)
		S9426*	13	75	Bright White (3000-3499K)
		S9427*	13	75	Cool White (3500-4499K)
		S9428*	13	75	Cool White (3500-4499K)
		S9429*	13	75	Daylight (4500-6500K)
		S9430*	13	75	Soft White (2400-2999K)
		S9431*	13	75	Bright White (3000-3499K)
		S9432*	13	75	Cool White (3500-4499K)
		S9433*	13	75	Cool White (3500-4499K)
		S9434*	13	75	Daylight (4500-6500K)
		S9435*	13	75	Soft White (2400-2999K)
		S9436*	13	75	Bright White (3000-3499K)
		S9437*	13	75	Cool White (3500-4499K)
		S9438*	13	75	Cool White (3500-4499K)
		S9439*	13	75	Daylight (4500-6500K)
S9486*	13	50	Soft White (2400-2999K)		
S9487*	13	75	Soft White (2400-2999K)		
PAR38	Amazon Basic	B079VMHM76*	14	90	Bright White (3000-3499K)
		B079VP1G43*	16	120	Bright White (3000-3499K)
	Cree	TPAR38-1503025FH25-12DE26-1-11*	19	120	Bright White (3000-3499K)
		TPAR38-1503040FH25-12DE26-1-11003S-T*	19	120	Bright White (3000-3499K)
		TPAR38-1803040FH25-12DE26-1-11*	19	150	Bright White (3000-3499K)
		TPAR38-1504040FH25-12DE26-1-11003S-T*	19	120	Cool White (3500-4499K)
	EcoSmart	A6PR38P90WESD02	11	90	Warm White (2000-2399K)
		B7PR38P100ESD11	13	90	Warm White (2000-2399K)
		B7PR38P100ESD21	13	90	Warm White (2000-2399K)
	GE	LED15DP38GSP-LT2	15	90	Bright White (3000-3499K)
	Megaman	LR3218D-250H45D-E26-35K	18	250	Cool White (3500-4499K)
		LR3218D-250H45D-GU24-40K*	18	250	Cool White (3500-4499K)
		LR3218D-250H25D-GU24-35K*	18	250	Cool White (3500-4499K)
		LR3218D-250H25D-GU24-40K*	18	250	Cool White (3500-4499K)
		LR3218D-250H45D-E26-27K*	18	250	Soft White (2400-2999K)
		LR3218D-250H45D-E26-30K*	18	250	Bright White (3000-3499K)
		LR3218D-250H25D-E26-27K	18	250	Soft White (2400-2999K)
	LR3218D-250H45D-E26-40K*	18	250	Cool White (3500-4499K)	
	Philips	467944*	14	120	Daylight (4500-6500K)
		467936*	14	120	Bright White (3000-3499K)
Satco	S9442	15	90	Cool White (3500-4499K)	
	S9440*	15	90	Soft White (2400-2999K)	
R20	EcoSmart	1003017802	8	50	Daylight (4500-6500K)
	Feit	R20DM/10KLED/MP/6*	7.5	45	Warm White (2000-2399K)
	Philips	456995*	6	45	Warm White (2000-2399K)
		9290018878*	6	45	Daylight (4500-6500K)
R30	GE	LED10DR30EG9SWL2*	10	65	Soft White (2400-2999K)
		LED10DR30EG9DLL2*	10	65	Daylight (4500-6500K)
		LED10DR30EG9DLL6*	10	65	Daylight (4500-6500K)
ST19	Feit	AT19/H/LED*	4.5	25	Warm White (2000-2399K)
	Philips	9290013344*	5	40	Warm White (2000-2399K)
T10	Megaman	LG218025/DM-E26-822*	2.5	25	Warm White (2000-2399K)
T6	Feit	T6/S/CL/FILED	4.5	25	Warm White (2000-2399K)

* The bulbs that display an asterisk (*) after the model# have exceptional performance and compatibility beyond our criteria.