



BARKBATH™ QT


PORTABLE DOG BATH

USER GUIDE
2290 SERIES



More of a video person? Look for this icon and go online for an instructional how-to video at

BISSELL.com/videos



IMPORTANT SAFETY INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USING YOUR PORTABLE DOG BATH SYSTEM.

When using an electrical appliance, basic precautions should be observed, including the following:

WARNING

TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY:

- » Use only warm tap water. Do not use heated water.
- » Connect to a properly grounded outlet only. See grounding instructions. Do not modify the 3-prong grounded plug.
- » Do not leave appliance when it is plugged in. Unplug from outlet when not in use and before servicing.
- » Do not expose to rain. Store indoors.
- » Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- » Do not use for any purpose other than described in this User's Guide. Use only manufacturer's recommended attachments.

- » Do not use with damaged cord or plug. If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, have it repaired at an authorized service center.
- » Do not pull or carry by cord, use cord as a handle, close a door on cord, or pull cord around sharp edges or corners. Do not run appliance over cord. Keep cord away from heated surfaces.
- » Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- » Do not handle plug or appliance with wet hands.
- » Do not put any object into openings. Do not use with any opening blocked; keep openings free of dust, lint, hair, and anything that may reduce air flow.
- » Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- » Turn off all controls before plugging or unplugging appliance.
- » Do not use appliance in an enclosed space filled with vapors given off by oil base paint, paint thinner, some moth proofing substances, flammable dust, or other explosive or toxic vapors.
- » Keep appliance on a level surface.
- » Do not carry the appliance while in use.
- » Do not immerse appliance in water or place in area where splashing may occur.
- » Liquid must not be directed towards equipment containing electrical components.

SAVE THESE INSTRUCTIONS FOR FUTURE USE


This model is for household use only. Commercial use of this unit voids the manufacturer's warranty.

WARNING

Improper connection of the equipment-grounding conductor can result in a risk of electrical shock. Check with a qualified electrician or service person if you aren't sure if the outlet is properly grounded. **DO NOT MODIFY THE PLUG.** If it will not fit the outlet, have a proper outlet installed by a qualified electrician. This appliance is designed for use on a nominal 120-volt circuit, and has a grounding attachment plug that looks like the plug in the illustration. Make certain that the appliance is connected to an outlet having the same configuration as the plug. No plug adapter should be used with this appliance.

GROUNDING INSTRUCTIONS


This appliance must be connected to a grounded wiring system. If it should malfunction or break down, grounding provides a safe path of least resistance for electrical current, reducing the risk of electrical shock. The cord for this appliance has an equipment-grounding conductor and a grounding plug. It must only be plugged into an outlet that is properly installed and grounded in accordance with all local codes and ordinances.



Thanks for buying a BISSELL BarkBath™!

We love pets, so we're excited to share one of our newest innovative pet products with you. We want to make sure your BarkBath™ dog bathing system works as well in years to come as it does today, so this guide includes tips on usage, maintenance and, if there is a problem, basic troubleshooting.

What's In The Box?




Safety Instructions.....	2	Maintenance & Care	11-13
Getting Ready.....	4	Troubleshooting	14
Product View.....	5	Warranty	15
Assembly	6	Service.....	15
Operations	7-10	Product Registration.....	16

Before You Get Started

Helpful Tips to Get Ready:

- Place unit at least 4 ft away to reduce sound.
- When placing the unit on the floor, be sure to set it on the sound dampening microfiber mat to help reduce sound and protect your floor.
- Always use a BISSELL no-rinse dog shampoo.
- If your dog has long hair, brush your pet's hair before bathing.
- When selecting an area to bathe your dog, choose a place where your pet feels comfortable and safe. Usual choices include the kitchen, utility room, garage or family room.
- Lay down a separate blanket or towel where you will be bathing your dog.



Noise-Sensitive or Anxious Dog?

Some dogs are sensitive to loud noises, or are not fans of vacuums or other loud appliances. Here are some quick training tips to help your dog have a great experience with this new bathing method.

TRAINING STEPS

Phase 1

- Place the unit in a room where you plan to bathe your dog. With the unit turned off and allow the dog to become familiar with it.
- With the unit turned off, have the dog walk over to the unit and use the spray nozzle as a “comb” to brush the dog.
- Praise your dog and offer a treat.

Phase 2

- With the dog out of the room, turn the unit on. Leave the unit on and offer your dog a treat.
- Turn the unit off.
- Repeat the last two steps of phase 1.

Phase 3

- Turn the unit on, have your dog enter the room and give the dog a treat.
- With the unit on, and without pulling the trigger to release water, “comb” your dog’s fur with the bathing tool.
- Turn the unit off and offer a treat.


Phase 4

- Turn the unit on and have your dog enter the room.
- Comb a small section of your dog’s fur with the unit on and pull the trigger in quick, short bursts to acclimate your pet to feeling the solution on their skin.
- Once your dog is comfortable with the unit, you’re now ready to enjoy bathing your dog with the BARKBATH




For more tips and videos, visit us
online at www.BISSELL.com/videos.

Getting to Know Your Cleaner



- | | |
|--------------------------------|--------------------------------|
| 1. Carry Handle | 10. Bathing Tool Connector |
| 2. Power On/Off Switch | 11. Rinse/Shampoo Switch |
| 3. Dirty Water Tank | 12. Shampoo Reservoir |
| 4. Flex Hose Clip | 13. Spray Nozzle |
| 5. Flex Hose Storage Bracket | 14. Nozzle Spray Trigger |
| 6. Quick Release™ Cord Wrap | 15. Mesh Plate |
| 7. Power Cord | 16. Nozzle Height Selection |
| 8. Clean Water Tank | 17. Removable Face Plate |
| 9. Flex Hose Connector Release | 18. Removable Face Plate Screw |

BISSELL® No-Rinse Dog Shampoo



Always use genuine BISSELL No-Rinse Dog Shampoo. Other shampoos may harm the machine and will void the warranty.


NOTICE: Do not use conditioners because they are too thick and may damage the machine. Use only BISSELL No-Rinse Dog Shampoo in your Portable Dog Bath System. Use of shampoos or soaps which contain lemon or pine oil may damage this appliance and void the warranty. These products may react with the plastic materials used in your cleaner, causing cracking or pitting.

Assembly


WARNING

Do not plug in your Portable Dog Bath System until you are familiar with all the safety and operating instructions.

Assembling your Portable Dog Bath System is a simple process. The only tool you will need is a Phillips screwdriver.




1




Slide the back plate of the flex hose clip into the opening on the front of the unit. You will hear a “click” when it is locked in place.

2




Take the flex hose storage bracket and slide the lower plate into the opening on the back of the unit. Make sure the screw hole lines up.

3



Insert screw and tighten with a screwdriver.

4




Wrap the flex hose around unit and place hose grip into bracket. Turn bracket latch clockwise to lock in place.


Preparing Your Cleaner

WARNING

To avoid damaging your unit and to reduce the risk of injury to your pet, do not boil or microwave water. Use only warm tap water.




Remove the clean water tank by lifting it straight up and then away from the unit.




Flip the tank so the black cap is on top and unscrew. Pull up to remove cap assembly from tank.


NOTE: There may be condensation in the clean water tank due to quality testing before shipment.




To ensure your pet has a nice bathing experience, use warm-to-the-touch tap water to the fill line on your clean water tank. Replace and securely tighten the cap to the machine.




Replace the clean water tank by lining up the grooves on the clean water tank with the vertical guides on the side of the unit. Gently slide it down into position.




Before connecting the bathing tool, you will need to prime the system. Place the unit on a high, flat surface (such as a table or counter top).



Plug the unit in and press the power switch to ON (I) position.





Hold the flex hose end over the microfiber mat or towel and press the trigger at the end of the flex hose until water dispenses.







Turn the unit OFF, pressing the power switch to (O) OFF position.

Attaching the Bathing Tool

NOTICE: Dish soap, traditional dog or human shampoos and/or conditioners should not be used as they may be too thick and may damage the machine. Use only BISSELL No-Rinse Dog Shampoo in your Portable Dog Bath System. Use of shampoos or soaps which contain lemon or pine oil may damage this appliance and void the warranty. These products may react with the plastic materials used in your cleaner, causing cracking or pitting.



TIP: Since every dog is unique, first start by adding a small amount of BISSELL No-Rinse Dog Shampoo to reservoir. Continue to add more shampoo as needed to effectively clean your dog.



Bathing Your Dog


WARNING

TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT IMMERSE APPLIANCE IN WATER OR PLACE IN AREA WHERE SPLASHING MAY OCCUR.


NOTICE: Always use genuine BISSELL No-Rinse Dog Shampoo. Other shampoos may harm the machine and will void the warranty.

Recommended areas for bathing your dog:


- Kitchen
- Utility Room
- Garage
- Family Room




Place the base unit on the microfiber mat on the floor of the area where you are going to bathe your dog. The microfiber mat will help dampen the sound for your pet.



Lay down a separate blanket or towel in the area where you will be bathing your dog, ensuring it is at least 4 feet away from the BARKBATH unit to help reduce sound.



OPTIONAL: The spray nozzle is optimized for use on most hair types, however, using a screwdriver you can remove the screw from the plate of the bathing tool and pull off to expose longer nozzles for use on thick, heavy or longer coated dogs.




Plug in the unit and press the power switch to ON (|) position.

Continue steps to next page


Bathing Your Dog (continued)

5



Set the Rinse/Shampoo switch to the desired setting. For Shampoo, the reservoir will dispense a mixture of shampoo and water; for Rinse, it will dispense just water.

6



Test the system by pointing the nozzle at the microfiber mat and pressing and holding the spray trigger until solution dispenses.

NOTE: The Dog Bathing Tool is always extracting dirty water. The trigger dispenses the shampoo and/or water. While pressing the trigger, it also continues extracting dirty water.

7




Place the tool on the dog so the nozzles are flush on the dog's body before pressing and holding the spray trigger to release the shampoo/water under the dog's coat.

8




With the tool firmly against the dog's body, press and hold the spray trigger while using the nozzles to brush the bathing tool downwards, following the fall of the dog's coat.

9




Release the spray trigger and use "drying strokes" to suction up moisture from the dog's coat. Repeat as needed.

10



Spray shampoo/water on the microfiber towel and hand clean delicate areas such as the dog's face and paws.

11




As a final step, coat should be air- or towel-dried as needed.

Emptying the Dirty Water Tank

WARNING


To reduce the risk of electric shock, turn power OFF and disconnect plug from electrical outlet before performing maintenance or troubleshooting.

1




Turn power switch to the OFF (O) position and unplug power cord from outlet.

2




Lift up the dirty water tank lever and pull up to remove the tank from the unit. Carry the tank upright to avoid spilling before emptying.

3



Empty and rinse the dirty/collection tank after each use, OR when dirty water reaches the indicated maximum fill line.

4




Place tank back in unit, and press down on tank lever to lock it in place.


Cleaning Your BarkBath™ After Use

WARNING


To reduce the risk of electric shock, turn power OFF and disconnect plug from electrical outlet before performing maintenance or troubleshooting.




Turn power switch to the OFF (O) position and unplug power cord from outlet.




Remove and rinse out the dirty water tank following instructions in the "Emptying the Dirty Water Tank" section.




Press release button and disconnect flex hose from the dog bathing tool by pulling straight out. **(DO NOT twist tool to remove.)**




Once removed from flex hose, keep tool elevated to avoid dripping water on floor and rinse clean under running water.



Flip tool to release water into sink. While holding the tool in the air and reservoir in the sink, press the trigger to assure all water empties from the hose.



Check spray nozzle for accumulated dirt or debris. If necessary, clean with soft bristle brush.



You may disassemble the spray nozzle for cleaning as needed. Removing the faceplates will expose longer spray nozzles.



Be sure all pieces are completely dry before returning to base unit and before storage.

Storing Your BarkBath™

WARNING

To reduce the risk of electric shock, turn power OFF and disconnect plug from electrical outlet before performing maintenance or troubleshooting.


NOTICE: To reduce the risk of a leaking condition, do not store unit where freezing may occur. Damage to internal components may result.

1




Wipe all surfaces with a soft cloth and machine wash microfiber towel and mat, making sure all items are clean and dry.

2




Wrap power cord around the cord wrap on the back of the base.

3




Wrap flex hose around the base of the unit and secure the end into the flex hose storage bracket.

4



Store unit in a protected dry area at room temperature.

5



Place bathing tool, BISSELL no-rinse dog shampoo, microfiber towel and mat in the storage bag and store with cleaner.

Troubleshooting

WARNING

To reduce the risk of electric shock, turn power switch off and disconnect plug from electrical outlet before performing maintenance or troubleshooting checks.

Problem	Possible causes	Remedies
Reduced or no suction	Hair build-up on suction nozzle	Clean as needed while washing dog
	Tool is not firmly placed against dog's body	Firmly press tool against dog's body, and periodically let go of spray trigger to allow for drying strokes
	Area under dirty water tank has sand, hair, or debris	Remove dirty water tank and clean any sand or debris off inlet on the base of the machine and the gasket on the bottom of dirty water tank
	Dirty tank full or not seated properly	Empty tank and replace, snapping top lid into place
	Clog or build-up in hose	Suction hot water up to clear hose
	Loose hose connection	Ensure machine hose is locked in place into the bathing tool
Reduced spray or not spraying	Solution or water tank is empty	Check and refill both water and bathing tool solution tanks
	Spray tip clogged	Rinse tool with warm water and use soft bristle brush on spray tips
	Loose hose connection	Ensure machine hose is locked in place into the bathing tool. Hold trigger until water comes out
	Lost prime	Turn unit off; Refill the water tank (and shampoo tank if needed), turn unit on and hold the trigger until spray resumes
	Water has not reached the recovery tank	Suction water up until it appears in the recovery tank
Leaking	Dirty water tank gasket not in place or damaged	Place gasket in correctly (notched); If damaged, replace gasket
	Loose hose connection	Ensure machine hose is locked in place into the bathing tool; Hold trigger until water comes out
	Damage or torn hose	Have an authorized technician repair unit
	Bathing tool solution cap not in place	Make sure the solution cap on the bathing tool is in place with a gasket in the cap
	Clean water tank cap is not securely tightened	Remove clean water tank, unscrew cap, then place cap back on tank and tighten securely
	Water still remains bathing tool/hose	Similar to a garden hose, water may remain in the hose after unit is off
No power to unit	Outlet not working	Test outlet with a small appliance like a cell phone charger, and use another outlet if needed
	Fuse/breaker to outlet tripped	Reset the breaker
Dog still dirty or smells	Difficult Odor (ie. skunk)	Rewash with BISSELL Odor & Skunk no-rinse shampoo or consult a professional for very difficult odors
Shampoo not foaming	Shampoo is designed to not be foamy	Continue using appropriate no rinse shampoo that is not foamy
Shampoo is not flowing	Not using a BISSELL no-rinse dog shampoo	Always use a BISSELL no-rinse dog shampoo
	Rinse/Shampoo switch not fully engaged	Make sure switch is securely selected to the desired function
	Lost prime	Turn unit off; Refill the water tank (and shampoo tank if needed), turn unit on and hold the trigger until spray resumes

Warranty

This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state. If you need additional instruction regarding this warranty or have questions regarding what it may cover, please contact BISSELL Consumer Care by e-mail or telephone as described below.

Limited One-Year Warranty

Subject to the *EXCEPTIONS AND EXCLUSIONS identified below, upon receipt of the product BISSELL will repair or replace (with new or remanufactured components or products), at BISSELL's option, free of charge from the date of purchase by the original purchaser, for one year any defective or malfunctioning part.

See information below on "If your BISSELL product should require service".

This warranty applies to product used for personal, and not commercial or rental service. This warranty does not apply to fans or routine maintenance components such as filters, belts, or brushes. Damage or malfunction caused by negligence, abuse, neglect, unauthorized repair, or any other use not in accordance with the User's Guide is not covered.

BISSELL IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE ASSOCIATED WITH THE USE OF THIS PRODUCT. BISSELL'S LIABILITY WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

*EXCEPTIONS AND EXCLUSIONS FROM THE TERMS OF THE LIMITED WARRANTY

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTIES EITHER ORAL OR WRITTEN. ANY IMPLIED WARRANTIES WHICH MAY ARISE BY OPERATION OF LAW, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE FIVE YEAR DURATION FROM THE DATE OF PURCHASE AS DESCRIBED ABOVE.

Some states do not allow limitations on how long an implied warranty lasts so the above limitation may not apply to you.

NOTE: Please keep your original sales receipt. It provides proof of date of purchase in the event of a warranty claim.

Service

If your BISSELL product should require service:

Contact BISSELL Consumer Care to locate a BISSELL Authorized Service Center in your area.

If you need information about repairs or replacement parts, or if you have questions about your warranty, contact BISSELL Consumer Care.

Website:

www.BISSELL.com

E-mail:

www.BISSELL.com/email-us

Call:

BISSELL Consumer Care
1-800-237-7691
Monday - Friday 8am - 10pm ET
Saturday 9am - 8pm ET
Sunday 10am - 7pm ET

Please do not return this product to the store.

Other maintenance or service not included in the manual should be performed by an authorized service representative.

For any questions or concerns, BISSELL is happy to be of service. Contact us directly at 1-800-237-7691.

Register your product today!

Registering is quick, easy and offers you benefits over the lifetime of your product.

You'll receive:

BISSELL Rewards Points

Automatically earn points for discounts and free shipping on future purchases.

Faster Service

Supplying your information now saves you time should you need to contact us with questions regarding your product.

Product Support Reminders and Alerts

We'll contact you with any important product maintenance reminders and alerts.

Special Promotions

Optional: Register your email to receive notice of offers, contests, cleaning tips and more!

Visit www.BISSELL.com/registration!

Visit the BISSELL website: www.BISSELL.com

When contacting BISSELL, have model number of cleaner available.

Please record your Model Number: _____

Please record your Purchase Date: _____

NOTE: Please keep your original sales receipt. It provides proof of purchase date in the event of a warranty claim. See the Warranty page for details.

For cleaning tips and more visit www.BISSELL.com or find us at:



BISSELL



BISSELLClean



BISSELLClean



BISSELL



BISSELL

We can't wait to hear from you!

Rate this product and let us (and millions of your closest friends) know what you think!

www.BISSELL.com



©2017 BISSELL Homecare, Inc.
Grand Rapids, Michigan
All rights reserved. Printed in China
Part Number 161-3728 01/18
Visit our website at: www.BISSELL.com