

# PlayersGoal<sup>®</sup>

Sports Equipment



## PRODUCT CATALOG



[WWW.PLAYERSGOAL.COM](http://WWW.PLAYERSGOAL.COM)

888-975-3343


Introduction	Page 3
Stadium Padding	Page 4
Wall Padding	Page 8
Rail & Post Padding	Page 9
Ultra-Cross Knotless Netting	Page 10
Ball Safety Systems	Page 11
SportaFence	Page 12
Team Benches	Page 13
Baseball & Softball	Page 14
Football	Page 19
Soccer	Page 21
Field Hockey	Page 22
Lacrosse	Page 23
Field Event Padding	Page 24
Scorers' Tables	Page 26
Indoor Wall Padding	Page 27
Graphics Spirit Pads	Page 31
Bleacher Enclosures	Page 32
Climbing Wall Padding	Page 33
Padded Flooring	Page 34
Floor Padding	Page 35
Martial Arts Mats	Page 39
Weight Room Flooring	Page 40
Graphics	Page 41
Vinyl Color Charts	Page 42
References	Page 44



STADIUM PADDING, PAGE 4




TURFBASE®, PAGE 15



RAIL PADDING, PAGE 9  
 TEAM BENCHES, PAGE 11  
 TENSION NETTING SYSTEMS, PAGE 13  
 STORAGE CUBBIES, PAGE 15



DURAZone® HIGH JUMP PAD, PAGE 22



DIGITAL GRAPHICS, PAGE 41

# OVER 25 YEARS EXPERIENCE IN THE INDUSTRY

For over 25 years **PlayersGoal®** has been the industry leading custom manufacturer of gymnasium, stadium, and arena padding. In addition to our padding products we also manufacturer a complete line of athletic field equipment. In either equipment or safety systems, **PlayersGoal®** can provide a solution to suit your facility's needs.



Located in Delhi, NY, **PlayersGoal®** manufactures all of its padding in-house, we don't outsource to other countries or companies. Our athletic field equipment is manufactured at our facility in Delhi, New York. We are proud to offer a wide variety of products designed and manufactured in the USA.

Because we manufacture everything ourselves our lead times are the best in the industry. We can have most orders manufactured and shipped in as little as 2 weeks!

## THE QUADFACTA: THREE MINORS AND A MAJOR



Just prior to the start of the 2012 baseball season **PlayersGoal®** completed a feat like no other in company history, we're calling it the Quadfecta. The manufacture and shipment of padding for 1 Major League stadium, 3 minor league stadiums, all under one baseball franchise, the Florida Marlins.

We began by supplying padding for the new \$515 million dollar Marlins Stadium. We then continued on by supplying this season's padding for the all of the Marlins minor league affiliates.

The AAA New Orleans Zephyrs received new backstop and baseline padding with a custom backing panel to enhance the safety and appearance of Zephyrs Field for years to come.

The AA Jacksonville Suns received a full treatment of new padding throughout The Baseball Grounds of Jacksonville. The **PlayersGoal®** team worked around the clock on a very tight deadline to manufacture and install 350 pads in advance of a sellout crowd which came to watch No. 1 Florida take on No. 4 Florida State on March 27th.

The Single-A Greensboro Grasshoppers also teamed up with **PlayersGoal®** to refresh their outfield padding. The renewal and recovering of the existing outfield pads at New Bridge Bank Park was a tremendous cost savings for the team versus new wall pads.



# ZONE Family

## STADIUM PADDING

**PlayersGoal®** has been the industry leader in stadium padding since 1984. We believe the industry should look beyond 25 year old technology, which is why we offer Zone Family stadium wall padding.

Instead of installing just any pad on their stadium walls, customers now have options when they decide to invest in new padding: **BASEZone®** (existing design) and **ENVIROZone®** (enhanced protection with environmental benefits)! This family of wall padding is the industry's ONLY complete padding line-up with multiple options. Combine either **BASEZone®** or **ENVIROZone®** with our **deltaF®** anti-wrinkle technology and you get not only one of the most technologically advanced pads in the industry but the most environmentally durable and attractive pads available today.

### THE OPTIONS

#### **BASEZone®:**

The padding we've been selling since we first opened our doors. An affordable, traditional pad.

#### **ENVIROZone®:**

Environmentally responsible, superior cushioned pad that is designed to meet LEED certification.

#### **Zone Family:**

- ◆ A complete line of padding for all levels, High School through Professional
- ◆ Customization: wide variety of vinyl colors as well as hand painted & photo quality digital graphics
- ◆ Padding available for all budgets
- ◆ Options for every application, no wall or fence too oddly shaped!
- ◆ Installed across the globe in thousands of venues across multiple sports
- ◆ Stainless steel hardware on all levels to prevent unsightly rust marks
- ◆ **deltaF®** wrinkle-free technology available on all pads
- ◆ Installation options for any type of wall or fencing surface



USMA: WEST POINT



UNIVERSITY OF TEXAS

# BASE ZONE®

PlayersGoal® BASEZone® pads are installed in hundreds of stadiums across the world including: Major and Minor League Baseball, National Football League, Canadian Football League, Indoor Arena Football, World Cup Soccer, NCAA Baseball, NCAA Softball, and NCAA Football

This pad is the well respected industry standard featuring an 18oz high UV protected vinyl covering, 3" high density polyurethane foam padding and a 5/8" moisture resistant composite wood backer board. It's a time tested, proven product which provides facilities with a highly cost effective safety solution.

## WHY SETTLE FOR STANDARD?

Never satisfied with "the standard" we've improved our BASEZone® pads by eliminating a problem that has plagued the entire padding industry for years, **rust**.

In fact, all of our Zone Family padding now comes standard with stainless steel hardware which not only inhibits the development of unsightly rust on your stadium walls (a result of non-stainless hardware oxidizing) but also extends the life of the padding.



UNIVERSITY OF PENNSYLVANIA



MARLINS PARK

## SPECIFICATIONS

<b>VINYL COVERING:</b>	EcoGUARD® 18oz High UV Extruded Vinyl
<b>PADDING:</b>	3" High Density Polyurethane
<b>BACKER BOARD:</b>	5/8" Moisture Resistant Composite Wood
<b>WEIGHT:</b>	82lbs per 4' x 8' Panel
<b>WARRANTY:</b>	1 Year

## BASEZONE® THE STADIUM PADDING WITH A TRADITION



COMERICA PARKK - DETROIT TIGERS



**PlayersGoal®** has taken innovation and technology a step further with **ENVIROZone®**, offering a product which couples an environmentally friendly design with improved durability (5 year warranty is standard) and exceptional performance.



**ENVIROZone®** employs a long lasting, moisture resistant, composite wood panel as a backer board. This is a durable alternative to standard plywood and has a smaller environmental impact. All parts of the tree are used in the creation of this composite. Leftover chips, bark and sawdust are even used to fuel the factory that creates the panels so that nothing goes to waste. In addition it is only made from young trees which are easily replaced unlike the old growth trees that are used in making traditional plywood.

The impressive energy management capability of the **ENVIROZone®** product is derived from the fully recyclable thermoplastic, expanded bead, polyethylene foam (EPE). The EPE significantly improves the systems impact/energy management as compared to industry standard polyurethanes, yet provides a similar feel, important to athletes who anticipate the impact and “play the bounce”.

### BENEFITS OF BEADED EPE

- ◆ Excellent resilience & multi-directional impact resistance
- ◆ Outstanding energy absorption
- ◆ Multi-Strike energy management
- ◆ Non-hydroscopic, closed cell design minimizes water entrapment & absorption



OLD DOMINION UNIVERSITY

The **ENVIROZone®** legacy is completed with the introduction of the industry’s first 25 ounce extruded vinyl which maintains the feel and high UV protection of **PlayersGoal®** industry leading 18 ounce vinyl, yet offers significant advances in tear and deterioration resistance.

### BENEFITS OF 25oz VINYL

- ◆ Tri-Layer Design
- ◆ High Tenacity Polyester Substrate
- ◆ Smooth Matte, Linen-Like Texture
- ◆ Mildew Resistant
- ◆ UV Resistant
- ◆ Superior Tensile Strength & Tear Resistance
- ◆ Easily Accepts Most forms of Graphics
- ◆ Same Feel as Our 18oz Vinyl

Please review the UV Exposure Test comparisons of our high UV extruded product to comparable products such as vinyl coated on [www.playersgoal.com](http://www.playersgoal.com).

## SPECIFICATIONS

<b>VINYL COVERING:</b>	25oz High UV Extruded Vinyl
<b>PADDING:</b>	1.0 PCF Thermoplastic Expanded Bead Polyethylene (EPE)
<b>BACKER BOARD:</b>	5/8” Moisture Resistant Composite Wood
<b>gMAX RATING:</b>	87
<b>WEIGHT:</b>	74lbs per 4’ x 8’ Panel
<b>WARRANTY:</b>	5 Year



US Patent #8,082,696

When you put new padding into a stadium it always looks great. Everything is smooth and square. Over time traditional padding develops wrinkles. These wrinkles are caused by extreme variations in temperature. Hot days, Cold Nights in spring and fall cause the pad to expand and contract, over time the vinyl doesn't contract as much as the pad expands and you end up with unsightly wrinkles. It's an aesthetic nightmare the industry has lived with for far too long.

With the development of **deltaF**® technology for stadium wall padding, **PlayersGoal**® has turned that industry standard of wrinkled vinyl into a nightmare of the past.

The **deltaF**® option for the Zone Family of wall padding consists of a UV protected 4-way stretch vinyl coupled with our industry leading high UV, laminated vinyl covering. This allows the vinyl to quickly react to the changing size of the padding during temperature swings without creating the unsightly vinyl wrinkles you'll find on other outdoor pads in stadiums and parks across the globe.

The new **deltaF**® option fits snugly around your wall pads, assuring that the same look that rolls out of our factory remains on your stadium wall, day in and day out, season to season. **deltaF**® is available on both **BASEZone**® & **ENVIROZone**® padding.



WAKE FOREST UNIVERSITY

## Z-CLIP ATTACHED WALL PADDING

Used for attachment to wood or concrete walls, the aluminum z-clips and stainless steel hardware provide the best option for creating a safer environment for your players. With a snug vinyl fit, the z-clip attached wall padding is the perfect place to display your team graphics or your sponsors advertisements. Three of our industry leading Z-Clip attachments, evenly spaced on the back of the pad come standard for mounting.



	STANDARD MODEL	DELTA <sup>®</sup> F MODEL
<b>BASE ZONE<sup>®</sup></b>	FWPZHI	DFWPZHI
<b>ENVIRO ZONE<sup>®</sup></b>	FWPZENV	DFWPZENV



## FIELD WALL PADDING FOR CHAIN LINK FENCES

These pads retain the presence of a backer board to add stability to the pad during use. Available with the entire line of Zone Family products, this pad incorporates a different mounting system to allow for chain link fences to remain as part of your field without sacrificing the safety of your players. Simply position the field wall pad and attach with a bolt and large washer from the opposite side of the fence. All necessary hardware is provided.



	STANDARD MODEL	DELTA <sup>®</sup> F MODEL
<b>BASE ZONE<sup>®</sup></b>	FWPZHI	DFWPZHI
<b>ENVIRO ZONE<sup>®</sup></b>	FWPZENV	DFWPZENV

## SEWN FIELD WALL PADDING WITH GROMMET FLAP

These sewn field wall pads are double stitched with weather resistant bonded nylon thread for durability and are typically attached with cable ties. Sewn pads are much lighter in weight than the plywood version, making installation and handling much easier. Perfect for chain link applications. Please note, the measurement of these pads includes the 1-1/2" Grommet Flap at the top and bottom of the pad.



	STANDARD MODEL #	DELTA <sup>®</sup> F MODEL #
<b>BASE ZONE<sup>®</sup></b>	FWPSGHI	Not Available
<b>ENVIRO ZONE<sup>®</sup></b>	FWPSGENV	Not Available

All Padding models available in multiple colors; See 18oz or 25oz Color Chart for options.  
Standard Sizes: 4'W x 8'H - 10'H; Custom Heights Available.

## GUARD RAIL PADDING

PlayersGoal® guard rail pads are manufactured using 1" high impact foam cores which provide for a low pad profile. They are covered with EcoGUARD® 18 oz. UV resistant extruded vinyl and are attached with cable ties through grommets.

Guard rail pads are made to fit 1 1/2" to 2" diameter rails.

The standard model is a rounded pad, the hi-profile model is a square pad capable of having graphics or advertising applied to the field facing sides.

### STANDARD MODEL

GRP

### HI-PROFILE MODEL

GRPHIP



AVON BALLPARK



TURNER FIELD



## CHAIN LINK TOP RAIL & POST PADDING

Chain link fence top rail and post pads are double stitched sewn pads designed to cover the most dangerous vertical and horizontal posts to allow for view through the fence while protecting safety.

These pads are made of 3" high impact foam cores covered with EcoGUARD® 18 oz. UV resistant vinyl and are attached with cable ties through grommets. The top rail pad can also be used on the top of concrete or wooden walls.

### TOP RAIL MODEL

CLTRHI

### POST MODEL

CLPHI

## LIGHT POLE & GOAL POST PADDING

Both round and hexagonal style light pole and football goal post pads are available. Each are covered in a heavy coated vinyl laminated polyester fabric that has a weight of 19 oz. per square yard. The standard pad height is six feet and has a full length hook and loop closure for easy installation (grommet closure available upon request). The GPPR ENC is a vinyl enclosed pad having vinyl on both the outside and the inside of the enclosure.

All pads are designed to be used in conjunction with any PlayersGoal® Advantage XI® series football goal post.

Custom Lettering & Stenciling are available for an additional fee.

### HEXAGONAL MODEL

GPPH

### ROUND MODEL

GPPR

### ROUND ENCLOSED MODEL

GPPRENC



## ULTRA-CROSS KNOTLESS NETTING

For future installations of tension netting and semi-permanent backstop netting where maximum spectator visibility is vital, **PlayersGoal®** will be offering its customers new knotless netting called **Ultra-Cross**.

Thanks to the knotless pattern and high-strength lightweight fiber of **Ultra-Cross™**, fans will be afforded a much clearer view of the action on the field. Due to its lightweight fibers, **Ultra-Cross™** has the potential of reducing installation costs as related to structural requirements thus offering improved spectator visibility at a lower cost.



## WIND / PRIVACY SCREENING

Tennis Court Screening, Wind Screen, Privacy Screen, Batter's Eye, and other forms of fence screening products are available in many colors, styles, and sizes. Wind Screen offers many benefits to your facility including wind and noise reduction, increased privacy, improved player focus and concentration, as well as enhancement of facility appearance.

6' and 9' heights are standard while custom heights are available upon request (center reinforcement is standard for 9' heights). Lengths are typically 50' – 70' while custom sizes are also available. If you are in a high wind area, you might want to consider air vents cut into the screen to take the stress load off of the fence.

Our VCP (Vinyl Coated Polyester) wind screening resists shrinkage and is highly abrasion resistant. It is available in dark green or 10 other special order colors. Four ply hems are standard and #2 brass grommets are spaced every 12" on center.

Advertising signage can be screened directly onto the material.



### WIND SCREENING MODEL

VCP

## PORTABLE BALL SAFETY SYSTEMS

This base plate system is completely portable and perfect for facilities who desire the capability of moving their netting system, or for those with existing fields who do not have the luxury of installing a ground sleeve based system.

Simply pull the locking pin connection and the aluminum pole and base plate separate making transport and storage of your system quick and simple. Two standard yellow sand bags are also included for weight down purposes with each assembly.



### PORTABLE BALL SAFETY MODELS

PGTFBSS208PORT	8' HIGH, 2" POLE
PGTFBSS210PORT	10' HIGH, 2" POLE

## TENSION NETTING SYSTEMS



Tension ball safety netting systems are utilized in many applications, but mainly as protective netting systems for baseball and softball backstops, particularly in stadium applications where line of spectator sight is particularly important. They are comprised of hardware that is connected to a structural element to which cabling is attached and tensioned for support purposes. Lastly, the netting is attached to the cabling with both a rope binding and zip ties for increased durability.

The design options with tension ball safety netting systems are infinite as long as there is a properly engineered support structure in place to handle the load of the cabling and netting when tensioned.

### TENSION NETTING MODEL

PGTFBSSTN

## POLY CAP

There is no substitute for safety, visibility, durability and beautification of your playing facility. The bright yellow color provides a high contrast visual, allowing players an extra margin for safety. Poly Cap is weather treated, UV protected and comes with a 2 year warranty.

Poly Cap is available in Yellow or Green. Poly Cap comes pre-slit for easy installation with 18" cable ties (*sold separately*).



### 100' ROLL MODEL

PC100

### 200' ROLL MODEL

PC200

## FENCE GUARD™

The **PlayersGoal®** Fence Guard™ is a lightweight but durable U.V. resistant fence protection system. The Fence Guard comes in a variety of colors and two different thicknesses, standard and premium.

**Standard Colors:** Yellow, Red, White, Blue & Orange

**Premium Colors, including:** Dark Green, Red, & Blue



### STANDARD MODEL

FENCEGS

### PREMIUM MODEL

FENCEGS

## SPORTAFENCE

**SportaFence** is the portable fencing solution that allows a facility to place temporary barriers wherever needed. The support legs are made from 2" square steel and weigh 25lbs each. Each fence panel is constructed from 1/8" stamped aluminum with double reinforced bends. Each panel weighs 35lbs. Each section spans roughly 9'11" from support to support and a total height of 3' 5".

The **SportaFence** is powder coated for durable long lasting finish available in a variety of colors.

For added safety, we also offer a pad that can be attached to one side of each section. The pad measures the full length and height of the fence, hiding both the fence panel and the support legs; it is attached via a combination of grommets and hook and loop strips.

Each pad is covered with our standard 18oz High UVProtected vinyl, available in multiple colors and are an excellent location for advertising graphics, team logos, etc.



### FENCING SYSTEM MODEL

PGLGSPORTAFENCE

### PADDING MODEL

PGLGSPORTAFENCEPAD

## SINGLE & TWO-TIER TEAM BENCHES

These team benches are designed for both two-tier and single tier seating and consist of a powder coated steel frame with synthetic polyboard planking or aluminum planking, each variety guaranteed to never warp or crack.

The steel frame powder coat, aluminum planking and synthetic polyboard come in a variety of standard colors to choose from.

Single-Tier benches are available with or without a back rest.

All benches are available in a permanent or portable format at 8', 10', 12' & 15' lengths.



TEAM BENCHES

### POLYBOARD BENCH MODELS

PGLG-TTPY	POLYBOARD TEAM BENCH, TWO-TIER SEATING, PERMANENT OR PORTABLE
PGLG-STPY-BRPT	POLYBOARD TEAM BENCH, SINGLE-TIER SEATING, W/BACK REST, PORTABLE
PGLG-STPY-NBPT	POLYBOARD TEAM BENCH, SINGLE-TIER SEATING, PORTABLE
PGLG-STPY-BRSP	POLYBOARD TEAM BENCH, SINGLE-TIER SEATING, W/BACK REST, PERMANENT
PGLG-STPY-NBSP	POLYBOARD TEAM BENCH, SINGLE-TIER SEATING, PERMANENT

### ALUMINUM BENCH MODELS

PGLG-TTAL	ALUMINUM TEAM BENCH, TWO-TIER SEATING, PERMANENT OR PORTABLE
PGLG-STAL-BRPT	ALUMINUM TEAM BENCH, SINGLE-TIER SEATING, W/BACK REST, PORTABLE
PGLG-STAL-NBPT	ALUMINUM TEAM BENCH, SINGLE-TIER SEATING, PORTABLE
PGLG-STAL-BRSP	ALUMINUM TEAM BENCH, SINGLE-TIER SEATING, W/BACK REST, PERMANENT
PGLG-STAL-NBSP	ALUMINUM TEAM BENCH, SINGLE-TIER SEATING, PERMANENT

## FOUL POLES

**PlayersGoal®** baseball/softball foul poles are manufactured from 4" or 6" aluminum pipe and are available in standard above ground heights of 15', 20', 30' and 40'. All foul poles are powder coated yellow, utilize ground sleeves with corresponding caps or a base plate mounting system for a semi-permanent install, and are available with or without a wing. Standard wings start 8' above finished grade and consist of 1/8" stamped aluminum sheet with double reinforced bends making them much more durable and longer lasting than weaker competitive mesh products.



WING MODELS	WITHOUT WING MODELS
PGLGFP415 / PGLGFP415PL	PGLGFP415 / PGLGFP415PL
PGLGFP420 / PGLGFP420PL	PGLGFP420 / PGLGFP420PL
PGLGFP630 / PGLGFP630PL	PGLGFP630 / PGLGFP630PL
PGLGFP415 / PGLGFP415PL	PGLGFP415 / PGLGFP415PL

## BASE & MOUND COVERS

**PlayersGoal®** utilizes 14oz. reinforced vinyl, joined with heat welded seams to prevent leakage. All of our covers are mildew resistant with stainless steel or brass grommets located every 3 feet around the perimeter. Stakes are provided, to anchor the tarps at the grommet locations.

Standard color is Forest Green, 13 other colors available.

BASE & MOUND MODELS	
PMC20	PITCHERS MOUND
PMC30	PITCHERS MOUND
HPC26	HOME PLATE
HPC30	HOME PLATE
BC	OTHER BASES



## PITCHING SCREENS

**PlayersGoal®** pitching screens provide optimal protection for Coaches and Players who are pitching for baseball and softball batting practice. These screens are made of 1 5/8", galvanized steel powder-coated green. The nets are #36 Twisted, Knotted Nylon, with a rope border.

The Pitching Screen has a 3' X 3' cutout, offering more pitcher protection than the traditional 3.5' X 3.5'.

Pillow case style slip-on nets.

The wheel kit can be purchased separately.

## BATTING TUNNELS

**PlayersGoal®** manufactures both a cantilever and overhead style of baseball/softball batting tunnel. Both are constructed of heavy duty rolled aluminum tube with a net offset to help minimize the safety risks associated with baseball/softball ricochet. All standard batting tunnels come with a black #36 nylon 1-3/4" square mesh net with entrance/exit, block pulley system, corresponding ground sleeves with caps and net extension arms to ensure the net remains taut and secured to the ground.

### OVERHEAD MODELS

PGLGOBT-BS	BASEBALL, SINGLE OVERHEAD, MILL ALUMINUM FINISH
PGLGOBT-BS-P	BASEBALL, SINGLE OVERHEAD, POWDER COATED FINISH
PGLGOBT-BD	BASEBALL, DOUBLE OVERHEAD, MILL ALUMINUM FINISH
PGLGOBT-BD-P	BASEBALL, DOUBLE OVERHEAD, POWDER COATED FINISH
PGLGOBT-BT	BASEBALL, TRIPLE OVERHEAD, MILL ALUMINUM FINISH
PGLGOBT-BT-P	BASEBALL, TRIPLE OVERHEAD, POWDER COATED FINISH
PGLGOBT-SS	SOFTBALL, SINGLE OVERHEAD, MILL ALUMINUM FINISH
PGLGOBT-SS-P	SOFTBALL, SINGLE OVERHEAD, POWDER COATED FINISH
PGLGOBT-SD	SOFTBALL, DOUBLE OVERHEAD, MILL ALUMINUM FINISH
PGLGOBT-SD-P	SOFTBALL, DOUBLE OVERHEAD, POWDER COATED FINISH
PGLGOBT-ST	SOFTBALL, TRIPLE OVERHEAD, MILL ALUMINUM FINISH
PGLGOBT-ST-P	SOFTBALL, TRIPLE OVERHEAD, POWDER COATED FINISH

### CANTILEVER MODELS


PGLGGBT	13' H x 14' W x 75' L, MILL ALUMINUM FINISH
PGLGGBT-P	13' H x 14' W x 75' L, POWDER COATED FINISH
PGLGSBT	13' H x 14' W x 55' L, MILL ALUMINUM FINISH
PGLGSBT-P	13' H x 14' W x 55' L, POWDER COATED FINISH

## DUGOUT FLOORING

**PlayersGoal®** is your one stop source for dugout flooring, built with the same material and design of our weight room flooring. The dugout flooring ranged in thickness: 3/8", 1/2" and 3/4" and a wide color or selection is available if you want to vary from the basic black.

### DUGOUT FLOORING MODEL

WSH487238B	WSH487238C
WSH487212B	WSH487212C



## CUBBIES & STORAGE UNITS

**Long Gone™** Storage units are the answer for game day dugout storage. Each unit is manufactured from 3/4" exterior marine grade plywood with hardwood ash edges, assembled with stainless steel hardware and finished with an exterior grade water-based polyurethane for added durability and year round resistance to the elements.

Standard designs include the standard Stand-Up Unit, Coat Rack and Shelf Unit, and a Coat Rack and Helmet Storage Unit.

### STAND-UP UNIT

The Stand-Up unit consists of 16 helmet storage bays and 8 bat storage bays. A lockable side door allows for secure storage inside the base of the unit as well. Standard dimensions are 60" wide by 90" high, the bottom depth is 36" and the top depth is 18". Custom sizes are available.

### STAND-UP UNIT VINYL COVER

An exterior grade vinyl cover is available for Stand-Up units

### COAT RACK & HELMET STORAGE

The Coat Rack & Helmet Storage Shelf comes standard at an 8' length but can be made to fit any length dugout. 8' sections contain 6 coat hangers and 6 helmet storage cubbies.

### COAT RACK & STORAGE HELF

The Coat Rack & Storage Shelf comes standard at an 8' length but can be made to fit any length dugout. 8' sections contain 6 coat hangers and a 12" wide shelf.



#### CUBBY MODELS

PGLG-BH-CUBBY	STAND-UP HELMET & BAT STORAGE UNIT
PGLG-BH-CUBBY-COVER	EXTERIOR VINYL COVER
PGLG-CR-CUBBY	HELMET & COAT RACK OVERHEAD STORAGE
PGLG-CR-SHELF	SHELF & COAT RACK OVERHEAD STORAGE



# TURFBASE™

## SYNTHETIC TURF BASES

Baseball/softball fields as well as batting cage and bullpen areas are increasingly installing synthetic turf as the playing surface of choice. The change of the athletic surface from natural grass to synthetic turf creates several field equipment installation challenges.

Typically, field equipment such as bases, home plates and pitching rubbers are installed in ground anchors that require site excavation and/or concrete work. In synthetic turf applications, these ground anchors become tripping hazards when the field is converted for multi-sport use or when the equipment is removed during the off season for storage. Many times, the ground anchors are not capped properly making them difficult to find and/or clogged with infill material making the necessary installation and/or removal of the field equipment problematic.

**PlayersGoal®** development of the Patent Pending **TurfBase™** product line of official size bases, home plates and pitching rubbers addresses all of the above issues and more. No ground anchor installation is necessary making installation and/or removal a snap. The durable all rubber construction of the products includes mesh reinforcement with specially designed pegs molded into the underside that grip the turf and infill material preventing lateral movement, while still allowing for an upwards vertical lift caused by an above average impact such as a slide.

**TurfBase™** also allows for the conversion of any synthetic turf surface to a baseball/softball application providing an easily installed/removed, cost effective solution, for multi-sport athletic playing fields, parks & recreation facilities.



BASE MODEL	HOME PLATE MODEL	DOUBLE BASE MODEL	PITCHING RUBBER MODEL
PGLGTURFBASE-SINGLE	PGLGTURFBASEHP	PGLGTURFBASEDB	PGLGTURFBASEPR

## PORTA-PITCH PORTABLE PITCHER'S MOUND

The **Porta-Pitch** unit is manufactured out of seven (7) structural aluminum sections covered with an outdoor rated sheathing, a 1/4" rubber impact pad and factory installed red clay colored or green colored synthetic turf with a thatch layer. The main center section includes a clay infilled strip that allows for complete pitcher follow through and an official size, 6"W x 24"L, four (4) sided professional removable and rotatable pitcher's rubber. The main center section also contains six (6) retractable wheels and an attachable tow hitch allowing for quick and easy movement of the **Porta-Pitch** unit on and off the field. The surrounding sections can be stacked on top of an optional transport cart providing for faster setup and breakdown of the **Porta-Pitch** and more compact storage. When fully assembled, the **Porta-Pitch** mimics an official size, 18' diameter portable baseball pitcher's mound, meeting both the 10" height and slope to finished grade requirements, while providing maximum playability at all levels of competition.



The new **Porta-Pitch** product design features allow for it to be set directly on the synthetic turf or natural grass field, as well as be installed and removed with only two (2) to three (3) people in under 15 minutes and all without the use of foundation anchors and/or heavy equipment. This allows for quick changeovers of the field with minimal maintenance, personnel and ground rework required. More importantly, it eliminates the need for time consuming and messy all clay built mounds that must be fully constructed and removed in the field by hand.

The **Porta-Pitch** provides a durable and cost effective alternative for all multi-use baseball facilities looking to maximize the use of their playing surface for alternative events that require removal of their pitcher's mound.

### PORTA-PITCH MODELS

PGLGPRTPTCH-RC

18' DIAMETER RED CLAY SYNTHETIC TURF

PGLGPRTPTCH-GR

18' DIAMETER GREEN SYNTHETIC TURF




# ADVANTAGE XI® FOOTBALL GOALS

The **Advantage XI®** football goal posts are heavy duty, all aluminum single support, 6' or 8' offset gooseneck designs.

All models are:

- Available in: Ground sleeve mounted  
Base plate mounted
- Available with either: College/Pro Crossbar (18' 6" wide)  
High School Crossbar (23' 4" wide)
- Available in: Yellow Powder Coated Finish  
White Powder Coated Finish
- Available with either: 20' Uprights (standard)  
30' Uprights

To meet the increasing demand for versatility in multi-use athletic fields we've developed 2 different solutions. The first is an expandable college/high school crossbar which is available for all **Advantage XI®** football goal posts. The second is a new revolution in goal design. Our rotating / hinged football goal post is a ground sleeve mounted goal capable of being safely handled by one person. Rotation takes less than a minute, allowing a coach, athletic director, field maintenance personnel, etc modify the field configuration without the need of a team of people. Simply rotate the goal out of the way for Soccer Games. If the goal needs to be removed it can be lowered down safely by one person and taken away by as little as 3 or 4 people.



	COLLEGE / PRO	HIGH SCHOOL	EXPANDABLE
<b>6' OFFSET</b>	PGGP4100	PGGP4300	PGGP4200
<b>20' UPRIGHTS</b>	PGGP4100PL	PGGP4300PL	PGGP4200PL
<b>6' OFFSET</b>	PGGP4103	PGGP4303	PGGP4203
<b>30' UPRIGHTS</b>	PGGP4103PL	PGGP4303PL	PGGP4203PL
<b>8' OFFSET</b>	PGGP4180	PGGP4380	PGGP4280
<b>20' UPRIGHTS</b>	PGGP4180PL	PGGP4380PL	PGGP4280PL
	PGGP4180RH	PGGP4380RH	PGGP4280RH
<b>8' OFFSET</b>	PGGP4183	PGGP4383	PGGP4283
<b>30' UPRIGHTS</b>	PGGP4183PL	PGGP4383PL	PGGP4283PL
	PGGP4183RH	PGGP4383RH	PGGP4283RH


*PL = Plate Mounted*

*RH = Rotating / Hinged Goal*

## FOOTBALL GOAL POST PADDING

Both round and hexagonal style light pole and football goal post pads are available. Each are covered in a heavy coated vinyl laminated polyester fabric that has a weight of 19 oz. per square yard. The standard pad height is six feet and has a full length hook and loop closure for easy installation (grommet closure available upon request). The PGG-P4590RFULL is a vinyl enclosed pad having vinyl on both the outside and the inside of the enclosure.

All pads are designed to be used in conjunction with any Advantage XI® series football goal post.



HEXAGONAL MODEL	ROUND MODEL	ENCLOSED ROUND MODEL
PGGP4590H	PGGP4590RPART	PGGP4590RFULL

## FOOTBALL DUMMIES

**Hand Shield:** The Hand Shield provides a curved hitting area for quick mobility drills. The shield is made with a durable 19oz double coated vinyl, with heavy grade webbing with polyethylene foam inserts, and 4" thick HI Impact Foam. 24" x 16" x 4"

**8" HALF ROUND:** The Half Round teaches players to maintain quick foot work along with maintaining the correct football position with heads up. Also can double for drill markers and lanes, and can be used as a standup dummy. (2) Handles on the back. The Half Round is made with our durable 19oz double coated vinyl, 8" thick HI Impact Foam.

**8" TRAPEZOIDAL SHAPE:** The Trap teaches players to maintain quick foot work along with maintaining the correct football position with heads up. Also can double for drill markers and lanes, and can be used as a standup dummy. (2) Handles on the back. The Trapezoidal Shape is made with a durable 19oz double coated vinyl, 8" thick HI Impact Foam.

**RECTANGULAR SHIELD:** Football Body Shield is a rectangular HI Impact Foam body shield perfect for impact football drills. Whether teaching a ball-carrier to roll off tacklers or teaching proper rush techniques, these shields are a valuable practice tool. Made with our durable 19oz double coated vinyl, 6" thick HI Impact Foam, an (2) Handles on the back.

**FOREARM SHIELDS:** The curved forearm shield Features a rolled foam core that won't sag, extra heavy-duty 19 oz. double-coated vinyl, double ply multiple stitched handles that won't rip away. Forearm handle made with stretch elastic that will fit any size forearm. Product comes in a set of (2).

**PYLONS:** Features: Sold in sets of (4) or (6). No anchor system required. Sets into place immediately-stands by itself! Features foam filler with a weighted bottom. Bright, Visible Fluorescent Safety orange color.



## ADVANTAGE XI® SOCCER GOAL

The **Advantage XI®** aluminum square post and round faced soccer goals are designed with the end user in mind.

By replacing failure prone light gauge steel tubing with high strength TIG welded aluminum, weld joint failures are virtually eliminated. In addition, the powder coated white finish will ensure premium protection from the elements for years of competition. Unlike other soccer goals, the **Advantage XI®** goals utilize a one piece back ground bar and unique welded in place net attachment system. Thanks to this net attachment system there are no more complicated loops, vinyl strips or plastic parts to be lost and replaced and its guaranteed for the life of the goal.



	REGULATION MODELS	YOUTH MODELS	WHEEL KITS
<b>SQUARE FACED</b>	PGSG4900	PGSG71S PGSG618S	PGSG4905
<b>ROUND FACED</b>	PGSG4950	PGSG721R PGSG618S	PGSG4955
<b>INTERNATIONAL</b>	PGSG4950INT	PGSG612	

## ADVANTAGE XI® SOCCER GOAL MOBILITY KIT



The **Advantage XI®** integrated, on-board mobility kit, eliminates both add-on wheels that are easily misplaced and permanent side-mounted wheels that can be dangerous and in the way of play.

By utilizing an easy to use retractable stainless steel slide housing and nylon roller wheel system permanently mounted inside the front posts, **Advantage XI®** eliminates unnecessary add-on components ensuring safer movement of the goal.



## ADVANTAGE XI® SOCCER GOAL

The **Advantage XI®** integrated, on-board mobility kit, eliminates both add-on wheels that are easily misplaced and permanent side-mounted wheels that can be dangerous and in the way of play.

By utilizing an easy to use retractable stainless steel slide housing and nylon roller wheel system permanently mounted inside the front posts, **Advantage XI®** eliminates unnecessary add-on components ensuring safer movement of the goal.



## ADVANTAGE XI® FIELD HOCKEY GOAL


The **Advantage XI®** Field Hockey Goal is built with TIG welded joints, single piece side frames, and utilizes marine grade plywood for its bottom boards to provide a long lasting quality goal. As with the **Advantage XI®** Soccer Goal, the Field Hockey Goal sports integrated net fasteners and an available mobility kit that utilizes durable, retractable nylon rollers instead of inflatable tires.

- ◆ Regulation inside dimensions: 12'L x 7'H x 4'D
- ◆ TIG welded joints ensure superior durability
- ◆ Single piece side frames reduce installation time and points of failure
- ◆ Horizontal support members on top, rear, and bottom for better stability
- ◆ Durable, long lasting, marine grade plywood 18"H painted black bottom boards
- ◆ Meets and/or exceeds FIH specifications, rules and requirements
- ◆ Includes Black 1-3/4" Square Mesh Nylon Net



## ADVANTAGE XI® FIELD HOCKEY GOAL MOBILITY KIT

The **Advantage XI®** Field Hockey Goal Mobility Kit allows you to move your field hockey goal safely with only 2 people. When not in use the kit stows away in a recessed position at the back of the goal, keeping it out of possible play and as far away from players as possible. Its made of durable stainless steel and is powder coated for a long lasting finish.



## ADVANTAGE XI® FIELD HOCKEY GOAL SAFETY CLAMP

Safety is key with **PlayersGoal®** and as such we've taken our Soccer Goal Safety Clamp System and adapted it for use with our Field Hockey Goals allowing the goal to be secured to the ground and preventing accidental tipping or movement of the goal.

GOAL MODEL	MOBILITY KIT MODEL	SAFETY CLAMP MODEL
PGFHG	PGFHGWK	PGFHG-CLAMP

## ADVANTAGE XI® LACROSSE GOAL

The **Advantage XI®** Lacrosse Goal is built with TIG welded joints and features a uniquely designed creased flat-iron base for better goal stability.

In addition to meeting regulation dimensions (6' x 6' face) it supports all playing field surfaces and offers flexible mounting options for portable and semi-permanent installation.

- ◆ Regulation inside dimensions - 6' x 6' goal face
- ◆ TIG welded joints ensure superior durability
- ◆ Uniquely designed, creased flat-iron base for better goal stability
- ◆ Supports all playing field surfaces with the same Goal
- ◆ Superior powder coated orange paint finish



### FLEXIBLE MOUNTING OPTIONS

- ◆ Integrated flat-irons for increased portability over any playing field surface
- ◆ Stainless steel anchoring pins for semi-permanent installation on natural grass

### HEAVY DUTY FLAT-IRON BASE DESIGN

- ◆ Better goal stability without interfering with play
- ◆ Extra wide with unique crease for enhanced field contact and stability
- ◆ Robust end plate keeps flat-irons in place even in the roughest playing conditions
- ◆ Portable and semi-permanent mounts using the same goal
- ◆ Heavy steel construction maintains low center of gravity.



#### GOAL MODEL

PGLCG

## JUMPZONE®

JumpZone® and DURAZone® field event protective padding pole vault pit and high jump pit landing systems are manufactured from an 19 oz. heavy coated vinyl polyester exterior that has a high tear and tensile strength with an inner “honeycomb” polyurethane foam core consisting of several different layers providing for the longest lasting design possible. This combined with double stitched seams, 8” hook & loop attachment reinforcement between sections, 2” nylon web handles, buckles, stainless steel snap hooks and “D” rings, results in a landing pad system with superior durability and weathering characteristics. The 2” top foam pad is covered with a heavy duty vinyl coated polyester mesh which is UV and spike resistant. All landing pad systems are designed with the safety of the athlete in mind, and meet and/or exceed the NFHS, NCAA and IAAF specifications, rules and requirements. All JumpZone® and DURAZone® systems have a ten (10) year warranty on seams, handles, and hardware attachments.



JumpZone® and DURAZone® field event protective padding landing systems include a 2” mesh covered top foam pad available in Red, Blue, Green, Gold, Black and Gray, except Champion Bronze models which have a mesh skirt top only. Optional all weather covers and ground covers are also manufactured from 18 oz. heavy coated vinyl polyester for superior durability and weathering characteristics; manufactured to form fit all field event protective padding models.




## DURAZONE®

DURAZone® Protective High Jump and Pole Vault Landing Pits are the first and only to incorporate a one of a kind, lightweight synthetic drainage system that not only increases the life of the pad, but has significant impact resistance characteristics as well.

DURAZone®’s advanced synthetic drainage layer provides rapid water evacuation both vertically and laterally, wicking water away from the bottom of the pads. The unique structural pattern of the DURAZone® synthetic drainage system increases airflow under your pads, allowing the water to evaporate quickly so you no longer have to worry about excessive and prolonged ponding of water.

**The result:** protecting and extending the life of your pits without the problems of mildew, fungus growth, or rotting, while also adding another element of impact resistance leading to a safer overall level of competition for the athlete.

The polypropylene beaded structure used in the DURAZone® synthetic drainage system are expanded and melded together to make an extremely durable yet permeable, lightweight material, offering both quick, lasting drainage and outstanding energy absorption all in one.



DURAZone® costs **significantly** less than the usual cumbersome platform drainage system found in today’s market. Not only does it cost less, but no separate installation is necessary! DURAZone®’s synthetic drainage layer is integrated into the pad. No longer do you have to worry about the hassle of moving your pits separately from your platform drainage system. This saves time, and wear and tear on the pits, minimizing the potential for damage.



## CUSTOMIZABLE!



Each Landing Pit is available in a wide array of colors and can be customized with graphics and lettering.

With the exception of the Champion Bronze Pole Vault Pits, all pits use a 2" mesh covered top foam pad which is only available in the following colors: Purple, Red, Blue, Green, Gold, Black and Gray.

Protective Weather Covers are also constructed from standard 19oz vinyl.

### POLE VAULT LANDING PITS

	JUMPZONE®	DURAZONE®	HEIGHT
<b>NFHS</b>	PV2021H CHAMPION SILVER	PV2021HDZ CHAMPION SILVER	28"
<b>NFHS</b>	PV2021L CHAMPION BRONZE	PV2021LDZ CHAMPION BRONZE	26"
<b>NFHS / NCAA</b>	PV224H NATIONAL	PV2224HDZ NATIONAL	32"
<b>NFHS</b>	PV2224L CHAMPION GOLD	PV2224LDZ CHAMPION GOLD	28"
<b>NCAA / IAAF</b>	PV2227H INTERNATIONAL	PV2227HDZ INTERNATIONAL	32"
<b>NFHS / NCAA / IAAF</b>	PV2230H INTERNATIONAL PLUS	PV2230HDZ INTERNATIONAL PLUS	32"

### ACCESSORIES

**PVPBANG272303016**

ANGLED BASE PROTECTOR PADS

**PVPREC642416**

RECTANGULAR BASE PROTECTOR PADS

**PVPBSC**

PLANTING BOX SAFETY COLLAR

### HIGH JUMP LANDING PITS

	JUMPZONE®	DURAZONE®	HEIGHT
<b>NFHS / NCAA</b>	PV2021H CHAMPION SILVER	PV2021HDZ CHAMPION SILVER	28"
<b>NFHS / NCAA</b>	PV2021L CHAMPION BRONZE	PV2021LDZ CHAMPION BRONZE	26"
<b>NFHS / NCAA / IAAF</b>	PV2230H INTERNATIONAL PLUS	PV2230HDZ INTERNATIONAL PLUS	32"
<b>NFHS</b>	HJ168 CHALLENGER	HJ168DZ CHALLENGER	26"
<b>NFHS/NCAA</b>	HJ1810 NATIONAL	HJ180DZ NATIONAL	28"
<b>NFHS/NCAA/IAAF</b>	HJ2014 INTERNATIONAL	HJ2014DZ INTERNATIONAL	28"

### ACCESSORIES

**HJBP**

BASE PROTECTOR PADS

## NON-ELEVATED SCORER'S TABLE

PlayersGoal® is proud to present the Coach's Corner Scorer's Table. The Scorer's Table is a portable game time unit designed for college's with numerous athletic fields in mind. No more building and tearing down of temporary protection to accommodate a sports event. Just move the lightweight, all aluminum Scorer's Table into place for the game, when completed move it back into storage until needed again.

The Coach's Corner Scorer's Table has several options; plexi-glass protection front & rear, custom coloring for both the protective padding and frame, as well as custom lettering.



## ELEVATED SCORER'S TABLE

The Elevated-Portable Coach's Corner Scorer's Table is a portable unit designed for not only college's with multiple fields but also to provide officials or coaches with a bird's eye view of the action. Perfect for day-to-day coaching activities as well as for game time the Elevated system makes it easy to view the action.

In addition the integrated mobility wheel kit system ensures that wherever the unit is needed it can quickly and easily be moved with minimal concern for potential turf damage.

The Coach's Corner Scorer's Table has several options; plexi-glass protection front & rear, custom coloring for both the protective padding and frame, as well as custom lettering.



## CALL US FOR DETAILS

Our in-house manufacturing capability allows us to provide you with either a standard Scorer's Table or one custom built to meet your needs.



**PlayersGoal®** offers a wide variety of gym / arena padding to meet the needs of your facility. Our manufacturing capabilities allow for custom pad sizes, designs, and attachment methods to suit your needs.

All **PlayersGoal®** indoor padding is designed to meet ASTM F2440 safety requirement standards; providing a safer environment for your athletes.

Over the past two decades our padding has been installed in thousands of facilities from small high school gymnasiums to major universities and professional sports arenas.



## CHOOSING THE BEST PADDING FOR YOUR FACILITY



The first step in choosing padding for your facility is to determine whether the pads are going to be permanently installed or removed on a regular basis. This choice will affect your wall mounting options, other options such as color, fire retardant padding, and graphics are available on all pads.

### PERMANENTLY INSTALLED AND REMOVABLE

Many facilities will use a Z-Clip or W-Channel bracket mounted pad. These pads tend to be wood backed and are great for use in multipurpose facilities that often have a need to use a wall for another function or simply wish to change the general appearance of the facility for a concert or theatrical performance. The mounting is sturdy and allows the pads to be removed quickly.

Other options are sewn pads with no backing. They are lighter than wood backed padding making them easier to move. Two standard attachment methods are available for sewn pads, a hook and loop strip system or a grommet based attachment system.

A more permanent installation is the use of our 1" nailing margin pads to nail or screw the pads directly into the wall.




## WOOD BACKED PADDING

Wood Backed Padding has several mounting options. The typical industry method of installing padding is to provide no hardware and simply nail/screw the pad to the wall using a 1" lip at the top and bottom of the padding.



While this method works well we at **PlayersGoal®** believe there are better ways to install padding.



### W-CHANNEL MOUNTING OPTION

The W-Channel bracket method uses a set of brackets at the top and bottom of the padding. The brackets use a channel that holds the pad in using the 1" lip that would normally be used for screwing or nailing the pad to the wall. The advantage of this method is that the brackets slide apart allowing easy removal and replacement of pads as individual panels become damaged and require repair or replacement.

### Z-CLIP MOUNTING OPTION

The Z-Clip mounting system is a **PlayersGoal®** innovation. The Z-Clip is mounted to the wall and to the back of the pad allowing the pads to be hung easily and provide an 'invisible'

installation. The pads have no lip at the top or bottom (if using dual z-clip method) and the mounting hardware is installed entirely behind the pad, allowing for clean lines while maintaining an easy to hang, adjustable installation.

Single and Dual Z-Clip options are available. Single Z-Clip uses a Z-Clip for the top of the pad and a bottom lip to nail/screw the pad into the wall. Dual Z-Clip uses a Z-Clip at the top and bottom of the pad.

## SEWN PADDING

There are two standard mounting systems for sewn padding, a grommet based system and a hook & loop strip based system.

### GROMMET MOUNTED OPTION

The grommet system allows the pads to be hung via #2 grommets sewn into a 1 1/2 integrated vinyl flap on the pad. (*grommet flap is included in the size of the pad*)

### HOOK & LOOP MOUNTED OPTION

The hook & loop strip system leaves one strip on the wall and a corresponding strip on the pad, when the two are pressed together they form a seal, requiring a fair amount of force to pry them apart. Strips would be placed at both the bottom and top of the pads. These strips are generally mounted on the wall by a few screws and could be removed from the wall relatively easily.



## FIRE RETARDANT VS. STANDARD PADDING

With fire safety in mind, we use the same fire retardant 14oz vinyl covering for all indoor padding. Our fire retardant **foam core option** takes safety to the next level, meeting both the flame spread and smoke density requirements.

Once you've chosen wood backed or sewn padding with corresponding mounting system, you must then indicate your need for either a standard 2" hi-impact foam core or Class "A" rated fire retardant foam core. The Class "A" requirement for indoor padding is necessary in many states, please check individual state codes for compliance.

*Class A Tested September 2006: Commercial Testing Company, Dalton GA; Flame Spread <25 with actual score of 20; Smoke Density <450 with an actual score of 450.*

# 14OZ. VINYL COLORS

Actual Colors May Vary from Samples

Royal Blue	Gold	Purple	Navy Blue	White	Kelley Green	Sky Blue
Red	Forest Green	Burgundy	Grey	Black	Orange	Camel

## STANDARD PADDING

ATTACHMENT	WALL PAD	COLUMN / POST PAD	TAPERED COLUMN PAD
GROMMET	WGHI	COGHI	COGSTHI
HOOK & LOOP	WVHI	COVHI	COVSTHI
SINGLE Z-CLIP	WZHI	COPZHI	COPZ3THI
DUAL Z-CLIP	WZTBHI	COPZTBHI	COPZTB3THI
1" NAILING MARGINS	WCHI	COPHI	COP3THI

## FIRE RETARDANT PADDING

ATTACHMENT	WALL PAD	COLUMN / POST PAD	TAPERED COLUMN PAD
GROMMET	WGFR	COGFR	COGSTFR
HOOK & LOOP	WVFR	COVFR	COVSTFR
SINGLE Z-CLIP	WZFR	COPZFR	COPZ3TFR
DUAL Z-CLIP	WZTBFR	COPZTBFR	COPZTB3TFR
1" NAILING MARGINS	WCFR	COPFR	COP3TFR

WCHANNEL Brackets are sold separately and used with the No Hardware or Single Z-Clip Pads  
 Available in Multiple Colors, See 14oz Vinyl Color Chart for Details  
 All Pads available in Custom Sizes up to 4' Wide x 8' High

## CUTOUTS

What do you do when you need to place a pad on a wall that has an outlet or fire alarm or some other area that can not be covered up? You use a cutout to leave a hole in the pad for that area to remain exposed.

Cutouts come in 2 forms, field installed and factory installed. You can have us build the cutout into the pad designed for that space or we can provide you with premade cutout inserts to cover the exposed padding after a hole is cut.

The Field Cutout Insert is a **PlayersGoal®** exclusive allowing quick, easy adjustments to padding during installation.



## MODEL NUMBERS

WINSERT2	2 PLUG ELECTRICAL OUTLET
WINSERT4	4 PLUG ELECTRICAL OUTLET
WINSERTFA	FIRE ALRM
WINSERTUNIV	UNIVERSAL INSERT
WINSERTC	CUSTOM



## STAGE MATS

Storage in facilities is often at a premium and many facilities have storage access underneath their stages.

**PlayersGoal®** has taken this into consideration and offers a protective padding solution that won't interfere with access to under stage storage.

The mats fold at a 90 degree angle with a hook and loop or grommet attachment allowing the pad to be lifted up and gain access to storage doors. The mats are made of a 1-1/4" high impact foam core and 14 oz vinyl covering.



## DASHERBOARD PADDING

**PlayersGoal®** was the original provider of dasherboard padding for the sport of indoor arena football 20 years ago. Since that time we have provided dasherboard padding to over 50 indoor football teams throughout the country. Today, we offer the widest variety of pad styles available. The standard design involves an "L" shape that folds at a 90 degree angle and extends up and over the top of the dasherboard to provide maximum protection to both the face and top surfaces. These pads are available in both 3" and 5" thickness and heights of 42" and 48". Standard pad width is 8'.

## I-BEAM PADDING



Steel I-Beams are a particularly dangerous hazards in a gymnasium setting. For a fast and easy solution, turn to **PlayersGoal®** I-Beam wraps.


These pads wrap around the face and front edge of the I-Beam and attach with self adhesive Hook & Loop strips to the backside of the beam face.

Customizing I-Beam pads is a necessity for many applications. Each is different, consisting of custom heights, widths, cutouts, etc.

These pads can be manufactured to meet the specific needs of each application, call us with custom measurements.

All I-Beam pads are covered in 14 oz. Vinyl.


BEAM FACE	STANDARD MODEL	FIRE RETARDANT MODEL
6"	IB6HI	IB6FR
8"	IB8HI	IB8FR
10"	IB10HI	IB10FR
12"	IB12HI	IB12FR




**ENTHUSIASM IS CONTAGIOUS!  
GET THE SPIRIT GOING IN YOUR GYM WITH  
PLAYERSGOAL® GRAPHIC SPIRIT MATS.**

Superior graphics are the highlight of these 3-Dimensional mats.

An exceptional display of your dedication to the protection of your athletes and the spirit of fans who help them win! Choose from 10 standard designs, or create your own. Each section is an individual component for easy replacement if damaged or vandalized. Our innovative Z-clip attachment system results in no visible hardware when installed.




**DESIGN 1**




**DESIGN 2**




**DESIGN 3**



**DESIGN 4**




**DESIGN 5**



**DESIGN 6**



**DESIGN 7**




**DESIGN 8**

**CUSTOM DESIGNED SPIRIT MATS ARE  
AVAILABLE. CONTACT YOUR SALES  
MANAGER TODAY TO DISCUSS  
AVAILABLE OPTIONS AND PRICING.**



**DESIGN 9**



**DESIGN 10**



**GRAPHIC SPIRIT MATS MODELS**

**GSM** HIGH IMPACT, 2 COLOR LOGO, 12 LETTERS & LAYOUT;

**SIZE:** 12'W X 72"H X 3"D

**PGFHG** HIGH IMPACT FOAM SIDE PANEL;

**SIZE:** 2'W X 6'H X 3"D




**PlayersGoal®** Bleacher Enclosures are custom built to your bleacher dimensions and provide a measure of protection from injury and vandalism.

The Bleacher Enclosure is attached to the framework of your bleacher and as the rows of your bleacher fold atop each other the closure folds, like a curtain, and stores itself behind the bleachers. Vinyl end curtains prevent unauthorized access to the understructure of your bleacher as well as preventing errant basketballs, volleyballs, etc. from rolling into unsafe areas.

**PlayersGoal®** Bleacher Enclosures come in several different sizes ranging from 4 tiers to 25 tiers.

## VINYL BLEACHER ENCLOSURES

The vinyl bleacher enclosure consists of 19oz vinyl with #2 grommets located every 6" for hanging and attaching to mounting brackets. All hardware to attach the enclosure to the bleacher and brackets is included; the customer must provide the hardware to attach the wall mount bracket.



## MESH BLEACHER ENCLOSURES

Our mesh enclosures are the same design as the vinyl bleacher enclosures, with an eye toward the lighter weight necessary for larger bleacher systems, when rows exceed the 10-12 range. The high strength, low weight mesh is a 13x11 construction made from a 100% woven vinyl-coated polyester. By reducing the overall weight of the bleacher enclosure we minimize the load on the attachment system, ensuring ease of use and enhancing the useful life of the system.

All hardware to attach enclosure to the bleacher is provided except for the hardware necessary to attach the wall mount bracket to the wall.

## CUSTOM BLEACHER PADDING

In many gymnasiums space is at a premium and bleacher systems are a point of concern for safety. **PlayersGoal®** can create a custom set of pads to protect your students, athletes, or patrons from colliding with dangerous sharp edges, hard metal bars or exposed seating.





**PlayersGoal®** provides climbing wall “landing zone” mat protection in three varieties. Climbing wall mats serve double duty by providing a measure of protection for those engaged in climbing or traversing while also serving to keep people off the wall or to provide wall protection. This product is ideal for multipurpose facilities (elementary school, recreation center, etc.) Portable landing zone mats can be moved around from one location to another and can be used on top of other floor protection mats to provide a degree of extra cushioning. Finally, our wide selection of foams and carpet bonded foam products (see next page) allow you to build a permanently padded floor to meet your custom requirements.

## CLIMBING WALL MATS

**PlayersGoal®** climbing wall mats are designed to offer both floor and wall protection. They are hinged at the bottom and attached to the wall so they stay firmly in place at all times. Each mat is 4' wide and 6' high with custom sizes available upon request. The foam core consists of 1-1/4" cross-linked polyethylene and 1" of high impact foam for a total mat thickness of 2-1/2". These mats are made with tough 19 ounce vinyl and hook and loop strips on the sides to hold the mats together on the wall and floor.



## PORTABLE LANDING ZONE MATS

**PlayersGoal®** Portable Landing Zone Mats (sometimes called crash pads or landing mats) are constructed with durable 19oz. heavy coated vinyl. Breather fabric is located around three sides. Zippers make foam replacement a snap, while handles allow for easy handling. A bonded top layer of 1 1/4" cross-linked polyethylene to a layer of high impact foam for a total thickness of either 4" or 6". The polyethylene provides a firm landing surface while the high impact foam bottom layer provides cushioned support. Our portable landing zone mats can be custom designed to your specifications for width, length, and total thickness. While a non-folding configuration is standard, we can also make them in a folding mat style upon request.



**PlayersGoal®** offers a wide variety of products so that you can build your own permanent padding floor. These products can be mixed and matched to offer the right amount of thickness and overall landing zone area to meet your custom needs.

## RAW FOAM PRODUCTS

- ◆ Polyurethane foam
- ◆ Bonded foam
- ◆ Cross link polyethylene  
(rolls of 6' x 42' x 1.4" or 1.5" or 2" thick)
- ◆ Proethylene



## PRO X FLOOR

This product combines 18 oz. low pile plush carpet laminated to cross-linked polyethylene foam. This would be an ideal top layer for your custom permanent floor. Pro X Flooring comes in rolls that are 6' x 42' with three different thicknesses to choose from. This product is available in blue/silver fibers, royal blue, navy, light grey, green, purple or red and comes with hook and loop strips to secure sections together.



Please specify the thickness desired at time of order. All rolls are 42' long and 6' wide. It is also important to note that red, green, or purple are slightly more expensive than the other colors.



## GYMNASTICS MATS

**PlayersGoal®** offers a wide variety of gymnastics mats and related products including tumbling mats, landing mats, competition landing mats, landing pits, carpet bonded foam, aerobics mats, and cheerleader training protective floor mats. Choose from a wide variety of mats designed for specific gymnastics, aerobics, cheerleading and physical education activities.



## TUMBLING MATS

From the Original Tumbler to the Elite Tumbler, **PlayersGoal®** offers a wide variety of tumbling mats to be used by all ages and skill levels.

**PlayersGoal®** tumbling mats are constructed with 14 oz. leather grain reinforced vinyl. The 14 ounce material is water resistant, anti-bacterial, and fire retardant. **PlayersGoal®** tumbling mats come standard with hook & loop on the two short ends. Hook & loop strips on three or four sides is optional.

## ORIGINAL TUMBLER

The Original Tumbler is perfect for the beginner and elementary school level. This mat is constructed with 2" high impact foam, which gives a soft cushioned surface to tumble on. These mats are available in a folding (folds in 2' sections) or non-folding style. CAUTION: Many schools opt to place hook & loop attached tumbling mats on gym wall for protection. While this allows the mats to serve "double duty" do not remove mats for use in other areas if play continues and wall contact is possible.

## PRO TUMBLER

The Pro Tumbler allows the intermediate/advanced tumbler to develop their tumbling skills on a firmer surface than the Original Tumbler. The Pro Tumbler is constructed with 1 1/4" firm cross-linked polyethylene foam. These mats are available in a folding (folds in 2' sections) or non-folding style.

## ELITE TUMBLER

The Elite Tumbler provides the best of all worlds. The Elite Tumbler is constructed with combination foam core consisting of 1 1/4" firm cross-linked polyethylene foam on top with a 1" layer of high impact foam underneath. For a total of a 2 1/4" pad. This provides you with a firm landing surface as well as additional cushioning. These mats are available in a folding configuration only (folds in 2' sections).



**AEROBIC/DAY MATS**

**PlayersGoal®** Aerobic/Day Mats are perfect for all age groups from day care resting mats to adult aerobics. **PlayersGoal®** Aerobic/Day Mats are constructed with 14 oz. leather grain vinyl, and are available with 1" or 2" high impact foam. Non-folding only.

**LANDING/TRAINING MATS**

**PlayersGoal®** Landing/Training Mats are constructed with durable 19 oz. heavy coated vinyl. The high impact foam core provides a thick cushioned landing zone. Breather fabric is located around three sides. Zippers make foam replacement a snap, while handles allow for easy handling.

Custom sizes and thickness are available upon request.



**COMPETITION LANDING MATS**

**PlayersGoal®** Competition Landing Mats are constructed identically to our Landing / Training Mats with the exception of the foam core. We bond a top layer of 1 1/4" firm cross-linked polyethylene foam to a layer of high impact foam. The polyethylene provides a firm landing surface while the high impact foam bottom layer provides cushioned support. **PlayersGoal®** Competition Landing Mats are available in 4 3/4" thickness (or any custom thickness desired).


**PRO X FLOOR**

This product combines 18 oz. low pile plush carpet laminated to cross-linked polyethylene foam. This would be an ideal top layer for your custom permanent floor. *Please note that red, green, or purple are slightly more expensive than the other colors*

*See Page 35 for part numbers & further details.*

# WRESTLING MATS

If you are looking for a wrestling mat, mat reconditioning, off season conditioning mat, wrestling room wall padding, or other wrestling related products you have come to the right place! **PlayersGoal®** has over 20 years experience in the wrestling and wall mat business. **PlayersGoal®** offers you the widest variety of sizes and options available anywhere. You pick the size, thickness, color, lettering, logos, and other mat options that are perfect for your needs.



## FOAM CORE CHOICES

**PlayersGoal®** offers three foam cores for you to choose from. The 1" thick 600S (.75 lbs. per square foot) is the most popular and is suitable for high school and college requirements. The 1.25" thick 625S (1 lb. per square foot) has the same physical properties as the 600S but with additional thickness to provide extra impact protection. The 1.5" thick 650S (1.5 lbs. per square foot) is suitable for Greco-Roman and Free-Style wrestling.



## SIZE REQUIREMENTS

### NFHS (HIGH SCHOOL RULES):

For a high school, regulation size is a minimum of 38' x 38' mat with a minimum of a 28' circle. There must be a minimum protection area (out of bounds) of 5' surrounding wrestling circle. A 10' wrestling circle and starting lines are required.

### NCAA (COLLEGE RULES):

NCAA rules require a minimum wrestling circle between 32' and 42' in diameter. A minimum protection area (out of bounds) of 5' surrounding the wrestling circle is required. While a 10' circle is optional, starting lines are required.

## CONFIGURATIONS

Wrestling mats can be customized to your size and specification requirements. While it may be standard for your mat to be made in three equal sections, you can choose any configuration or have your mat made in a single piece at no additional charge. Pictured at right are some of our more popular mat layouts.



**ONE TONE**  
Standard



**ONE TONE W/10' SOLID**  
Solid 10' Area  
2nd Color



**TWO TONE**  
Solid Wrestling Area Only  
2nd Color




**TWOTONED #2**  
Solid Wrestling & 10' Area  
10' Circle Line  
Contrasting Color



**THREE TONED**  
Wrestling Area  
2nd Color  
& 10' Area  
3rd Color



**THREE TONED #2**  
Wrestling Area  
2nd Color  
& Circle Lines  
3rd Color



**PRACTICE CIRCLES**  
Standard



**PRACTICE CIRCLES PLUS**  
Wrestling Circle  
& Center Circle  
Lines 3rd Color



**INTERNATIONAL**  
Standard



**INTERNATIONAL**  
Broken Passivity Zone




**INTERNATIONAL**  
Solid Passivity Zone



**GYMNASTIC BORDER**

### Wrestling Mat Color Chart

Representative color samples reproduced on this chart may differ slightly from finished product.




### STANDARD WRESTLING MATS INCLUDE:

- ◆ Front side: single color with regulation markings (10' circle, wrestling circle, starting marks)
- ◆ Back side: single color with 9 practice circles (no starting marks)
- ◆ Design your own custom mat with the help of our worksheet link on our web site.
- ◆ Up to 3 Block Letters

### WRESTLING MAT MODELS

600S	1" THICK; 0.75LBS / SQFT
625S	1.25" THICK; 1LBS / SQFT
650S	1.5" THICK; 1.5LBS / SQFT
12"	IB12HI



### WRESTLING MAT TRANSPORTERS

Efficient design and ease of operation make these transporters and storage units indispensable. Winch model accommodates mat loading by one person.

MODEL NUMBER	DIMENSIONS	CAPACITY	DESCRIPTION
MR3-M	17'L X 4'W X 32"H	THREE MATS	MANUAL
MR3	18'L X 4'W x 6' 6"H	THREE MATS	WINCH LOADED
WR	18'L X 3'W x 9' 11"H	THREE MATS	WALL RACK

### HOME USE MATS

Home use mats are available in any size, however, the following can be sent via FedEx Ground or UPS:

- ◆ 5' x 10' (one piece)
- ◆ 10' x 10' (two piece)
- ◆ 11 1/2' x 11 1/2' (two piece)



Martial arts mats by **PlayersGoal®** give you the best combination of safety and versatility. If you teach Judo, Karate, Tae Kwon Do, Aikido, Kung Fu, or other forms of martial arts, our floor mats are perfect for sparring, take downs, throws, or other elements of self defense training. We provide mats that can accommodate a small area or an entire room. We custom manufacture to meet your specific needs so please don't hesitate to ask our customer service representatives about alterations that will make the final product perfect for your facility.

Hook & Loop Fasteners on 4 sides of the mats is standard and allows you to attach mats together in any configuration.

We use 19 oz. heavy coated vinyl, see our vinyl color selection charts.



## TERMINATOR

The Terminator series of mats are made in modular 10' x 10' sections which connect together with hook & loop fasteners to create larger workout areas. Each mat folds in half for easy transportation or storage. These mats are ideal if you want to transport them to a demonstration site or move them from one facility to another. The single or double layer of cross-linked polyethylene foam core is ideal for shock absorption and proper footing.



## DESTROYER



These multipurpose mats are smaller in overall size to the Terminator series and fold in two foot sections (accordion style). They are ideal for providing "extra" protection over the top of larger padded areas or to give you a smaller individual workout area (stretching, etc.) They are available with a single layer of 1 1/4" cross-linked polyethylene.



Whether you need sheets, rolls, or interlocking tiles, **PlayersGoal®** is your one stop source for weight room flooring. Thicknesses range from 3/8" to 3/4" and a wide color selection is available if you want to vary from basic black. Weight room flooring will protect your permanent floor while also providing durability, comfort and slip resistance.

## SHEETS

The most economical type of weight room flooring is our standard 4' x 6' non-interlocking sheet, available in three different thicknesses: 3/8", 1/2", and 3/4". The 3/8" and 3/4" mats are available in black only while the 1/2" mats can be purchased in black, brick, royal, mocha and forest.



## ROLLS/RUNWAYS


Whether you want to cover a weight room with fewer seams or trying to protect an area, like a track, from the damage caused by spikes, this product is what you need.

Rolls come 32" - 48" wide and can be made to desired length.

## INTERLOCKING

If you want ease of installation coupled with fantastic appearance, interlocking flooring is the answer. The interlocking tiles are available in three different sizes and 3/8", 1/2", and 3/4" thick. Color availability is black, gray, and blue.

Standard Size: 4' Square Interlocking Sheets  
Custom Sizes are Available Upon Request





### DIGITAL GRAPHICS



Take the opportunity to show your sponsors you appreciate their continued support by proudly displaying their logos on your stadium pads. Never before has the industry been so capable to display their team spirit or sponsor support so prevalently on their stadium padding.



We are proud to present our line of high resolution digital graphics, printed in-house for quick turn around time. With wide format, photo quality logos, you can show your team spirit or apply advertising directly to pads without the need for banner overlays that can be unsightly.

With the cost significantly lower than traditional graphics, **PlayersGoal®** can provide breath taking logos to suit any budget.

### TRADITIONAL HAND-PAINTED GRAPHICS

We've always offered fantastic hand painted graphics and lettering that can be applied to most any of our vinyl products. Ideal for groups who don't have photo ready graphics or those seeking a more traditional appearance.



## VINYL CARE

Regular maintenance and cleaning is an important factor in the longevity of your pads or mats.

### VINYL PROTECTANT

A dressing that helps to restore vitality to vinyl that has been damaged by plasticizer migration. This is the ultimate in vinyl protection. Available in 5-gallon and 1-gallon containers. **DO NOT** rinse after sealer application. Sealing should take place after graphic installation.

**Coverage:** 2,000 square feet per gallon.

### VINYL CLEANER

A concentrated vinyl cleaner and deoxidizer which removes streaking, chalking and oxidation from vinyl. This product is designed for general maintenance use. Available in 5 gallon and 1 gallon containers. Rinse thoroughly. **DO NOT** use in extremely hot weather, cleaner will dry before rinsing or streaking may occur.

**Coverage:** 2,000 square feet per gallon.

### COLOR CHART: 14OZ VINYL

**-USED IN INDOOR PRODUCTS**

*Important Note:* Colors may vary from actual vinyl, consult your Sales Manager for vinyl samples.



VINYL CARE PRODUCTS		
	1 GALLON	5 GALLONS
VINYL PROTECTANT	PTS1	PTS5
VINYL CLEANER	PTW1	PTW5

## COLOR CHART: ECOGUARD® 180Z UV PROTECTED VINYL

-USED IN INDOOR & OUTDOOR PRODUCTS

*Important Note:* Colors may vary from actual vinyl, consult your Sales Manager for vinyl samples.



## COLOR CHART: 190Z HEAVY COATED VINYL

-USED IN INDOOR & OUTDOOR PRODUCTS

*Important Note:* Colors may vary from actual vinyl, consult your Sales Manager for vinyl samples.



## COLOR CHART: 250Z VINYL

-USED IN OUTDOOR PRODUCTS

*Important Note:* Colors may vary from actual vinyl, consult your Sales Manager for vinyl samples.



